Manitoba Immunization Report

Manitoba Immunization Monitoring System (MIMS)

> Annual Report 2008

COMMUNICABLE DISEASE CONTROL

Communicable Disease Control Branch Public Health Division Manitoba Health



Table of Contents

| Acl | knowledgments | ii |
|-----|--|----|
| 1. | Overview | 1 |
| 2. | Glossary | 2 |
| 3. | Description of Criteria for MIMS Annual Reports | 3 |
| | 3.1 Coverage Reports | 3 |
| | 3.2 Vaccine Doses Reports | 6 |
| 4. | Childhood Immunization Reports | 7 |
| | For Manitoba and each region of residence | |
| | Report 1: Complete for Age from Birth to 2008 by Immunogen and Region of Residence | 7 |
| | Report 2: Complete for Age from Birth to 2008 by Immunogen and Age | 19 |
| | Report 3: Complete for Age from Birth to 2008 for all Immunogens by Region of Residence For all residents, continuous residents and non-continuous residents | 29 |
| | Report 4: Complete for Age from Birth for all Immunogens by Region of Residence, 2004-2008 For all residents, continuous residents and non-continuous residents | 33 |
| | Report 5: Childhood Vaccine Doses by Provider Type and Location, 2008 | 37 |
| 5. | Influenza and Pneumococcal Immunization Reports | 43 |
| | For Manitoba and each region of residence | |
| | Report 6 : Influenza and Pneumococcal Coverage Report, by Client Age and Region of Residence, 2008 | 43 |
| | Report 7: Influenza Vaccine Doses by Reason for Immunization, Provider Type and Location, 2008 | 47 |
| | Report 8: Pneumococcal Vaccine Doses by Reason for Immunization, Provider Type and Location, 2008 | 54 |
| Ap | pendix 1: Manitoba's Routine Immunization Schedule for Infants and Children | 61 |
| App | pendix 2: Map of Manitoba's Regional Health Authorities | 62 |
| | | |

Acknowledgments

The 2008 MIMS Annual Report is a result of the ongoing efforts of a dedicated team of individuals throughout the province of Manitoba including public health nurses, immunization coordinators, physicians and other primary health care providers. Their combined efforts and expertise in the area of immunization provide the data that is necessary to produce this valuable report. We also gratefully acknowledge the work of the MIMS data entry staff throughout the province.

In addition, thanks are extended to the Health Information Management (HIM) and the Information Systems Branch staff at Manitoba Health for their contribution to the production of the 2008 MIMS Report.

1. Overview

Immunization is one of the most effective and cost-efficient health interventions of modern times. In the last 50 years, immunization has probably saved more lives in Canada than any other health intervention (Canadian Immunization Guide, 7th Edition, 2006). Immunization registries play a key role in ensuring that individuals receive all recommended immunizations and avoid those that are unnecessary. These registries also permit efficient evaluation of the immunization status of specific individuals, groups or the population overall.

Manitoba's immunization registry, the Manitoba Immunization Monitoring System (MIMS), became functional province-wide in 1988, making it the first such registry in Canada. The aim of the MIMS annual report is to provide an overall picture of childhood, influenza and pneumococcal immunization that can be used to inform priority setting, policy development, program planning and evaluation. The 2008 MIMS Annual Report is the seventh such report produced using a standardized methodology to allow year-to-year review of progress against provincial and national immunization rates.

MIMS is managed by the Public Health Planning Branch, Public Health and Primary Health Care, Manitoba Health (MH). Initially, MIMS only recorded immunizations provided to children (born after 1980). In 2000, adult immunizations were added to the registry. Immunization events are captured in MIMS in two ways: publicly-funded immunizations administered by physicians are entered into the system via the physician billing system; all other immunizations, such as those provided by public health nurses, are recorded by data entry staff in the regions. The goal is to have all immunizations administered in Manitoba recorded in MIMS.

MIMS captures information related to an immunization event, including type of vaccine administered, date of administration and service provider. This data is the basis of a variety of immunization reports, including this annual report. MIMS also provides a centralized "reminder" function, automatically generating letters on a monthly basis to parents of children aged 15 months, 20 months and 5 ½ years who may be missing recommended immunizations (as per Manitoba's Routine Immunization Schedule for Infants and Children, Appendix 1) and encouraging them to ensure their children's immunizations are up-to-date. Over 155 sites have MIMS access throughout the province. Usually associated with public health offices, these sites provide information on the immunization status of clients to health care providers and allow data input following the delivery of an immunziation.

Your comments and suggestions to make future reports more informative are most welcome. To provide feedback please contact:

Kathleen Messner, R.N. B.N. Vaccine Preventable Disease Program Specialist Public Health and Primary Health Care Manitoba Health 4059-300 Carlton Street Winnipeg, MB R3B 3M9 Tel: 204-788-6749

Fax: 204-948-2190

Email: kathleen.messner@gov.mb.ca

2. Glossary

ABBREVIATIONS

First Nations and Inuit Health FNIH

MH Manitoba Health

MIMS Manitoba Immunization Monitoring System

Population Pop

RHA Regional Health Authority

IMMUNOGENS

Diphth Diphtheria HB Hepatitis B

Hib Haemophilus influenzae type b

Seasonal influenza Flu

Meningococcal Conjugate C MC

Pneumococcal Conjugate 7 valent PCV7

Pertussis Pert Tetanus Tet Varicella

VACCINES

HEPA/B

Diphtheria, acellular Pertussis, Tetanus, Polio DTaP-IPV

DTaP-IPV-Hib Diphtheria, acellular Pertussis, Tetanus,

Polio, Haemophilus influenza type b

HBV Hepatitis B Vaccine

Hepatitis A and B

Flu Seasonal Influenza MC Meningococcal Conjugate

MMR

Measles, Mumps, Rubella

PCV7 Pneumococcal Conjugate 7 valent

Pneumococcal Polysaccharide 23 valent PPV23

Td Tetanus, diphtheria

Tetanus, diphtheria, acellular pertussis Tdap.

V Varicella

3. Description of Criteria for MIMS Annual Report

The annual report includes eight separate reports that fall into two main groupings: Childhood Immunization Reports and Influenza and Pneumococcal Immunization Reports. These reports provide information on immunization coverage by age or by region of residence (coverage reports), and a description of who provided vaccine doses by region of practice (vaccine doses reports).

A consistent format is followed for each report. Data is provided for Manitoba overall and then for each of the 11 regional health authorities (Appendix 2). The data is grouped by First Nations status, Non-First Nations status, and a total overall. Cell-sizes less than or equal to 5 have been suppressed to minimize the potential for identification of individuals.

First Nations Status is based on voluntary self-declaration at the time of registration with Manitoba Health. First Nations and Inuit Health (FNIH) estimate that this represents approximately 65 per cent of the status First Nation population. First Nations and Inuit Health is responsible for providing immunizations to First Nations clients living on reserve (approximately 60 per cent of the status First Nation population). Audits indicate that gaps exist between immunizations administered to FNIH clients as documented on paper records versus those data entered into MIMS. Actual coverage rates for FNIH clients are, therefore, likely higher than those generated using MIMS data.

3.1 Coverage Reports

3.11 Childhood Immunization Coverage Reports

The data represented in these reports represents the percentage rates of children who are completely immunized from birth with a specific number of doses for a particular immunogen (see definition below) or all the recommended immunogens for a particular age. The accepted terminology to describe this is "Complete for age from birth." Coverage reports do not include children who were not immunized as per the routine recommended immunization schedule from birth.

Complete for age from birth: For the purposes of this report, a child is required to have received the recommended doses of an immunogen from birth, as per the schedule given below. For example, to determine coverage at age two for diphtheria, the denominator would be all children who turned two years of age in 2008 and the numerator would be those children from the denominator group who had received four doses of the diphtheria immunogen by their second birthday. If even one dose is missed, a child would not be considered "complete for age from birth" and would not be included in the coverage rate.

Table 1: Total Doses Required to be "Complete for Age from Birth"

| Immunogen | | | Age in Year | S | |
|-------------|----|-----|-------------|----|----|
| | 1 | 2 | 7 | 11 | 17 |
| Diphtheria | 3 | 4 | 5 | 5 | 6 |
| Tetanus | 3 | 4 | 5 | 5 | 6 |
| Pertussis | -3 | 4 | 5 | 5 | 6 |
| Polio | 2 | - 3 | 4 | 4 | 4 |
| Hib | 3 | 4 | 4 | 0 | 0 |
| PCV7 | 3 | 4 | 0 | 0 | 0 |
| Measles | 0 | 1 | 2 | 2 | 2 |
| Mumps | 0 | 1 | 1 | 1 | 1 |
| Rubella | 0 | 1 | 1 | 1 | 1 |
| Varicella | 0 | 1 | 0 | 0 | 0 |
| Hepatitis B | 0 | 0 | 0 | 3 | 3 |
| Men-C-C | 0 | 0 | 0 | 1 | 0 |
| | | | | | |

Doses required: The number of doses of immunogens required to be complete for age from birth is as per Manitoba's Routine Immunization Schedule for Infants and Children (Appendix 1).

Coverage by Immunogen: The coverage reports are listed by immunogen rather than by vaccine, as vaccines may include more than one immunogen and the immunogen composition of vaccines can change over time. The term immunogen, rather than antigen, is used in this report to be consistent with the Canadian Immunization Guide, 7th Edition. All doses of each immunogen were included in the coverage report irrespective of the vaccine given. For example, hepatitis B reflects all doses of immunogen administered to individuals including those from hepatitis A/B combination vaccine (Twinrix) and hepatitis B vaccine.

Immunogen: a substance capable of inducing a specific immune response

Age in years reflects a client's age on date of birth within the calendar year 2008; for example, if a child turned three years of age on May 1, 2008 the child is considered to be three years old for the purpose of this report.

Continuous residents in Manitoba is determined based on an individual being continuously registered with Manitoba Health for insured benefits from birth until December 31, 2008.

Non-continuous residents would include clients who, for example, may have been born in Manitoba, moved out for a period of time and then returned; or clients who were not born in Manitoba and moved to the province.

All residents include continuous and non-continuous residents, as defined above.

Childhood Immunization coverage rates (Report 1, 2, 3 and 4) were calculated as follows:

 $Rate/100 = \frac{\text{Number of individuals in age group "X" from the MIMS dataset}}{\text{Number of individuals in age group "X" in the population dataset}} \times 100$

The numerator was determined as follows:

- The MIMS data used was an April 2009 "snapshot" (to permit immunizations occurring at the end of 2008 to be entered) of individuals complete for age from birth, from the MIMS database that was provided by MH's Information Systems Branch. Multiple years of data are required to determine whether children are complete for age from birth. Immunizations where the service date is unknown were excluded. The data were summarized by individual and included: age, First Nations status and a count of immunogen doses.
- The MIMS data was linked to the MH Registry to determine client region of residence. Each individual was assigned to only one region of residence (Appendix 2) during the reporting period (2008), irrespective of whether or not they lived in multiple health regions since birth. The region used was the health authority in which the individual was resident as of April following the report year (i.e., April 2009) to coincide with the MIMS April snapshot of doses administered as of December 31, 2008.

Region of residence: the regional health authority within which the individual resides

The denominator was determined as follows:

The number of people within a specific health region was determined as of June 1 during the report year (June 1, 2008). This population data comes from the MH Population Report and is based on records of residents registered with MH as of that date.

Notes:

- Immunogens included in one vaccine may require a different number of doses to be considered complete for age from birth. This may result in different coverage rates for each immunogen included in the same vaccine. For example, the measles, mumps and rubella vaccine (recommended at 12 months and again at four to six years of age) requires two doses of measles, but only one dose of mumps and rubella for a child to be considered "complete for age from birth."
- Hib doses are required at ages one, two and seven years. Hib is included in the immunogen coverage reports for children at age 11 and 17 years for information only as there is no provincial recommendation for Hib vaccine after children reach age 60 months. Hib is not included in "complete for age from birth" requirements for children beyond the age of seven.
- There was a substantial increase in Hib coverage rate in 2008 for 17 year olds as this cohort reached this age since the introduction of Hib in 1992.
- One dose of varicella vaccine at the age of two years is required for a child to be "Complete for Age from Birth for all Immunogens" (Reports 3 and 4). However, it may not be clinically recommended for a child to receive varicella immunization by this age if he/she has a previous history of varicella illness. This may result in slightly lower rates for "Complete for Age from Birth for all Immunogens."

As a result of the differences in when individuals in the numerator and denominator are assigned to a regional health authority, coverage rates may be greater than 100 per cent if the number of individuals vaccinated against a particular disease is greater than the number of individuals assigned to that regional health authority.

3.12 Influenza and Pneumococcal Coverage Report

Influenza and pneumococcal immunization coverage rates (Report 6) were calculated as follows:

 $Rate/100 = \frac{Number of immunized individuals in age group "X" from the MIMS dataset}{Number of individuals in age group "X" in the population dataset} \times 100$

The numerator was determined as follows:

- The MIMS data used was an April 2009 "snapshot" (to permit immunizations occurring at the end of 2008 to be entered) of individuals who have received influenza or pneumococcal immunizations, as per the MIMS database. The data were summarized by individual and include age, First Nations status and a count of individuals receiving a dose of influenza or pneumococcal vaccine.
- The age of the individual was determined as of his/her birthday within the calendar year. Age data were converted to age groups: birth to two years, three to 17 years, 18 to 64 years, <65 high risk, <65 all and 65+ years. The "<65 high risk" population estimate was based on a calculation of 11 per cent of the total under-65 population. The same estimate was used for both influenza and pneumococcal high-risk groups, although the target population for immunization is not identical. The "<65 high risk" numerator data are those doses identified via public health data entry in MIMS, as doses recorded via physician billing do not capture this information. These same doses are also included in the "<65 all" category and coverage calculations.
- For influenza, only immunizations administered during 2008 are used in this report.
- For pneumococcal immunizations, the data are analyzed twice: the first report includes only those doses administered during 2008; the second, all individuals who have ever received a pneumococcal immunization (presented as a cumulative coverage rate). The cumulative data is important as the eligible population is recommended to have one dose.

The MIMS data was linked to the MH Registry to determine client region of residence. Each individual was assigned to only one region of residence (Appendix 2) during the reporting period (2008), regardless of whether or not they lived in more than one region during that time. The region used was that in which the individual was resident as of April following the report year (April 2009) to coincide with the MIMS April snapshot of doses administered as of December 31, 2008.

The denominator was determined as follows:

The number of people within a specific health region is determined as of June 1 during the report year (June 1, 2008). This population data comes from the MH Population Report and is based on records of residents registered with MH as of that date.

3.2 Vaccine Doses Report

These reports reflect doses administered by providers from January 1 to December 31, 2008, based on the region in which they practice (Appendix 2). The same data cannot be used to calculate immunization coverage rates as providers do not have a particular population denominator to which they are assigned.

Provider location: the region (RHA) in which a provider's practice is located

These data reflect doses administered by four different provider types:

- Public health nurse (off reserve)
- Physician
- First Nation/Tribal Council (all providers on reserve, including public health nurses)
- Other (all other providers, including facilities, primary care providers, pharmacies and other unknown providers)

3.21 Childhood Vaccine Doses Report

Vaccine doses are reported by provider type for all vaccines recommended in Manitoba's Routine Immunization Schedule for Infants and Children (Appendix 1). Td doses are also reported to capture individuals ≥ seven years of age who received tetanus and diphtheria alone.

3.22 Influenza Vaccine Doses Report

Influenza doses are reported by provider type and reason for immunization. Reason for immunization is based on the MH eligibility criteria for influenza vaccine. These criteria include: health care worker, high risk, household contact, no risk identified (client paid) and outbreak immunization. Immunizations captured via the physician billing system do not include the reason for immunization and therefore these vaccines doses are reported as "no reason given."

3.23 Pneumococcal Vaccine Doses Report

Pneumococcal doses are reported by provider type and reason for immunization. Reason for immunization is based on the MH eligibility criteria for pneumococcal (PPV23) vaccine. These criteria include: high risk, no risk identified (client paid) and outbreak immunization. Immunizations captured via the physician billing system do not include the reason for immunization and therefore these vaccine doses are reported as "no reason given."

4. Childhood Immunization Reports

Report 1 - Complete for Age from Birth to 2008 by Immunogen and Region of Residence

NOTE:

This report includes both continuous and non-continuous Manitoba residents.

MANITOBA

| | | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|-------|---|--------|----------------|---------------------------------------|------------------|----------------|------------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|
| Age | 1 | E-151 | | | | 1 | in the same A financial section of | | | | | | | | |
| -3- | First Nations Rate per 100 children | 2,572 | 1,673 65.0 | 1,673 65.0 | 1,673 65.0 | 2,182 84.8 | 1,671 65.0 | 1,653 64.3 | 55 2.1 | 55 2.1 | 55 2.1 | 47 1.8 | 20 0.8 | 6 0.2 | 169 6.6 |
| | Non-First Nations Rate per 100 children | 12,972 | 10,591 81.6 | 10,592 81.7 | 10,588 81.6 | 11,580 89.3 | 10,558 81.4 | 10,274 79.2 | 334 2.6 | 319 2.5 | 320 2.5 | 297 2.3 | 176 1.4 | 418 3.2 | 1,951 15.0 |
| | Total for 1-year-olds Rate per 100 children | 15,544 | 12,264 78.9 | 12,265 78.9 | 12.261 78.9 | 13,762 88.5 | 12,229 78.7 | 11,927 76.7 | 389 2.5 | 374 2.4 | 375 2.4 | 344 2.2 | 196 1,3 | 424 2.7 | 2,120 |
| Age : | 2 | | - | - | | - | - | - 145 | - | | | | - | | |
| ngo. | First Nations Rate per 100 children | 2,346 | 1.414 60.3 | 1,414 60.3 | 1,414 60.3 | 2,008 85.6 | 1,409 60.1 | 1,372 58.5 | 1,991 84.9 | 1,991 | 1,991 84.9 | 1,754 74.8 | 19 0.8 | 6 0.3 | 259 11.0 |
| | Non-First Nations Rate per 100 children | 12,666 | 9,369 74.0 | 9,368 74.0 | 9,364 73.9 | 11,098 87.6 | 9,286 73.3 | 8,915 70.4 | 10,934 86.3 | 10,926 86.3 | 10,925 86.3 | 9.803 77.4 | 369 2.9 | 545 4.3 | 2,817 22.2 |
| | Total for 2-year-olds Rate per 100 children | 15,012 | 10,783 71.8 | 10,782 71.8 | 10,778 71.8 | 13,106 87.3 | 10,695 71.2 | 10,287 68.5 | 12,925 86,1 | 12,917 86.0 | 12,916 86.0 | 11,557 77.0 | 388 2.6 | 551 3.7 | 3,076 20.5 |
| Age | 7 | | | | SA TO POLICE AND | | | | | | - | | A | | |
| | First Nations Rate per 100 children | 1,923 | 1,224 63.7 | 1,224 63.7 | 1,221 63.5 | 1,694 88.1 | 1,415 73.6 | N/A | 1,464 76.1 | 1.870 97.2 | 1,870 97.2 | 399 20.7 | 12 0.6 | 11 0.6 | 101 5.3 |
| | Non-First Nations Rate per 100 children | 12,988 | 9,432 72.6 | 9,429 72.6 | 9,385 72.3 | 10,968 84.4 | 10,110 77.8 | 38 0.3 | 10,204 78.6 | 11,746 90.4 | 11,748 90.5 | 4,551 35.0 | 749 5.8 | 588 4.5 | 861 6.6 |
| | Total for 7-year-olds Pate per 100 children | 14,911 | 10,656 71.5 | 10,653 71.4 | 10,606 71.1 | 12,662 84.9 | 11,525 77.3 | 38 0.3 | 11,668 78.3 | 13,616 91.3 | 13,618 91.3 | 4,950 33.2 | 761 5.1 | 599 4.0 | 962 6.5 |
| Age | 11 | | | | | | | | | TER SERVICE | - | - | | 1011111 | |
| | First Nations Rate per 100 children | 1.850 | 1,094 59.1 | 1,094 59.1 | 1,065 57.6 | 1,437 77.7 | 1,213 65.6 | N/A | 1,378 74.5 | 1,769 95.6 | 1,769 95.6 | 252 13.6 | 998 53.9 | 1.235 66.8 | 70 3.8 |
| | Non-First Nations Rate per 100 children | 13,684 | 10,002 73.1 | 10,002 73.1 | 9,580 70.0 | 11,154 81.5 | 10,488 76.6 | N/A | 10,750 78.6 | 12.210 89.2 | 12,208 89.2 | 2,067 15.1 | 10,502 76.7 | 10,882 79.5 | 647 4.7 |
| | Total for 11-year-olds Rate per 100 children | 15,534 | 11,096 71.4 | 11,096 71.4 | 10,645 68.5 | 12,591 81.1 | 11,701 75.3 | N/A | 12,128 78.1 | 13,979 90.0 | 13,977 90.0 | 2,319 14.9 | 11,500 74.0 | 12,117 78.0 | 717 4.6 |
| Age | 17 | | ********* | · · · · · · · · · · · · · · · · · · · | | - | | | | | | | | | |
| | First Nations Rate per 100 children | 1,919 | 720 37.5 | 719 37.5 | 621 32.4 | 1,292 67.3 | 79 4.1 | N/A | 1,281 66.8 | 1,797 93.6 | 1,807 94.2 | N/A | 1,061 55.3 | 11 0.6 | 61 3.2 |
| | Non-First Nations Rate per 100 children | 15,928 | 10,658 66.9 | 10,668 67.0 | 9,453 59.3 | 13,400 84.1 | 1,120 7.0 | N/A | 13,056 82.0 | 14,458 90.8 | 14.464 90.8 | 93 0.6 | 11,366 71.4 | 294 1.8 | 434 2.7 |
| | Total for 17-year-olds Rate per 100 children | 17,847 | 11,378 63.8 | 11,387 63.8 | 10,074 56.4 | 14,692 82.3 | 1,199 | N/A | 14,337 80.3 | 16,255 91.1 | 16,271 91.2 | 96 0.5 | 12,427 69.6 | 305 1.7 | 495 2.8 |

Winnipeg

| | | Pop | Diplith | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|--------|---|-------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Age | 1 | | | | | | | | | | | | | | |
| | First Nations Rate per 100 children | 608 | 426 70.1 | 426 70.1 | 426 70.1 | 528 86.8 | 425 69.9 | 421 69.2 | 1.5 | 1.5 | 1.5 | 1.5 | 1.3 | N/A | 100 |
| | Non-First Nations Rate per 100 children | 7,041 | 5,750 81.7 | 5,751 81.7 | 5,748 81.6 | 6,299 89.5 | 5,729 81.4 | 5,619 79.8 | 207 | 197 2.8 | 197 2.8 | 187 2.7 | 102 1.4 | 306 4.3 | 1,430 |
| | Total for 1-year-olds Rate per 100 children | 7,649 | 6,176 80.7 | 6,177 80.8 | 6,174 80.7 | 6,827 89.3 | 6,154 80.5 | 6,040 79.0 | 216 2.8 | 206 2.7 | 206 2.7 | 196 2.6 | 110 1.4 | 309 4.0 | 1,530 |
| Age | 2 | | | | | | | | | | 10.00 | 1450 | *** | | |
| | First Nations Rate per 100 children | 559 | 327 58.5 | 327 58.5 | 327 58.5 | 471 84.3 | 326 58.3 | 305 54.6 | 447 80.0 | 447 80.0 | 447 80.0 | 401 71.7 | 1.3 | N/A | 139 24.9 |
| | Non-First Nations Pate per 100 children | 6,952 | 5,091 73.2 | 5,090 73.2 | 5,087 73.2 | 6,048 87.0 | 5.047 72.6 | 4,890 70.3 | 5,984 86.1 | 5,980 86.0 | 5,980 86.0 | 5,533 79.6 | 207 3.0 | 366 5.3 | 1,986 |
| | Total for 2-year-olds Rate per 100 children | 7,511 | 5,418 72.1 | 5,417 72.1 | 5,414 72.1 | 6,519 86.8 | 5,373 71.5 | 5,195 69.2 | 6,431 85.6 | 6,427 85.6 | 6,427 85.6 | 5,934 79.0 | 214 2.8 | 368 4.9 | 2,128 28.3 |
| Age | 7 | - | | | | | | | | | | | | | |
| | First Nations Rate per 100 children | 432 | 259 60.0 | 259 60.0 | 259 60:0 | 369 85.4 | 326 75.5 | N/A | 297 68.8 | 418 96.8 | 418 96.8 | 94 21.8 | N/A | N/A | 7.4 |
| | Non-First Nations Rate per 100 children | 7,159 | 4.855 67.8 | 4,853 67.8 | 4,816 67.3 | 5,767 80.6 | 5.324 74.4 | 0.3 | | 6,360 88.8 | 6,360 88.8 | 2,730 38.1 | 375 5.2 | 350 4.9 | 536 7.5 |
| | Total for 7-year-olds Rate per 100 children | 7,591 | 5,114 67.4 | 5,112 67.3 | 5,075 66.9 | 6,136 80.8 | 5,650 74.4 | 22 0.3 | | 6,778 89.3 | 6,778 89.3 | 2.824 37.2 | 378 5.0 | 353 4.7 | 568 7.5 |
| Age | 11 | | | | | | | | | 77334 | | | | | |
| | First Nations Rate per 100 children | 473 | 297 62.8 | 297 62.8 | 283 59.8 | 387 81.8 | 338 71.5 | N/A | 247 | 446 94.3 | 446 94.3 | 10.4 | 229 48.4 | 264 55.8 | 4.7 |
| | Non-First Nations Rate per 100 children | 7,539 | 5,006 66.4 | 5,006 66,4 | 4,733 62.8 | 5,746 76.2 | 5.431 72.0 | N/A | 0.040 | 6,446 85,5 | 6,444 85.5 | 1,149 15.2 | 5,602 74.3 | 5,798 76.9 | 378 5.0 |
| | Total for 11-year-olds Rate per 100 children | 8,012 | 5,303 66.2 | 5,303 66.2 | 5,016 62.6 | 6,133 76.5 | 5,769 72.0 | N/A | 0,034 | 6,892 86.0 | 6,890 86.0 | 1,198 15.0 | 5,831 72.8 | 6,062 75.7 | 400 5.0 |
| Age | 17 | | | | | | | | | | | | | | |
| ,,,,,, | First Nations Rate per 100 children | 474 | 183 38.6 | 183 38.6 | 147 31.0 | 365 77.0 | 28 5.9 | N/A | 335 | 45.2 95.4 | 454 95.8 | N/A | 283 59.7 | N/A | 3.6 |
| | Non-First Nations Rate por 100 children | 8,842 | 5,464 61.8 | 5,467 61.8 | 4,761 53.8 | 7,231 81.8 | 671 7.6 | N/A | 0,033 | 7,724 87.4 | 7,726 87.4 | 61 0.7 | 6,029 68.2 | 213 2.4 | 242 |
| | Total for 17-year-olds Rate per 100 children | 9,316 | 5,647 60.6 | 5,650 60.6 | 4,908 52.7 | 7,596 81.5 | 699 7.5 | N/A | 1,204 | 8,176 87.8 | 8,180 87.8 | 62 0.7 | 6,312 67.8 | 217 23 | 250 |

Brandon

| | | Pop | Diphth | Tet | Pert | Pollo | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|-----|---|-----|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Age | 1 | | | | | 100 | | | | | | | | | |
| | First Nations Rate per 100 children | 60 | 73.3 | 44 73.3 | 44 73.3 | 51 85.0 | 44 73.3 | 43 71.7 | N/A |
| | Non-First Nations Rate per 100 children | 658 | 555 84.3 | 555 84.3 | 555 84.3 | 590 89.7 | 552 83.9 | 533 81.0 | 23 3.5 | 22 3.3 | 23 3.5 | 18 2.7 | N/A | 11 | 66 |
| | Total for 1-year-olds Rate per 100 children | 718 | 599 83.4 | 599 83.4 | 599 83.4 | 641 89.3 | 596 83.0 | 576 80.2 | 23 3.2 | 22 3.1 | 23 3.2 | 18 2.5 | N/A | 11 1.5 | 70 9.7 |
| Age | 2 | | | | | | | | | | | 77.5 | | | |
| - 2 | First Nations Rate per 100 children | 73 | 39 53.4 | 39 53.4 | 39 53.4 | 61 83.6 | 39 53.4 | 40 54.8 | | 61 83.6 | 61 83.6 | 55 75.3 | N/A | N/A | 11.0 |
| | Non-First Nations Rate per 100 children | 632 | 472 74.7 | 472 74.7 | 472 74.7 | 558 88.3 | 463 73.3 | 451 71.4 | 560 88.6 | 560 88.6 | 559 88.4 | 532 84.2 | 14 2.2 | 18 28 | 99 15.7 |
| | Total for 2-year-olds Rate per 100 children | 705 | 511 72.5 | 511 72.5 | 511 72.5 | 619 87.8 | 502 71.2 | 491 69.6 | 621 88.1 | 621 88.1 | 620 87.9 | 587 83.3 | 14 2.0 | 18 2.6 | 107 15.2 |
| Age | 7 | | | | | | | | | | | | | | |
| | First Nations Rate per 100 children | 50 | 25 50.0 | 25 50.0 | 24 48.0 | 40 80.0 | 32 64.0 | N/A | 32 64.0 | 45 90.0 | 45 90.0 | 13 26.0 | N/A | N/A | N/A |
| | Non-First Nations Rate per 100 children | 494 | 363 73.5 | 363 73.5 | 362 73.3 | 424 85.8 | 387 78.3 | N/A | 400 81.0 | 457 92.5 | 459 92.9 | 208 42.1 | 12 2.4 | 15 3.0 | 25 5.1 |
| | Total for 7-year-olds Rate per 100 children | 544 | 388 71.3 | 388 71.3 | 386 71.0 | 464 85.3 | 419 77.0 | N/A | 432 79.4 | 502 92.3 | 504 92.6 | 221 40.6 | 12 2.2 | 16 2.9 | 26 4.8 |
| Age | 11 | | | | | | | 117.75 | | | | | | | |
| | First Nations Rate per 100 children | 41 | 18 43.9 | 18 43.9 | 17 41.5 | 34 82.9 | 27 65.9 | N/A | 29 70.7 | 40 97.6 | 40 97.6 | 9 22.0 | 26 63.4 | 32 78.0 | N/A |
| | Non-First Nations Rate per 100 children | 521 | 395 75.8 | 395 75.8 | 393 75.4 | 428 82.1 | 402 77.2 | N/A | 423 81.2 | 453 86.9 | 453 86.9 | 99 | 397 76.2 | 427 82.0 | 15 |
| | Total for 11-year-olds Rate per 100 children | 562 | 413 73.5 | 413 73.5 | 410 73.0 | 462 82.2 | 429 76.3 | N/A | 452 80.4 | 493 87.7 | 493 87.7 | 108 19.2 | 423 75.3 | 459 81.7 | 15 2.7 |
| Age | 17 | | | | | | | | | | | | | | |
| | First Nations Rate per 100 children | 29 | 10 34.5 | 10 34.5 | 10 34.5 | 21 72.4 | N/A | N/A | 21 72.4 | 27 93.1 | 27 93.1 | N/A | 18 62.1 | N/A | N/A |
| | Non-First Nations Rate per 100 children | 607 | 429 70.7 | 429 70.7 | 396 65.2 | 477 78.6 | 44 7.2 | N/A | 514 84.7 | 563 92.8 | 563 92.8 | N/A | 453 74.6 | N/A | 11 |
| | Total for 17-year-olds Rate per 100 children | 636 | 439 69.0 | 439 69.0 | 406 63.8 | 498 78.3 | 45 7.1 | N/A | 535 84.1 | 590 92.8 | 590 92.8 | N/A | 471 74.1 | N/A | 13 |

North Eastman

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|--|-----|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Age 1 | | | | | 100000 | | 1000 | | | | | | | |
| First Nations Rate per 100 children | 165 | 90 54.5 | 90 54.5 | 90 54.5 | 126 76,4 | 90 54.5 | 88 53.3 | 8 4.8 | 8 4.8 | 4.8 | 3.0 | N/A | N/A | 5.5 |
| Non-First Nations Rate per 100 children | 357 | 274 76.8 | 274 76.8 | 274 76.8 | 314 88.0 | 274 76.8 | 271 75.9 | 9 2.5 | 9 2.5 | 9 2.5 | 11 3.1 | N/A | 11 3.1 | 39 10.9 |
| Total for 1-year-olds Rate per 100 children | 522 | 364 69.7 | 364 69.7 | 364 69.7 | 440 84.3 | 364 69.7 | 359 68.8 | 17 3.3 | 17 3.3 | 17 3.3 | 16 | N/A | 12 2.3 | 48 9.2 |
| Age 2 First Nations Rate per 100 children | 171 | 110 64.3 | 110 64.3 | 110 64.3 | 148 86.5 | 109 63.7 | 107 62.6 | 146 85.4 | 146 85.4 | 146 85.4 | 138 80.7 | N/A | N/A | 15 8.8 |
| Non-First Nations Rate per 100 children | 324 | 238 73.5 | 238 73.5 | 238 73.5 | 295 91.0 | 236 72.8 | 226 69.8 | 281 86.7 | 281 86.7 | 281 86.7 | 247 76.2 | 6 | 15 4.6 | 61 18.8 |
| Total for 2-year-olds Rate per 100 children | 495 | 348 70.3 | 348 70.3 | 348 70.3 | 443 89.5 | 345 69.7 | 333 67.3 | 427 86.3 | 427 86.3 | 427 86.3 | 385 77.8 | 7 1.4 | 15 3.0 | 76 15.4 |
| Age 7 First Nations Rate per 100 children | 173 | 96 55.5 | 96 55,5 | 96 55.5 | 148 85.5 | 118 68.2 | N/A | 130 75.1 | 168 97.1 | 168 97.1 | 51 29,5 | N/A | N/A | 13 |
| Non-First Nations Rate per 100 children | 381 | 306 80.3 | 306 80.3 | 307 80.6 | 343 90.0 | 320 84.0 | N/A | 325 85.3 | 360 94.5 | 360 94,5 | 101 26.5 | 13 3.4 | 6 | 6.0 |
| Total for 7-year-olds Rate per 100 children | 554 | 402 72.6 | 402 72.6 | 403 72.7 | 491 88.6 | 438 79.1 | N/A | 455 82.1 | 528 95.3 | 528 95.3 | 152 27.4 | 14 2.5 | 6 | 36 6.5 |
| Age 11 First Nations Rate per 100 children | 147 | 82 55.8 | 82 55.8 | 78 53.1 | 111 75.5 | 94 63.9 | N/A | 107 72.8 | 145 98.6 | 145 98.6 | 18 12.2 | 72 49.0 | 84 57.1 | 5,4 |
| Non-First Nations Rate per 100 children | 398 | 308 77.4 | 308 77.4 | 297 74.6 | 347 87.2 | 323 81.2 | N/A | 040 | 376 94.5 | 376 94.5 | 66 16.6 | 312 78.4 | 312 78.4 | 22 5.5 |
| Total for 11-year-olds Rate per 100 children | 545 | 390 71.6 | 390 71.6 | 375 68.8 | 458 84.0 | 417 76.5 | N/A | 452 82.9 | 521 95.6 | 521 95.6 | 84 15.4 | 384 70.5 | 396 72.7 | 30 5.5 |
| Age 17 First Nations Rate per 100 children | 153 | 51 33.3 | 51 33.3 | 46 30.1 | 96 62.7 | N/A | N/A | 83 54.2 | 141 92.2 | 142 92.8 | N/A | 69 45.1 | N/A | 5 3.3 |
| Non-First Nations Rate per 100 children | 496 | 327 65.9 | 329 66.3 | 266 53.6 | 456 91.9 | 37 7.5 | N/A | 443 89.3 | 483 97.4 | 483 97.4 | 5 1.0 | 359 72.4 | 1.4 | 2.2 |
| Total for 17-year-olds Rate per 100 children | 649 | 378 58.2 | 380 58.6 | 312 48.1 | 552 85.1 | 39 6.0 | N/A | 526 81.0 | 624 96.1 | 625 96.3 | 5 0.8 | 428 65.9 | 8 | 16 2.5 |

South Eastman

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|---|-----------------|-------------|-------------|-------------|---------------|-------------------------|-------------|---|---------------|---------------|-------------|-------------|-------------|-----------|
| Age 1 | Dales. | | | | | | | | | | | | | |
| First Nations Rate per 100 children | 11 | 90.9 | 10 90.9 | 10 90.9 | 90.9 | 9 81.8 | 10 90.9 | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 997 | 847 85.0 | 847 85.0 | 846 84.9 | 907 91.0 | 843 84.6 | 816 81.8 | 21 2.1 | 20 2.0 | 20 | 16 1.6 | 13 1.3 | 33 | 74 |
| Total for 1-year-olds Rate per 100 children | 1,008 | 857 85.0 | 857 85.0 | 856 84.9 | 917 91.0 | 852 84.5 | 826 81.9 | 21 2.1 | 20 2.0 | 20 | 16 1.6 | 13 1.3 | 33 3.3 | 75 |
| Age 2 | THE ST | | | - | 15000 | | | | | - | | 1 10 | | Lanc |
| First Nations Rate per 100 children | 13 | 11 84.6 | 11 84.6 | 11 84.6 | 13 100.0 | 11 84.6 | 11 84.6 | 10 76.9 | 10 76.9 | 10 76.9 | 9 69.2 | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 996 | 799 80.2 | 799 80.2 | 799 80.2 | 900 90.4 | 794 79.7 | 762 76.5 | 879 88.3 | 877 88.1 | 877 88.1 | 765 76.8 | 42 4.2 | 33 3.3 | 110 |
| Total for 2-year-olds Rate per 100 children | 1,009 | 810 80.3 | 810 80.3 | 810 80.3 | 913 90.5 | 805 79.8 | 773 76.6 | 889 88.1 | 887 87.9 | 887 87.9 | 774 76.7 | 42 4.2 | 33 3.3 | 112 |
| Age 7 | | | | - | - | to combine and a second | V | | | | | | - | |
| First Nations Rate per 100 children | 5 | N/A | N/A | N/A | N/A | N/A | N/A | 5 100.0 | 100.0 | 100.0 | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 1,067 | 867 81.3 | 867 81.3 | 868 81.3 | 965 90.4 | 894 83.8 | N/A | 941 88.2 | 985 92.3 | 986 92.4 | 285 26.7 | 130 12.2 | 62 5.8 | 48 4.5 |
| Total for 7-year-olds Rate per 100 children | 1,072 | 871 81.3 | 871 81.3 | 872 81.3 | 969 90.4 | 898 83.8 | N/A | 946 88.2 | 990 92.4 | 991 92.4 | 286 26.7 | 130 | 62 5.8 | 48 4.5 |
| Age 11 | The same of the | | | | | | | | | | | | | - |
| First Nations Rate per 100 children | 6 | N/A | N/A | N/A | 5 83.3 | N/A | N/A | 5 83.3 | 5 83.3 | 5 83.3 | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 1,066 | 860 80.7 | 860 80.7 | 811 76.1 | 928 87.1 | 846 79.4 | N/A | 952 89.3 | 993 93.2 | 993 93.2 | 130 12.2 | 848 79.5 | 818 76.7 | 28 2.6 |
| Total for 11-year-olds Rate per 100 children | 1,072 | 864 80.6 | 864 80.6 | 815 76.0 | 933 87.0 | 850 79.3 | N/A | 957 89.3 | 998 93.1 | 998 93.1 | 131 | 850 79.3 | 821 76.6 | 28 2.6 |
| Age 17 | - | | 1000 | | - | | Fact Nath | 100000000000000000000000000000000000000 | | | | | | |
| First Nations Rate per 100 children | 8 | N/A | N/A | N/A | 6 75.0 | N/A | N/A | N/A | 7 87.5 | 7 87.5 | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 1,185 | 866 73.1 | 868 73.2 | 760 64.1 | 1,055 89.0 | 93 7.8 | N/A | 1,057 89.2 | 1,134 95.7 | 1,137 95.9 | 6 0.5 | 821 69.3 | 16 1.4 | 18 1.5 |
| Total for 17-year-olds Rate per 100 children | 1,193 | 869 72.8 | 871 73.0 | 762 63.9 | 1,061 | 93 7.8 | N/A | 1,061 | 1,141 | 1,144 | 6 | 824 69.1 | 16 1.3 | 18 |

Interlake

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measies | Mumps | Rubella | V | HB | MC | Flu |
|---|-------|---|-------------|-------------|---------------|-------------|-------------|-------------|-------------|---------------|---------------|-------------|-----------------------|-------------|
| Age 1 | 25713 | | | | | | | | | | 35/115 | | 15.00 | |
| First Nations Rate per 100 children | 153 | 100 65.4 | 100 65.4 | 100 65.4 | 128 83.7 | 100 65.4 | 98 64.1 | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 730 | 605 82.9 | 605 82.9 | 605 82.9 | 659 90.3 | 605 82.9 | 589 80.7 | 14 1.9 | 14 | 14 | 15 2.1 | N/A | 17 2.3 | 113 |
| Total for 1-year-olds Rate per 100 children | 883 | 705 79.8 | 705 79.8 | 705 79.8 | 787 89.1 | 705 79.8 | 687 77.8 | 15 1.7 | 15 1.7 | 15 1.7 | 16 1.8 | N/A | 17 1.9 | 117 |
| Age 2 | | | | - | | | - | | - | Core Caracana | | | | |
| First Nations Rate per 100 children | 151 | 86 57.0 | 86 57.0 | 86 57.0 | 129 85.4 | 86 57.0 | 83 55.0 | 126 83.4 | 126 83.4 | 126 83.4 | 83 55.0 | N/A | N/A | 6.0 |
| Non-First Nations Rate per 100 children | 710 | 540 76.1 | 540 76.1 | 539 75.9 | 646 91.0 | 536 75.5 | 516 72.7 | 626 88.2 | 626 88.2 | 626 88.2 | 543 76.5 | 5 0.7 | 22 3.1 | 155 21.8 |
| Total for 2-year-olds Rate per 100 children | 861 | 626 72.7 | 626 72.7 | 625 72.6 | 775 90.0 | 622 72.2 | 599 69.6 | 752 87.3 | 752 87.3 | 752 87.3 | 626 72.7 | 5 0.6 | 23 2.7 | 164 19.0 |
| Age 7 | 10.50 | | | | 100 | | | | - | | | | | |
| First Nations Rate per 100 children | 115 | 67 58.3 | 67 58.3 | 68 59.1 | 103 89.6 | 87 75.7 | N/A | 83 72.2 | 112 97.4 | 112 97.4 | 20 17.4 | N/A | 6 5.2 | N/A |
| Non-First Nations Rate per 100 children | 780 | 597 76,5 | 597 76.5 | 592 75.9 | 694 89.0 | 645 82.7 | N/A | 619 79.4 | 723 92.7 | 723 92.7 | 244 313 | 22 2.8 | 30 3.8 | 51 6.5 |
| Total for 7-year-olds Rate per 100 children | 895 | 664 74.2 | 664 74.2 | 660 73.7 | 797 89.1 | 732 81.8 | N/A | 702 78.4 | 835 93.3 | 835 93.3 | 264 29.5 | 23 2.6 | 36 4.0 | 51 5.7 |
| Age 11 | | | 110 | | | - | | | To leave | | (May)) 7 - 40 | | | |
| First Nations Rate per 100 children | 139 | 96 69.1 | 96 69.1 | 95 68.3 | 116 83.5 | 104 74.8 | N/A | 109 78.4 | 133 95.7 | 133 95.7 | 7 5.0 | 51 36.7 | 59 42.4 | N/A |
| Non-First Nations Rate per 100 children | 896 | 697 77.8 | 697 77.8 | 677 75.6 | 773 86.3 | 734 81.9 | N/A | 735 82.0 | 834 93.1 | 834 93,1 | 112 12.5 | 726 81.0 | 744 83.0 | 50 5.6 |
| Total for 11-year-olds Rate per 100 children | 1.035 | 793 76.6 | 793 76.6 | 772 74.6 | 889 85.9 | 838 81.0 | N/A | 844 81.5 | 967 93.4 | 967 93.4 | 119 | 777 75.1 | 803 77.6 | 52 5.0 |
| Age 17 | | *************************************** | - | - | | | | ****** | ~ | 0.00 | | - | - to do store to - to | |
| First Nations Rate per 100 children | 142 | 65 45.8 | 65 45.8 | 61 43.0 | 104 73.2 | 6 4.2 | N/A | 91 64.1 | 139 97.9 | 139 97.9 | N/A | 90 63.4 | N/A | N/A |
| Non-First Nations Rate per 100 children | 1,046 | 785 75.0 | 785 75.0 | 696 66.5 | 916 87.6 | 77 7.4 | N/A | 838 80.1 | 984 94.1 | 985 94.2 | N/A | 782 74.8 | 7 | 33 3.2 |
| Total for 17-year-olds Rate per 100 children | 1.188 | 850 71.5 | 850 71.5 | 757 63.7 | 1,020 85.9 | 83 7.0 | N/A | 929 78.2 | 1,123 | 1,124 94.6 | N/A | 872 73.4 | 7 0.6 | 36 3.0 |

Central

| | | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | НВ | MC | Flu |
|-----|---|-------|---------------|---------------|-------------------|---------------|---------------|---------------|------------------------|---------------|---------------|-------------|--|---------------|-------------|
| Age | 1 | | | | | | | | | | | | | | |
| | First Nations Rate per 100 children | 175 | 84 48.0 | 84 48.0 | 84 48.0 | 126 72.0 | 84 48.0 | 81 46.3 | 6 3.4 | 6 3.4 | 6 3.4 | 5 2.9 | N/A | N/A | 2.9 |
| | Non-First Nations Rate per 100 children | 1,410 | 1,065 75.5 | 1,065 75.5 | 1,065 75.5 | 1,188 84.3 | 1.063 75.4 | 1,007 71.4 | 22 1.6 | 21 1.5 | 21 1.5 | 18 1.3 | 35 2.5 | 13 0.9 | 99 7.0 |
| | Total for 1-year-olds Rate per 100 children | 1.585 | 1,149 72.5 | 1,149 72.5 | 1,149 72.5 | 1,314 82.9 | 1,147 72.4 | 1,088 | 28 1.8 | 27 1.7 | 27 1.7 | 23 1.5 | 35 2.2 | 14 | 104 |
| Age | 2 | | | | - | | | | | | A 100 A 1010 | | Criscomie Nam | | |
| | First Nations Rate per 100 children | 171 | 69 40.4 | 69 40.4 | 69 40.4 | 123 71.9 | 69 40.4 | 68 39.8 | 125 73.1 | 125 73.1 | 125 73.1 | 111 64.9 | N/A | N/A | 13 7.6 |
| | Non-First Nations Rate per 100 children | 1,427 | 975 68.3 | 975 68.3 | 975 68.3 | 1,191 83.5 | 964 67.6 | 870 61.0 | 1,163 81.5 | 1,162 81.4 | 1,162 81.4 | 891 62.4 | 71 5.0 | 46 3.2 | 167 11.7 |
| | Total for 2-year-olds Rate per 100 children | 1,598 | 1,044 65.3 | 1,044 65.3 | 1,044 65.3 | 1,314 | 1,033 | 938 58.7 | 1,288 80.6 | 1,287 80.5 | 1,287 80.5 | 1,002 | 71 4.4 | 46 2.9 | 180 11.3 |
| Age | 7 | | | - | and months to the | | | | | | | | | | - |
| | First Nations Rate per 100 children | 118 | 73 61.9 | 73 61.9 | 73 61.9 | 97 82.2 | 77 65.3 | N/A | 93 78.8 | 111 94.1 | 111 94.1 | 29 24.6 | N/A | N/A | 7 5.9 |
| | Non-First Nations Rate per 100 children | 1,470 | 1,132 77.0 | 1,131 76.9 | 1,129 76.8 | 1,303 88,6 | 1,175 79.9 | 7 0.5 | 1,253 85.2 | 1,350 | 1,349 91.8 | 395 26.9 | 147 10.0 | 56 3.8 | 56 3.8 |
| | Total for 7-year-olds Rate per 100 children | 1,588 | 1,205 75.9 | 1,204 75.8 | 1,202 75.7 | 1,400 88.2 | 1,252 78.8 | 7 0.4 | 1,346 84.8 | 1,461 92.0 | 1,460 91.9 | 424 26.7 | 147 9.3 | 56 3.5 | 63 4.0 |
| Age | 11 | | | | | Palester. | | | The Court of the Court | | - | | | | |
| | First Nations Rate per 100 children | 136 | 51 37.5 | 51 37.5 | 50 36.8 | 82 60.3 | 56 41.2 | N/A | 90 66.2 | 131 96.3 | 131 96,3 | 22 16.2 | 47 34.6 | 67 49.3 | 5 3.7 |
| | Non-First Nations Rate per 100 children | 1,555 | 1,290 83.0 | 1,290 83.0 | 1,246 80.1 | 1,372 88.2 | 1,272 81.8 | N/A | 1,386 89.1 | 1,468 94.4 | 1,468 94.4 | 218 14.0 | 1,206 77.6 | 1,268 81.5 | 52 3.3 |
| | Total for 11-year-olds Rate per 100 children | 1,691 | 1,341 79.3 | 1,341 79,3 | 1,296 76.6 | 1,454 86.0 | 1,328 78.5 | N/A | 1,476 87.3 | 1,599 94.6 | 1,599 94.6 | 240 14.2 | 1,253 74.1 | 1,335 78.9 | 57 3.4 |
| Age | 17 | | | | | | - | | | | | | M.M. M. | | |
| 30 | First Nations Rate per 100 children | 143 | 40 28.0 | 40 28.0 | 33 23.1 | 67 46.9 | 6 4.2 | N/A | 83 58.0 | 120 83.9 | 120 83.9 | N/A | 68 47.6 | N/A | N/A |
| | Non-First Nations Rate per 100 children | 1,679 | 1,279 76.2 | 1,281 76.3 | 1,180 70.3 | 1,492 88.9 | 84 5.0 | N/A | 1,497 89.2 | 1,607 95.7 | 1,606 95.7 | 7 0.4 | 1,275 75.9 | 28 1.7 | 40 2.4 |
| | Total for 17-year-olds Rate per 100 children | 1.822 | 1,319 72,4 | 1,321 72.5 | 1,213 66.6 | 1,559 85.6 | 90 4.9 | N/A | 1,580 86.7 | 1,727 94.8 | 1,726 94.7 | 7 0.4 | 1,343 73.7 | 30 1.6 | 42 2.3 |

Assiniboine

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|---|-------|-------------|-------------|-------------|-------------|-----------------------|-------------|-------------------|-------------|-------------|-------------|---|-------------|-------------------------|
| Age 1 | -1010 | - | | | | | 19215 | 51.61 | 1 5-15 | | | | | |
| First Nations Rate per 100 children | 99 | 62 62.6 | 62 62.6 | 62 62.6 | 79 79.8 | 62 62.6 | 61 61.6 | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 705 | 617 87.5 | 617 87.5 | 617 87.5 | 650 92.2 | 617 87.5 | 577 81.8 | 9 | 9 1.3 | 9 | 10 | N/A | 15 2.1 | 34 4.8 |
| Total for 1-year-olds Rate per 100 children | 804 | 679 84.5 | 679 84.5 | 679 84.5 | 729 90.7 | 679 84.5 | 638 79.4 | 9 | 9 | 9 | 10 1.2 | N/A | 15 1.9 | 36 4.5 |
| Age 2 | | | i call | | | | | are secured as an | - | | | | | |
| First Nations Rate per 100 children | 99 | 64 64.6 | 64 64.6 | 64 64.6 | 85 85.9 | 63 63.6 | 64 64.6 | 83 83.8 | 83 83.8 | 83 83.8 | 72 72.7 | N/A | N/A | 6.1 |
| Non-First Nations Rate per 100 children | 645 | 515 79.8 | 515 79.8 | 515 79.8 | 586 90.9 | 514 79.7 | 481 74.6 | 572 88.7 | 572 88.7 | 572 88.7 | 480 74.4 | N/A | 21 3.3 | 61 9.5 |
| Total for 2-year-olds Rate per 100 children | 744 | 579 77.8 | 579 77.8 | 579 77.8 | 671 90.2 | .577 77.6 | 545 73.3 | 655 88.0 | 655 88.0 | 655 88.0 | 552 74.2 | N/A | 21 2.8 | 67 9.0 |
| Age 7 | | *** | | 1.10 | | *** | | ************* | | | - | *************************************** | | |
| First Nations Rate per 100 children | 67 | 45 67.2 | 45 67 2 | 45 67.2 | 56 83.6 | 51 76.1 | N/A | 51 76.1 | 65 97.0 | 65 97.0 | 10 14.9 | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 676 | 561 83.0 | 561 83.0 | 561 83.0 | 617 91.3 | 580 85.8 | N/A | 602 89.1 | 627 92.8 | 627 92.8 | 237 35.1 | 24 3.6 | 33 4.9 | 32 4.7 |
| Total for 7-year-olds Rate per 100 children | 743 | 606 81.6 | 606 81.6 | 606 81.6 | 673 90.6 | 631 84.9 | N/A | 653 87.9 | 692 93.1 | 692 93.1 | 247 33.2 | 24 3.2 | 34 4.6 | 33 4.4 |
| Age 11 | | | | | | THE PART OF PROPERTY. | | | | | | | | and the second state of |
| First Nations Rate per 100 children | 69 | 26 37.7 | 26 37.7 | 25 36.2 | 41 59.4 | 37 53.6 | N/A | 40 58.0 | 65 94.2 | 65 94.2 | N/A | 37 53.6 | 45 65.2 | N/A |
| Non-First Nations Rate per 100 children | 765 | 654 85.5 | 654 85.5 | 639 83.5 | 698 91.2 | 663 86.7 | N/A | 701 91.6 | 730 95.4 | 730 95.4 | 125 16.3 | 643 84.1 | 673 88.0 | 37 4.8 |
| Total for 11-year-olds Rate per 100 children | 834 | 680 81.5 | 680 81.5 | 664 79.6 | 739 88.6 | 700 83.9 | N/A | 741 88.8 | 795 95.3 | 795 95.3 | 125 15.0 | 680 81.5 | 718 86.1 | 38 4.6 |
| Age 17 | | - | | 190 TV 13 | - | - | | | | | | | | |
| First Nations Rate per 100 children | 77 | 34 44.2 | 34 44.2 | 29 37.7 | 55 71.4 | N/A | N/A | 47 61.0 | 73 94,8 | 73 94.8 | N/A | 47 61.0 | N/A | N/A |
| Non-First Nations Rate per 100 children | 931 | 749 80.5 | 750 80.6 | 696 74.8 | 814 87.4 | 59 6.3 | N/A | 798 85.7 | 881 94.6 | 881 94.6 | N/A | 748 80.3 | 9 | 35 3.8 |
| Total for 17-year-olds Rate per 100 children | 1,008 | 783 77.7 | 784 77.8 | 725 71.9 | 869 86.2 | 62 6.2 | N/A | 845 83.8 | 954 94.6 | 954 94.6 | N/A | 795 78.9 | 10 | 36 3.6 |

Parkland

| | Pop | Diphth | Tet | Pert | Pello | HID | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|---|-----------|--------------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|-------------|-------------|-------------|------------|
| Age 1 | | | | | | | 100 | | | | | - | | |
| First Nations Rate per 100 children | 119 | 92 77.3 | 92 77.3 | 92 77.3 | 110 92.4 | 92 77.3 | 92 77.3 | | N/A | N/A | N/A | N/A | N/A | 10 8.4 |
| Non-First Nations Rate per 100 children | 438 | 381 87.0 | 381 87.0 | 381 87.0 | 408 93.2 | 380 86.8 | 376 85.8 | | 8 | 8 1.8 | 7 | N/A | 7 1.6 | 20 4.6 |
| Total for 1-year-olds Rate per 100 children | 557 | 473 84.9 | 473 84.9 | 473 84.9 | 518 93.0 | 472 84.7 | 468 84.0 | | 11 20 | 11 2.0 | 10 1.8 | N/A | 7 1.3 | 30 5.4 |
| Age 2 | Parathi I | | | | | - | | | | | | | | |
| First Nations Rate per 100 children | 108 | 85 78.7 | 85 78.7 | 85 78.7 | 105 97.2 | 85 78.7 | 81 75.0 | 105 97.2 | 105 97.2 | 105 97.2 | 100 92.6 | N/A | N/A | 7.4 |
| Non-First Nations Rate per 100 children | 421 | 335 79.6 | 335 79.6 | 335 79.6 | 378 89.8 | 335 79.6 | 324 77.0 | 377 89.5 | 377 89.5 | 377 89.5 | 349 82.9 | 7 | 11 2.6 | 56 13.3 |
| Total for 2-year-olds Rate per 100 children | 529 | 420 79.4 | 420 79.4 | 420 79.4 | 483 91.3 | 420 79.4 | 405 76.6 | 482 91.1 | 482 91.1 | 482 91.1 | 449 84.9 | 9 | 12 2.3 | 64 12.1 |
| Age 7 | 199 | | | | | | | | | | Carried Min | - | | |
| First Nations Rate per 100 children | 85 | 77 90.6 | 77 90.6 | 76 89.4 | 89 104.7 | 79 92.9 | N/A | 85 100.0 | 90 105.9 | 90 105.9 | 22 25.9 | N/A | N/A | 5.9 |
| Non-First Nations Rate per 100 children | 399 | 330 82.7 | 330 82.7 | 330 82.7 | 363 91.0 | 342 85,7 | N/A | 350 87.7 | 375 94.0 | 375 94.0 | 149 37.3 | 11 2.8 | 20 5.0 | 30 7.5 |
| Total for 7-year-olds Rate per 100 children | 484 | 407 84.1 | 407 84.1 | 406 83.9 | 452 93.4 | 421 87.0 | N/A | 435 89.9 | 465 96.1 | 465 96.1 | 171 35.3 | 12 2.5 | 20 4.1 | 35 7.2 |
| Age 11 | | Topos, And Company | | year and a | 11-55 3 3 1 | | | | | | 1 | | - | -100 |
| First Nations Rate per 100 children | 92 | 73 79.3 | 73 79.3 | 73 79.3 | 84 91.3 | 77 83.7 | N/A | 85 92.4 | 92 100.0 | 92 100.0 | 24 26,1 | 78 84.8 | 86 93.5 | N/A |
| Non-First Nations Rate per 100 children | 441 | 378 85.7 | 378 85.7 | 378 85.7 | 410 93.0 | 388 88.0 | N/A | 408 92.5 | 430 97.5 | 430 97.5 | 94 21.3 | 375 85.0 | 402 91.2 | 13 2.9 |
| Total for 11-year-olds Rate per 100 children | 533 | 451 84.6 | 451 84.6 | 451 84.6 | 494 92,7 | 465 87.2 | N/A | 493 92.5 | 522 97.9 | 522 97.9 | 118 22.1 | 453 85.0 | 488 91.6 | 16 |
| Age 17 | | | | 1070 | | | | | | d r Dikie | - | - | | |
| First Nations Rate per 100 children | 103 | 68 66.0 | 68 66.0 | 56 54.4 | 96 93.2 | N/A | N/A | 98 95.1 | 106 102.9 | 106 102.9 | N/A | 91 88.3 | N/A | N/A |
| Non-First Nations Rate per 100 children | 527 | 396 75.1 | 396 75.1 | 370 70.2 | 462 87.7 | 27 5.1 | N/A | 479 90.9 | 510 96.8 | 510 96.8 | N/A | 428 81.2 | 5 0.9 | 10 |
| Total for 17-year-olds Rate per 100 children | 630 | 464 73.7 | 464 73.7 | 426 67.6 | 558 88.6 | 29 4.6 | N/A | 577 91.6 | 616 97.8 | 616 97.8 | N/A | 519 82.4 | 5 0.8 | 11 |

NOR-MAN

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | ٧ | HB | MC | Flu |
|---|-----|---------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------------------------------|-------------|---|-------------|-----------------------|
| Age 1 | | | | | | | | | | | | | | |
| First Nations Rate per 100 children | 215 | 165 76.7 | 165 76.7 | 165 76.7 | 206 95.8 | 165 76.7 | 164 76.3 | 5 2.3 | 5 2.3 | 5 2.3 | 5 2,3 | N/A | N/A | 3.7 |
| Non-First Nations Rate per 100 children | 266 | 208 78.2 | 208 78.2 | 208 78.2 | 240 90.2 | 207 77.8 | 203 76.3 | 8 3.0 | 3.0 | 8 3.0 | 6 23 | N/A | N/A | 35 13.2 |
| Total for 1-year-olds Rate per 100 children | 481 | 373 77.5 | 373 77.5 | 373 77.5 | 446 92.7 | 372 77.3 | 367 76.3 | 13 2.7 | 13 2.7 | 13 2.7 | 11 2.3 | N/A | N/A | 43 8.9 |
| Age 2 | | AC KINDSHIELD | | | | | | - | | instance of the second | | | | |
| First Nations Rate per 100 children | 179 | 120 67.0 | 120 67.0 | 120 67.0 | 168 93.9 | 120 67.0 | 117 65.4 | 167 93.3 | 167 93.3 | 167 93.3 | 140 78.2 | N/A | N/A | 17 9.5 |
| Non-First Nations Rate per 100 children | 226 | 163 72.1 | 163 72.1 | 163 72.1 | 205 90.7 | 162 71.7 | 159 70.4 | 204 90.3 | 203 89.8 | 203 89.8 | 189 83.6 | N/A | N/A | 64 28.3 |
| Total for 2-year-olds Rate per 100 children | 405 | 283 69.9 | 283 69.9 | 283 69.9 | 373 92.1 | 282 69.6 | 276 68.1 | 371 91.6 | 370 91.4 | 370 91.4 | 329 81.2 | N/A | N/A | 81 20.0 |
| Age 7 | | yes decedary. | | | 743F-75 | | | | | | | | | 100E 1 3 3 |
| First Nations Rate per 100 children | 172 | 139 80.8 | 139 80.8 | 139 80.8 | 166 96.5 | 154 89.5 | N/A | 147 85.5 | 172 100.0 | 172 100.0 | 50 29.1 | N/A | N/A | 18 10.5 |
| Non-First Nations Rate per 100 children | 239 | 187 78.2 | 187 78.2 | 187 78.2 | 211 88.3 | 194 81.2 | N/A | 203 84.9 | 216 90.4 | 216 90.4 | 92 38.5 | 7 2.9 | 11 4.6 | 27 11.3 |
| Total for 7-year-olds Rate per 100 children | 411 | 326 79.3 | 326 79.3 | 326 79.3 | 377 91.7 | 348 84.7 | N/A | 350 85.2 | 388 94.4 | 388 94.4 | 142 34.5 | 8 1.9 | 11 2.7 | 45 10.9 |
| Age 11 | | | | - M1-2 | | | | | 7 - 7 | to a series of a series of a series | | | | |
| First Nations Rate per 100 children | 151 | 114 75.5 | 114 75.5 | 111 73.5 | 130 86.1 | 122 80.8 | N/A | 123 81.5 | 145 96.0 | 145 96.0 | 27 17.9 | 84 55.6 | 112 74.2 | 12 7,9 |
| Non-First Nations Rate per 100 children | 239 | 208 87.0 | 208 87.0 | 208 87.0 | 218 91.2 | 214 89.5 | N/A | 219 91.6 | 227 95.0 | 227 95.0 | 38 15.9 | 189 79.1 | 208 87.0 | 18 7,5 |
| Total for 11-year-olds Rate per 100 children | 390 | 322 82.6 | 322 82.6 | 319 81.8 | 348 89.2 | 336 86.2 | N/A | 342 87.7 | 372 95.4 | 372 95.4 | 65 16.7 | 273 70.0 | 320 82.1 | 30 7.7 |
| Age 17 | - | | | | | | | | | × | | *************************************** | | E-17/00 - 17 - 17 - 1 |
| First Nations Rate per 100 children | 140 | 46 32.9 | 46 32.9 | 40 28.6 | 105 75.0 | 6 4.3 | N/A | 123 87.9 | 134 95,7 | 135 96.4 | N/A | 98 70.0 | N/A | 13 9.3 |
| Non-First Nations Rate per 100 children | 287 | 186 64.8 | 186 64.8 | 176 61.3 | 241 84.0 | 8 2.8 | N/A | 256 89.2 | 272 94.8 | 273 95.1 | N/A | 244 85.0 | N/A | 15 5.2 |
| Total for 17-year-olds Rate per 100 children | 427 | 232 54.3 | 232 54.3 | 216 50.6 | 346 81.0 | 14 3.3 | N/A | 379 88.8 | 406 95.1 | 408 95.6 | N/A | 342 80.1 | N/A | 28 6.6 |

Burntwood

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|---|-------|---|--------------|--------------|---------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Age 1 | | | | | | | | | | | | | | |
| First Nations Rate per 100 children | 964 | 597 61.9 | 597 61.9 | 597 61.9 | 815 84.5 | 597 61,9 | 592 61.4 | 23 2.4 | 23 2.4 | 23 2.4 | 19 20 | 11 | N/A | 26 |
| Non-First Nations Rate per 100 children | 358 | 280 78.2 | 280 78.2 | 280 78.2 | 315 88.0 | 279 77.9 | 274 76.5 | 13 3.6 | 11 3.1 | 3.1 | 9 2.5 | 13 3.6 | N/A | 40 11.2 |
| Total for 1-year-olds Rate per 100 children | 1,322 | 877 66.3 | 877 66.3 | 877 66.3 | 1,130 85.5 | 876 66.3 | 866 65.5 | 36 2.7 | 34 2.6 | 34 2.6 | 28 2.1 | 24 1.8 | N/A | 66 5.0 |
| Age 2 | | | | | | | | | | | 111111 | W-7,- | | |
| First Nations Rate per 100 children | 818 | 500 61 1 | 500 61.1 | 500 61.1 | 701 85.7 | 498 60.9 | 493 60.3 | 717 87.7 | 717 87.7 | 717 87.7 | 641 78.4 | 1.0 | N/A | 42 5.1 |
| Non-First Nations Rate per 100 children | 321 | 230 71.7 | 230 71.7 | 230 71.7 | 280 87.2 | 224 69.8 | 225 70.1 | 277 86.3 | 277 86.3 | 277 86.3 | 263 81.9 | 11 3.4 | 10 | 57 17.8 |
| Total for 2-year-olds Rate per 100 children | 1,139 | 730 64.1 | 730 64.1 | 730 64.1 | 981 86.1 | 722 63.4 | 718 63.0 | 994 87.3 | 994 87.3 | 994 87.3 | 904 79.4 | 19 1.7 | 12 1.1 | 99 |
| Age 7 | | | No. Contract | | | | | - | | A-100 A-100 | 0.8-16-1 | | | |
| First Nations Rate per 100 children | 702 | 435 62.0 | 435 62.0 | 433 61.7 | 618 88.0 | 483 68.8 | N/A | 537 76.5 | 680 96.9 | 680 96.9 | 105 15.0 | 5 0.7 | N/A | 23 |
| Non-First Nations Rate per 100 children | 304 | 218 71.7 | 218 | 217 71.4 | 264 86.8 | 233 76.6 | N/A | 253 83.2 | 275 90.5 | 275 90.5 | 96 31.6 | 8 2.6 | N/A | 32 10.5 |
| Total for 7-year-olds Rate per 100 children | 1,006 | 653 64.9 | 653 64.9 | 650 64.6 | 882 87.7 | 716 71.2 | N/A | 790 78.5 | 965 94.9 | 955 94,9 | 201 | 13 1.3 | N/A | 55 5.5 |
| Age 11 | | *************************************** | | di menula da | NEVE N | | - | | | | | ********** | | |
| First Nations Rate per 100 children | 591 | 330 55.8 | 330 55.8 | 326 55.2 | 443 75.0 | 351 59.4 | N/A | 441 74.6 | 562 95.1 | 562 95.1 | 94 15.9 | 367 62.1 | 478 80.9 | 16 2.7 |
| Non-First Nations Rate per 100 children | 255 | 201 78.8 | 201 78.8 | 193 75.7 | 229 89.8 | 210 82.4 | N/A | 227 89.0 | 247 96.9 | 247 96.9 | 35 13.7 | 197 77.3 | 225 88.2 | 32 12.5 |
| Total for 11-year-olds Rate per 100 children | 846 | 531 62.8 | 531 62.8 | 519 61.3 | 672 79.4 | 561 66.3 | N/A | 668 79.0 | 809 95.6 | 809 95.6 | 129 15.2 | 564 66.7 | 703 83.1 | 48 5.7 |
| Age 17 | - | | | | | | | | | | | W-144-1 | | |
| First Nations Rate per 100 children | 646 | 218 | 217 33.6 | 195 30.2 | 374 57.9 | 25 3.9 | N/A | 393 60.8 | 594 92.0 | 600 92.9 | N/A | 291 45.0 | N/A | 17 2.6 |
| Non-First Nations Rate per 100 children | 321 | 174 54.2 | 174 54.2 | 150 46.7 | 252 78.5 | 20 6.2 | N/A | 271 84.4 | 296 92.2 | 296 92.2 | N/A | 225 70.1 | N/A | 18 |
| Total for 17-year-olds Rate per 100 children | 967 | 392 40.5 | 391 40.4 | 345 35.7 | 626 64.7 | 45 4.7 | N/A | 664 68.7 | 890 92.0 | 896 92.7 | N/A | 516 53.4 | 6 06 | 35 3.6 |

Churchill

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|---|-----|------------|------------|------------|------------------|---------------------------------------|------------|------------|------------|------------|----------------|------------|------------|------|
| Age 1 | | | | | 1000 | | | | 2 | | | | | |
| First Nations | 3. | 200 | *** | | *** | *** | 5.175 | 21/4 | *1/4 | 4176 | * 600 * 600 | 200 | 611A | 0.00 |
| Rate per 100 children | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 12 | 75.0 | 75.0 | 75.0 | 10 83.3 | 75.0 | 9 75.0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Total for 1-year-olds Rate per 100 children | 15 | 12 80.0 | 12 80.0 | 12 80.0 | 13 86.7 | 12 80.0 | 12 80.0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Age 2 | | * * ** | | 110 | 1-1-6 | | 1000 | | | , - , | | | TOVE | |
| First Nations Rate per 100 children | 4 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 12 | 91.7 | 91.7 | 91.7 | 11 91.7 | 91.7 | 91.7 | 91.7 | 91.7 | 91.7 | 91.7 | N/A | N/A | N/A |
| Total for 2-year-olds Rate per 100 children | 16 | 14 87.5 | 14 87.5 | 14 87.5 | 15 93.8 | 14 87.5 | 14 87.5 | 15 93.8 | 15 93.8 | 15 93.8 | 15 93.8 | N/A | N/A | N/A |
| Age 7 | | | | | Name of the last | · · · · · · · · · · · · · · · · · · · | | | | | | 100 | | |
| First Nations Rate per 100 children | 4 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 19 | 16 84.2 | 16 84.2 | 16 84.2 | 17 89.5 | 16 84.2 | N/A | 18 94.7 | 18 94.7 | 18 94.7 | 14 73.7 | N/A | N/A | N/A |
| Total for 7-year-olds Rate per 100 children | 23 | 20 87.0 | 20 87.0 | 20 87.0 | 21 91.3 | 20 87.0 | N/A | 22 95.7 | 22 95.7 | 22 95.7 | 18 78,3 | N/A | N/A | N/A |
| Age 11 | | | | | | | | | | | | | | |
| First Nations Rate per 100 children | 5 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 100.0 | 100.0 | N/A | 100.0 | 100.0 | N/A |
| Non-First Nations Rate per 100 children | 9 | 5 55.6 | 5 55.6 | 5 55.6 | 5 55.6 | 5 55.6 | N/A | 5 55.6 | 6 66.7 | 6 66.7 | N/A | 77.8 | 7 77.8 | N/A |
| Total for 11-year-olds Rate per 100 children | 14 | 8 57.1 | 8 57.1 | 8 57.1 | 9 64.3 | 8 57.1 | N/A | 9 64.3 | 11 78.6 | 11 78.6 | N/A | 12 85.7 | 12 85.7 | N/A |
| Age 17 | | | | | | | | | | | | | | |
| First Nations Rate per 100 children | 4 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 children | 7 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Total for 17-year-olds Rate per 100 children | 11 | 5 45.5 | 5 45.5 | N/A | 7 63.6 | N/A | N/A | 7 63.6 | 8 72.7 | 8 72.7 | N/A | 5 45.5 | N/A | N/A |

NOTE:

This report includes both continuous and non-continuous Manitoba residents. Report 2 is the same data as in Report 1, with summary data by age.

Age 1

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|---|--------|----------------|----------------|----------------|----------------|----------------|----------------|------------|------------|------------|------------|------------|------------|----------|
| MANITOBA First Nations Rate per 100 | 2,572 | 1,673 65.0 | 1,673 65.0 | 1,673 65.0 | 2,182 84.8 | 1,671 65.0 | 1,653 64.3 | .55 2.1 | 55 2.1 | 55 2.1 | 47 1.8 | 20 | 6 0.2 | 169 |
| Non-First Nations Rate per 100 | 12,972 | 10,591 81,6 | 10,592 81.7 | 10,588 81.6 | 11,580 89.3 | 10,558 81.4 | 10,274 79.2 | 334 2.6 | 319 2.5 | 320 2.5 | 297 2.3 | 176 1.4 | 418 3.2 | 1,95 |
| All Children Rate per 100 | 15,544 | 12.264 78.9 | 12,265 78.9 | 12,261 78.9 | 13,762 88.5 | 12,229 78.7 | 11,927 76.7 | 389 2.5 | 374 2.4 | 375 2.4 | 344 2.2 | 196 1.3 | 424 2.7 | 2,12 |
| Winnipeg First Nations Rate per 100 | 608 | 426 70.1 | 426 70.1 | 426 70.1 | 528 86.8 | 425 69.9 | 421 69.2 | 9 | 9 | 9 | 9 | 8 1.3 | N/A | 10 |
| Non-First Nations Rate per 100 | 7.041 | 5,750 81.7 | 5,751 81.7 | 5,748 81.6 | 6,299 89.5 | 5,729 81.4 | 5,619 | 207 2.9 | 197 2.8 | 197 2.8 | 187 2.7 | 102 | 306 4.3 | 1,43 |
| All Children Rate per 100 | 7,649 | 6,176 80.7 | 6,177 80.8 | 6,174 80.7 | 6,827 89.3 | 6,154 80.5 | 6,040 79.0 | 216 2.8 | 206 2.7 | 206 2.7 | 196 2.6 | 110 1.4 | 309 4.0 | 1,53 |
| Brandon First Nations Rate per 100 | 60 | 44 73.3 | 44 73.3 | 44 73.3 | 51 85.0 | 44 73.3 | 43 71.7 | N/A | N/A | N/A | N/A | N/A | N/A | N// |
| Non-First Nations Rate per 100 | 658 | 555 84.3 | 555 84.3 | 555 84.3 | 590 89.7 | 552 83.9 | 533 81.0 | 23 3.5 | 22 3.3 | 23 3.5 | 18 2.7 | N/A | 11 | 6 10. |
| All Children Rate per 100 | 718 | 599 83.4 | 599 83.4 | 599 83.4 | 641 89.3 | 596 83.0 | 576 80.2 | 23 3.2 | 22 3.1 | 23 3.2 | 18 2.5 | N/A | 11 1.5 | 7 9. |
| North Eastman First Nations Rate per 100 | 165 | 90 54.5 | 90 54.5 | 90 54.5 | 126 76.4 | 90 54.5 | 88 53.3 | 8 4.8 | 8 4.8 | 8 4.8 | 5 3.0 | N/A | N/A | 5. |
| Non-First Nations Rate per 100 | 357 | 274 76.8 | 274 76.8 | 274 76.8 | 314 88.0 | 274 76.8 | 271 75.9 | 9 2.5 | 9 2.5 | 9 2.5 | 3.1 | N/A | 11 3.1 | 3 10. |
| All Children Rate per 100 | 522 | 364 69.7 | 364 69.7 | 364 69,7 | 440 84.3 | 364 69.7 | 359 68.8 | 17 3.3 | 17 3.3 | 17 3.3 | 16 3.1 | N/A | 12 2.3 | 9. |
| First Nations Rate per 100 | 11 | 10 90.9 | 10 90.9 | 10 90.9 | 10 90.9 | 9 81.8 | 10 90.9 | N/A | N/A | N/A | N/A | N/A | N/A | N/ |
| Non-First Nations Rate per 100 | 997 | 847 85.0 | 847 85.0 | 846 84.9 | 907 91.0 | 843 84.6 | 816 81.8 | 21 2.1 | 20 | 20 2.0 | 16 1.6 | 13 1.3 | 33 3.3 | 7 |
| All Children Rate per 100 | 1,008 | 857 85.0 | 857 85.0 | 856 84.9 | 917 91.0 | 852 84.5 | 826 81.9 | 21 2.1 | 20 2.0 | 20 2.0 | 16 1.6 | 13 1.3 | 33 3.3 | 7. |
| nterlake First Nations Rate per 100 | 153 | 100 65.4 | 100 65.4 | 100 65.4 | 128 83.7 | 100 65.4 | 98 64.1 | N/A | N/A | N/A | N/A | N/A | N/A | N/ |
| Non-First Nations Rate per 100 | 730 | 605 82.9 | 605 82.9 | 605 82.9 | 659 90.3 | 605 82.9 | 589 80.7 | 14 1.9 | 14 1.9 | 14 1.9 | 15 2.1 | N/A | 17 2.3 | 11 |
| All Children Rate per 100 | 883 | 705 79.8 | 705 79.8 | 705 79.8 | 787 89.1 | 705 79.8 | 687 77.8 | 15 1.7 | 15 1.7 | 15 1.7 | 16 1.8 | N/A | 17 1.9 | 113 |
| Central First Nations Rate per 100 | 175 | 84 48.0 | 84 48.0 | 84 48.0 | 126 72.0 | 84 48.0 | 81 46.3 | 6 3.4 | 6 34 | 6 3.4 | 5 29 | N/A | N/A | 2 |
| Non-First Nations Rate per 100 | 1,410 | 1,065 75.5 | 1,065 75.5 | 1,065 75.5 | 1,188 84.3 | 1,063 75.4 | 1,007 71.4 | 22 1.6 | 21 1.5 | 21 1.5 | 18 1.3 | 35 2.5 | 13 0.9 | 7 |
| All Children Rate per 100 | 1,585 | 1,149 72.5 | 1,149 72.5 | 1,149 72.5 | 1,314 | 1,147 72.4 | 1,088 | 28 1.8 | 27 1.7 | 27 | 23 1.5 | 35 2.2 | 14 0.9 | 10 |

Report 2 - Complete for Age from Birth to 2008 by Immunogen and Age

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|--|-------|-------------|-------------|-------------|---------------|-------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Assinibolne First Nations Rate per 100 | 99 | 62 62.6 | 62 62.6 | 62 62.6 | 79 79.8 | 62 62.6 | 61 61.6 | | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 | 705 | 617 87.5 | 617 87.5 | 617 87.5 | 650 92.2 | 617 87.5 | 577 81.8 | 9 | 9 | 9 | 10 1.4 | N/A | 15 2.1 | 34 4.8 |
| All Children Rate per 100 | 804 | 679 84.5 | 679 84.5 | 679 84.5 | 729 90.7 | 679 84.5 | 638 79.4 | 9 | 9 | 9 | 10 | N/A | 15 1.9 | 36 4.5 |
| Parkland First Nations Rate per 100 | 119 | 92 77.3 | 92 77.3 | 92 77.3 | 110 92.4 | 92 77.3 | 92 77.3 | | N/A | N/A | N/A | N/A | N/A | 10 |
| Non-First Nations Rate per 100 | 438 | 381 87.0 | 381 87.0 | 381 87.0 | 408 93.2 | 380 86.8 | 376 85.8 | 8 1.8 | 8 1.8 | 8 1.8 | 7 | N/A | 7 | 20 |
| All Children Rate per 100 | 557 | 473 84.9 | 473 84.9 | 473 84.9 | 518 93.0 | 472 84.7 | 468 84.0 | 11 2.0 | 11 2.0 | 11 2.0 | 10 | N/A | 7 1.3 | 30 5.4 |
| NOR-MAN First Nations Rate per 100 | 215 | 165 76.7 | 165 76.7 | 165 76.7 | 206 95.8 | 165 76.7 | 164 76.3 | 5 2.3 | 5 2.3 | 5 2.3 | 5 2.3 | N/A | N/A | 3.7 |
| Non-First Nations Rate per 100 | 266 | 208 78.2 | 208 78.2 | 208 78.2 | 240 90.2 | 207 77.8 | 203 76.3 | 8 3.0 | 8 3.0 | 8 3.0 | 6 2.3 | N/A | N/A | 35 13.2 |
| All Children Rate per 100 | 481 | 373 77.5 | 373 77.5 | 373 77.5 | 446 92.7 | 372 77.3 | 367 76.3 | 13 2.7 | 13 2.7 | 13 2.7 | 11 2.3 | N/A | N/A | 43 8.9 |
| Burntwood First Nations Rate per 100 | 964 | 597 61.9 | 597 61.9 | 597 61.9 | 815 84.5 | 597 61.9 | 592 61.4 | 23 2.4 | 23 2.4 | 23 2.4 | 19 | 11 | N/A | 26 |
| Non-First Nations Rate per 100 | 358 | 280 78.2 | 280 78.2 | 280 78.2 | 315 88.0 | 279 77.9 | 274 76.5 | 13 3.6 | 11 3.1 | 11 3.1 | 9 2.5 | 13 3.6 | N/A | 40 11.2 |
| All Children Rate per 100 | 1,322 | 877 66.3 | 877 66.3 | 877 66.3 | 1,130 85.5 | 876 66.3 | 866 65.5 | 36 2.7 | 34 2.6 | 34 2.6 | 28 2.1 | 24 1.8 | N/A | 66 5.0 |
| ChurchIII First Nations Rate per 100 | 3 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 | 12 | 9 75.0 | 9 75.0 | 9 75.0 | 10 83.3 | 9 75.0 | 9 75.0 | N/A |
| All Children Rate per 100 | 15 | 12 80.0 | 12 80.0 | 12 80.0 | 13 86.7 | 12 80.0 | 12 80.0 | N/A |

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|--|--------|---------------|---------------|---------------|----------------|---------------|---------------|----------------|----------------|---------------|----------------|------------|------------|-------------|
| MANITOBA First Nations Rate per 100 | 2,346 | 1,414 | 1,414 | 1,414 | 2,008 | 1,409 | 1,372 58.5 | 1,991 | 1,991 | 1,991 | 1,754 74.8 | 19 0.8 | 6 0.3 | 259 11.0 |
| Non-First Nations Rate per 100 | 12,666 | 9,369 | 9,368 | 9,364 | 11,098 | 9,286 | 8,915 70.4 | 10,934 | 10,926 | 10,925 | 9,803 | 369 2.9 | 545 4.3 | 2,817 |
| All Children Rate per 100 | 15,012 | 10,783 | 10,782 | 10,778 | 13,106 87.3 | 10,695 | 10,287 | 12,925 86.1 | 12,917 86.0 | 12.916 | 11,557 77.0 | 388 | 551 3.7 | 3,076 |
| Winnipeg | | | | | | | | | | | | | | |
| First Nations Rate per 100 | 559 | 327 58.5 | 327 58.5 | 327 58.5 | 471 84.3 | 326 58.3 | 305 54.6 | 447 80.0 | 447 80.0 | 447 80.0 | 401 71.7 | 1.3 | N/A | 139 |
| Non-First Nations Rate per 100 | 6,952 | 5,091 73.2 | 5,090 73.2 | 5.087 73.2 | 6,048 87.0 | 5,047 72.6 | 4,890 70.3 | 5,984 86.1 | 5,980 86.0 | 5,980 86.0 | 5,533 79.6 | 207 3.0 | 366 5.3 | 1,986 |
| All Children Rate per 100 | 7,511 | 5,418 72.1 | 5,417 72.1 | 5.414 72.1 | 6,519 86.8 | 5,373 71.5 | 5,195 69.2 | 6,431 85.6 | 6,427 85.6 | 6,427 85.6 | 5,934 79.0 | 214 2.8 | 368 4.9 | 2,125 |
| Brandon | | | - | - | - 1 | | | | | | | | | |
| First Nations Rate per 100 | 73 | 39 53.4 | 39 53.4 | 39 53.4 | 61 83.6 | 39 53.4 | 40 54.8 | 61 83.6 | 61 83.6 | 61 83.6 | 55 75.3 | N/A | N/A | 11.0 |
| Non-First Nations Rate per 100 | 632 | 472 74.7 | 472 74.7 | 472 74.7 | 558 88.3 | 463 73.3 | 451 71.4 | 560 88.6 | 560 88.6 | 559 88.4 | 532 84.2 | 2.2 | 18 2.8 | 99 15.7 |
| Alf Children Rate per 100 | 705 | 511 72.5 | 511 72.5 | 511 72.5 | 619 87.8 | 502 71.2 | 491 69.6 | 621 88.1 | 621 88.1 | 620 87.9 | 587 83.3 | 14 2.0 | 18 2.6 | 107 15.2 |
| North Eastman First Nations Rate per 100 | 171 | 110 64.3 | 110 64.3 | 110 64,3 | 148 86.5 | 109 63.7 | 107 62.6 | 146 85.4 | 146 85.4 | 146 85.4 | 138 80.7 | N/A | N/A | 15 8.8 |
| Non-First Nations Rate per 100 | 324 | 238 73.5 | 238 73.5 | 238 73.5 | 295 91.0 | 236 72.8 | 226 69.8 | 281 86.7 | 281 86.7 | 281 86.7 | 247 76.2 | 6 | 15 4.6 | 61 18.8 |
| All Children Rate per 100 | 495 | 348 70.3 | 348 70.3 | 348 70.3 | 443 89.5 | 345 69.7 | 333 67.3 | 427 86.3 | 427 86.3 | 427 86.3 | 385 77.8 | 7 | 15 3.0 | 76 15.4 |
| South Eastman First Nations Rate per 100 | 13 | 11 84.6 | 11 84.6 | 11 84.6 | 13 | 11 84.6 | 11 84.6 | 10 76.9 | 10 76.9 | 10 76.9 | 9 69.2 | N/A | N/A | N/A |
| Non-First Nations Rate per 100 | 996 | 799 80.2 | 799 80.2 | 799 80.2 | 900 90.4 | 794 79.7 | 762 76.5 | 879 88.3 | 877 88.1 | 877 88.1 | 765 76.8 | 42 4.2 | 33 3.3 | 110 |
| All Children Rate per 100 | 1,009 | 810 80.3 | 810 80.3 | 810 80.3 | 913 90.5 | 805 79.8 | 773 76.6 | 889 88.1 | 887 87.9 | 887 87.9 | 774 76.7 | 42 4.2 | 33 3.3 | 112 |
| Interlake First Nations Rate per 100 | 151 | 86 57.0 | 86 57.0 | 86 57.0 | 129 85.4 | 86 57.0 | 83 55.0 | 126 83.4 | 126 83.4 | 126 83.4 | 83 55.0 | N/A | N/A | 6.0 |
| Non-First Nations Rate per 100 | 710 | 540 76.1 | 540 76.1 | 539 75.9 | 646 91.0 | 536 75.5 | 516 72.7 | 626 88.2 | 626 88.2 | 626 88.2 | 543 76.5 | 5 0.7 | 22 3.1 | 155 21.8 |
| All Children Rate per 100 | 861 | 626 72.7 | 626 72.7 | 625 72.6 | 775 90.0 | 622 72.2 | 599 69.6 | 752 87.3 | 752 87.3 | 752 87.3 | 626 72.7 | 5 | 23 2.7 | 164 19.0 |
| Central | | | | | | A. N | | - | | | | | | |
| First Nations Rate per 100 | 171 | 69 40.4 | 69 40.4 | 69 40.4 | 123 71.9 | 69 40.4 | 68 39.8 | 125 73.1 | 125 73.1 | 125 73.1 | 111 64.9 | N/A | N/A | 13 7.6 |
| Non-First Nations Rate per 100 | 1,427 | 975 68.3 | 975 68.3 | 975 68.3 | 1,191 83.5 | 964 67.6 | 870 61.0 | 1,163 81.5 | 1,162 81.4 | 1,162 81.4 | 891 62.4 | 71 5.0 | 46 3.2 | 167 11.7 |
| All Children Rate per 100 | 1,598 | 1,044 65.3 | 1,044 65.3 | 1,044 65.3 | 1,314 82.2 | 1,033 64.6 | 938 58.7 | 1,288 80.6 | 1,287 80.5 | 1,287 80.5 | 1,002 62.7 | 71 4.4 | 46 2.9 | 180 |
| Assiniboine First Nations Rate per 100 | 99 | 64 64.6 | 64 64.6 | 64 64.6 | 85 85.9 | 63 63.6 | 64 64.6 | 83 83.8 | 83 83.8 | 83 83.8 | 72 72.7 | N/A | N/A | 6.1 |
| Non-First Nations Rate per 100 | 645 | 515 79.8 | 515 79.8 | 515 79.8 | 586 90.9 | 514 79.7 | 481 74.6 | 572 88.7 | 572 88.7 | 572 88.7 | 480 74.4 | N/A | 21 3.3 | 61 9.5 |
| All Children Rate per 100 | 744 | 579 77.8 | 579 77.8 | 579 77.8 | 671 90.2 | 577 77.6 | 545 73.3 | 655 88.0 | 655 88.0 | 655 88.0 | 552 74.2 | N/A | 21 2.8 | 67 9.0 |

| | De A. Bar | Sau a and | | 10 Care 10 10 10 10 10 10 10 10 10 10 10 10 10 | for the state of the | S. Same | | and the | 12 3 32.34 | The second second | State of the state | Marine Color | | |
|--|-----------|-------------|-------------|--|----------------------|-------------|-------------|-------------|-------------|-------------------|--|--------------|------------|------------|
| | Pop | Diphth | Tet | Pert | Polio | HID | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
| Parkland First Nations Rate per 100 | 108 | 85 78.7 | 85 78.7 | 85 78.7 | 105 97.2 | 85 78.7 | 81 75.0 | 105 97.2 | 105 97.2 | 105 97.2 | 100 92.6 | N/A | N/A | 7.4 |
| Non-First Nations Rate per 100 | 421 | 335 79.6 | 335 79.6 | 335 79.6 | 378 89.8 | 335 79.6 | 324 77.0 | 377 89.5 | 377 89.5 | 377 89.5 | 349 82.9 | 1.7 | 11 2.6 | 13.3 |
| All Children Rate per 100 | 529 | 420 79.4 | 420 79.4 | 420 79.4 | 483 91.3 | 420 79.4 | 405 76.6 | 482 91.1 | 482 91.1 | 482 91.1 | 449 84.9 | 9 | 12 2.3 | 64 12.1 |
| NOR-MAN First Nations Rate per 100 | 179 | 120 67.0 | 120 67.0 | 120 67.0 | 168 93.9 | 120 67.0 | 117 65.4 | 167 93.3 | 167 93.3 | 167 93.3 | 140 78.2 | N/A | N/A | 17 9.5 |
| Non-First Nations Rate per 100 | 226 | 163 72.1 | 163 72.1 | 163 72.1 | 205 90.7 | 162 71.7 | 159 70.4 | 204 90.3 | 203 89.8 | 203 89.8 | 189 83.6 | N/A | N/A | 64 28.3 |
| All Children Rate per 100 | 405 | 283 69.9 | 283 69.9 | 283 69.9 | 373 92.1 | 282 69.6 | 276 68.1 | 371 91.6 | 370 91.4 | 370 91.4 | 329 81.2 | N/A | N/A | 20.0 |
| Burntwood First Nations Rate per 100 | 818 | 500 61.1 | 500 61.1 | 500 61.1 | 701 85.7 | 498 60,9 | 493 60.3 | 717 87.7 | 717 87.7 | 717 87.7 | 641 78.4 | 8 1.0 | N/A | 42 5.1 |
| Non-First Nations Rate per 100 | 321 | 230 71.7 | 230 71.7 | 230 71.7 | 280 87.2 | 224 69.8 | 225 70.1 | 277 86.3 | 277 86.3 | 277 86.3 | 263 81.9 | 11 3.4 | 10 | 57 17.8 |
| All Children Rate per 100 | 1,139 | 730 64.1 | 730 64.1 | 730 64.1 | 981 86.1 | 722 63.4 | 718 63.0 | 994 87.3 | 994 87.3 | 994 87.3 | 904 79.4 | 19 1.7 | 12 1.1 | 99 8.7 |
| Churchtll First Nations Rate per 100 | 4 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | *** N/A | *** N/A | N/A |
| Non-First Nations Rate per 100 | 12 | 91.7 | 11 91.7 | 91.7 | 91.7 | 11 91.7 | 11 91.7 | 91.7 | 91.7 | 11 91.7 | 91.7 | N/A | N/A | N/A |
| All Children Rate per 100 | 16 | 14 87.5 | 14 87.5 | 14 87.5 | 15 93.8 | 14 87.5 | 14 87.5 | 15 93.8 | 15 93.8 | 15 93.8 | 15 93.8 | N/A | N/A | N/A |

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|--|--------|----------------|----------------|----------------|----------------|----------------|-----------|----------------|----------------|----------------|---------------|-------------|------------|------------|
| MANITOBA First Nations Rate per 100 | 1,923 | 1,224 63.7 | 1,224 63.7 | 1,221 63.5 | 1,694 88.1 | 1,415 73.6 | N/A | 1,464 76.1 | 1,870 97.2 | 1,870 97.2 | 399 20.7 | 12 0.6 | 11 0.6 | 101 |
| Non-First Nations Rate per 100 | 12,988 | 9,432 72.6 | 9,429 72.6 | 9,385 72.3 | 10,968 84.4 | 10,110 77.8 | 38 0.3 | 10.204 78.6 | 11,746 90.4 | 11,748 90.5 | 4,551 35.0 | 749 5.8 | 588 4.5 | 861 6.6 |
| All Children Rate per 100 | 14,911 | 10.656 71.5 | 10,653 71.4 | 10,606 71.1 | 12,662 84.9 | 11,525 77.3 | 38 0.3 | 11.668 78.3 | 13,616 91.3 | 13,618 91,3 | 4,950 33.2 | 761 5.1 | 599 4.0 | 962 6.5 |
| Winnipeg First Nations Rate per 100 | 432 | 259 60.0 | 259 60.0 | 259 60.0 | 369 85.4 | 326 75.5 | N/A | 297 68.8 | 418 96.8 | 418 96.8 | 94 21,8 | N/A | N/A | 32 |
| Non-First Nations Rate per 100 | 7,159 | 4,855 67.8 | 4,853 67.8 | 4,816 67.3 | 5,767 80.6 | 5,324 74.4 | 22 0.3 | 5,240 73.2 | 6,360 88.8 | 6,360 88.8 | 2,730 38.1 | 375 5.2 | 350 4.9 | 536 7.5 |
| All Children Rate per 100 | 7,591 | 5,114 67.4 | 5,112 67.3 | 5,075 66.9 | 6,136 80.8 | 5,650 74.4 | 22 0.3 | 5,537 72.9 | 6,778 89.3 | 6,778 89.3 | 2,824 | 378 5.0 | 353 4.7 | 568 7.8 |
| Brandon | FA | 05 | 05 | 0.4 | 10 | 20 | *** | | 45 | | 40 | *** | *** | 555 |
| First Nations Rate per 100 | 50 | 25 50.0 | 25 50.0 | 48.0 | 40 80.0 | 64.0 | N/A | 32 64.0 | 45 90.0 | 90.0 | 13 26.0 | N/A | N/A | N/A |
| Non-First Nations Rate per 100 | 494 | 363 73.5 | 363 73.5 | 362 73.3 | 424 85.8 | 387 78.3 | N/A | 400 81.0 | 457 92.5 | 459 92.9 | 208 42.1 | 12 2.4 | 15 3.0 | 25 5.1 |
| All Children Rate per 100 | 544 | 388 71.3 | 388 71.3 | 386 71.0 | 464 85.3 | 419 77.0 | N/A | 432 79.4 | 502 92.3 | 504 92.6 | 221 40.6 | 12 2.2 | 16 2.9 | 26 4.8 |
| North Eastman First Nations Rate per 100 | 173 | 96 55.5 | 96 55.5 | 96 55.5 | 148 85.5 | 118 68.2 | N/A | 130 75.1 | 168 97.1 | 168 97.1 | 51 29.5 | N/A | N/A | 13 7.5 |
| Non-First Nations Rate per 100 | 381 | 306 80.3 | 306 80.3 | 307 80.6 | 343 90.0 | 320 84.0 | N/A | 325 85.3 | 360 94.5 | 360 94.5 | 101 26.5 | 13 3.4 | 6 | 23 |
| All Children Rate per 100 | 554 | 402 72.6 | 402 72.6 | 403 72.7 | 491 88.6 | 438 79.1 | N/A | 455 82.1 | 528 95.3 | 528 95.3 | 152 27.4 | 14 2.5 | 6 | 36 6.5 |
| South Eastman First Nations Rate per 100 | 5 | N/A | N/A | *** N/A | N/A | N/A | N/A | 5 100.0 | 5 100.0 | 5 | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 | 1,067 | 867 81.3 | 867 81.3 | 868 81.3 | 965 90.4 | 894 83.8 | N/A | 941 88.2 | 985 92.3 | 986 92.4 | 285 26.7 | 130 12.2 | 62 5.8 | 48 4.5 |
| All Children Rate per 100 | 1,072 | 871 81.3 | 871 81.3 | 872 81.3 | 969 90.4 | 898 83.8 | N/A | 946 88.2 | 990 92.4 | 991 92.4 | 286 26.7 | 130 12.1 | 62 5.8 | 48 4.5 |
| Interlake First Nations Rate per 100 | 115 | 67 58.3 | 67 58.3 | 68 59.1 | 103 89.6 | 87 75.7 | N/A | 83 72.2 | 112 97.4 | 112 97.4 | 20 17.4 | N/A | 6 5.2 | N/A |
| Non-First Nations Rate per 100 | 780 | 597 76.5 | 597 76.5 | 592 75.9 | 694 89.0 | 645 82.7 | N/A | 619 79.4 | 723 92.7 | 723 92.7 | 244 31.3 | 22 2.8 | 30 3.8 | 51 6.5 |
| All Children Rate per 100 | 895 | 664 74.2 | 664 74.2 | 660 73.7 | 797 89.1 | 732 81.8 | N/A | 702 78.4 | 835 93.3 | 835 93.3 | 264 29.5 | 23 2.6 | 36 4.0 | 51 5.7 |
| Central First Nations Rate per 100 | 118 | 73 61.9 | 73 61.9 | 73 61.9 | 97 82.2 | 77 65.3 | N/A | 93 78.8 | 111 | 111 94.1 | 29 24.6 | *** N/A | N/A | 7 5.9 |
| Non-First Nations Rate per 100 | 1,470 | 1,132 77.0 | 1,131 76.9 | 1,129 76.8 | 1,303 | 1,175 | 7 0.5 | 1,253 85.2 | 1,350 | 1,349 91.8 | 395 26.9 | 147 | 56 3.8 | 56 3.8 |
| All Children Rate per 100 | 1,588 | 1,205 75.9 | 1,204 75.8 | 1,202 75,7 | 1,400 88.2 | 1.252 78.8 | 7 0.4 | 1,346 84.8 | 1,461 | 1,460 | 424 26.7 | 147 9.3 | 56 3.5 | 63 |
| Assiniboine First Nations Rate per 100 | 67 | 45 67.2 | 45 67.2 | 45 67.2 | 56 83.6 | 51 76.1 | N/A | 51 76.1 | 65 97.0 | 65 97.0 | 10 14.9 | *** N/A | N/A | N/A |
| Non-First Nations Rate per 100 | 676 | 561 83.0 | 561 83.0 | 561 83.0 | 617 91.3 | 580 85.8 | N/A | 602 89.1 | 627 92.8 | 627 92.8 | 237 35.1 | 24 3.6 | 33 4.9 | 32 4.7 |
| All Children Rate per 100 | 743 | 606 81.6 | 606 81.6 | 606 81.6 | 673 90.6 | 631 84.9 | N/A | 653 87.9 | 692 93.1 | 692 93.1 | 247 33.2 | 24 3.2 | 34 4.6 | 33 4.4 |

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | ٧ | HB | MC | Au |
|--|-------|-------------|-------------|-------------|-------------|-------------|------|-------------|--------------|--------------|-------------|-----------|-----------|------------|
| Parkland First Nations Rate per 100 | 85 | 77 90.6 | 77 90.6 | 76 89.4 | 89 104.7 | 79 92.9 | N/A | 85 100.0 | 90 105.9 | 90 105.9 | 22 25.9 | N/A | N/A | 5 5.9 |
| Non-First Nations Rate per 100 | 399 | 330 82.7 | 330 82.7 | 330 82.7 | 363 91.0 | 342 85.7 | N/A | 350 87.7 | 375 94.0 | 375 94.0 | 149 37.3 | 11 2.8 | 20 5.0 | 30 7.5 |
| All Children Rate per 100 | 484 | 407 84.1 | 407 84.1 | 406 83.9 | 452 93.4 | 421 87.0 | N/A | 435 89.9 | 465 96.1 | 465 96.1 | 171 35.3 | 12 2.5 | 20 4.1 | 35 7.2 |
| NOR-MAN First Nations Rate per 100 | 172 | 139 80.8 | 139 80.8 | 139 80.8 | 166 96.5 | 154 89.5 | N/A | 147 85.5 | 172 100.0 | 172 100.0 | 50 29.1 | N/A | N/A | 18 10.5 |
| Non-First Nations Rate per 100 | 239 | 187 78.2 | 187 78.2 | 187 78.2 | 211 88.3 | 194 81.2 | N/A | 203 84.9 | 216 90.4 | 216 90.4 | 92 38.5 | 7 2,9 | 11 4.6 | 27 11.3 |
| All Children Rate per 100 | 411 | 326 79.3 | 326 79.3 | 326 79.3 | 377 91.7 | 348 84.7 | N/A | 350 85.2 | 388 94.4 | 388 94.4 | 142 34.5 | 8 1.9 | 11 2.7 | 45 10.9 |
| Burntwood First Nations Rate per 100 | 702 | 435 62.0 | 435 62.0 | 433 61.7 | 618 88.0 | 483 68.8 | N/A | 537 76.5 | 680 96.9 | 680 96.9 | 105 15.0 | 5. 0.7 | N/A | 23 |
| Non-First Nations Rate per 100 | 304 | 218 71.7 | 218 71.7 | 217 71.4 | 264 86.8 | 233 76.6 | N/A | 253 83.2 | 275 90.5 | 275 90.5 | 96 31.6 | 8 2.6 | N/A | 32 10.5 |
| All Children Rate per 100 | 1,006 | 653 64.9 | 653 64.9 | 650 64.6 | 882 87.7 | 716 71.2 | N/A | 130 | 955 94.9 | 955 94.9 | 201 20.0 | 13 1.3 | N/A | 55 5.5 |
| Churchill First Nations Rate per 100 | 4 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 | 19 | 16 84.2 | 16 84.2 | 16 84.2 | 17 89.5 | 16 84.2 | N/A | 18 94.7 | 18 94.7 | 18 94.7 | 14 73.7 | N/A | N/A | N/A |
| All Children Rate per 100 | 23 | 20 87.0 | 20 87.0 | 20 87.0 | 21 91.3 | 20 87.0 | N/A | 22 95.7 | 22 95.7 | 22 95.7 | 18 78.3 | N/A | N/A | N/A |

| New Yorkship | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|--|--------|----------------|----------------|----------------|----------------|----------------|---------|----------------|----------------|----------------|---------------|----------------|----------------|------------|
| MANITOBA First Nations Rate per 100 | 1,850 | 1,094 59.1 | 1,094 59.1 | 1,065 57.6 | 1,437 77.7 | 1,213 65.6 | N/A | 1,378 74.5 | 1,769 95.6 | 1,769 95.6 | 252 13.6 | 998 53.9 | 1,235 66.8 | 70 3.8, |
| Non-First Nations Rate per 100 | 13,684 | 10,002 73.1 | 10,002 73.1 | 9,580 70.0 | 11,154 81.5 | 10,488 76.6 | N/A | 10,750 78.6 | 12,210 89.2 | 12,208 89.2 | 2,067 15.1 | 10,502 76.7 | 10,882 79.5 | 647 4.7 |
| All Children Rate per 100 | 15,534 | 11,096 71.4 | 11,096 71.4 | 10,645 68.5 | 12,591 81.1 | 11,701 75.3 | N/A | 12,128 78.1 | 13,979 90.0 | 13,977 90.0 | 2,319 | 11,500 74.0 | 12,117 78.0 | 717 4.6 |
| Winnipeg First Nations Rate per 100 | 473 | 297 62.8 | 297 62.8 | 283 59.8 | 387 81.8 | 338 71.5 | N/A | 345 72.9 | 446 94.3 | 446 94.3 | 49 10.4 | 229 48.4 | 264 55.8 | 22 4.7 |
| Non-First Nations Rate per 100 | 7,539 | 5,006 66.4 | 5,006 66,4 | 4,733 62.8 | 5,746 76.2 | 5,431 72.0 | N/A | 5,349 71.0 | 6,446 85.5 | 6,444 85.5 | 1,149 15.2 | 5,602 74.3 | 5,798 76.9 | 378 5.0 |
| All Children Rate per 100 | 8,012 | 5,303 66.2 | 5,303 66.2 | 5,016 62.6 | 6,133 76.5 | 5,769 72.0 | N/A | 5,694 71.1 | 6,892 86.0 | 6,890 86.0 | 1,198 15.0 | 5,831 72.8 | 6,062 75.7 | 400 5.0 |
| Brandon First Nations Rate per 100 | 41 | 18 43.9 | 18 43.9 | 17 41.5 | 34 82.9 | 27 65.9 | N/A | 29 70.7 | 40 97.6 | 40 97.6 | 9 22.0 | 26 63.4 | 32 78.0 | N/A |
| Non-First Nations Rate per 100 | 521 | 395 75.8 | 395 75.8 | 393 75.4 | 428 82.1 | 402 77.2 | N/A | 423 81.2 | 453 86.9 | 453 86.9 | 99 19.0 | 397 76.2 | 427 82.0 | 15 2.9 |
| All Children Rate per 100 | 562 | 413 73.5 | 413 73.5 | 410 73.0 | 462 82.2 | 429 76.3 | N/A | 452 80.4 | 493 87.7 | 493 87.7 | 108 19.2 | 423 75.3 | 459 81.7 | 15 2.7 |
| North Eastman First Nations Rate per 100 | 147 | 82 55.8 | 82 55.8 | 78 53.1 | 111 75.5 | 94 63,9 | N/A | 107 72.8 | 145 98.6 | 145 98.6 | 18 12.2 | 72 49.0 | 84 57.1 | 8 5.4 |
| Non-First Nations Rate per 100 | 398 | 308 77.4 | 308 77.4 | 297 74.6 | 347 87.2 | 323 81.2 | N/A | 345 86.7 | 376 94.5 | 376 94.5 | 66 16.6 | 312 78.4 | 312 78.4 | 22 5.5 |
| All Children Rate per 100 | 545 | 390 71.6 | 390 71.6 | 375 68.8 | 458 84.0 | 417 76.5 | N/A | 452 82.9 | 521 95.6 | 521 95.6 | 84 15.4 | 384 70.5 | 396 72.7 | 30 5.5 |
| South Eastman First Nations Rate per 100 | 6 | N/A | N/A | N/A | 5 83.3 | N/A | N/A | 5 83.3 | 5 83.3 | 5 83.3 | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 | 1,066 | 860 80.7 | 860 80.7 | 811 76.1 | 928 87.1 | 846 79.4 | N/A | 952 89.3 | 993 93.2 | 993 93.2 | 130 | 848 79.5 | 818 76.7 | 28 2.6 |
| All Children Rate per 100 | 1.072 | 864 80.6 | 864 80.6 | 815 76.0 | 933 87.0 | 850 79.3 | 11/A | 957 89.3 | 998 93.1 | 998 93.1 | 131 12.2 | 850 79.3 | 821 76.6 | 28 2.6 |
| Interlake First Nations Rate per 100 | 139 | 96 69.1 | 96 69.1 | 95 68.3 | 116 83.5 | 104 74.8 | N/A | 109 78.4 | 133 95.7 | 133 95.7 | 7 5.0 | 51 36.7 | 59 42.4 | N/A |
| Non-First Nations Rate per 100 | 896 | 697 77.8 | 697 77.8 | 677 75.6 | 773 86.3 | 734 81.9 | N/A | 735 82.0 | 834 93.1 | 834 93.1 | 112 12.5 | 726 81.0 | 744 83.0 | 50 5.6 |
| All Children Rate per 100 | 1,035 | 793 76.6 | 793 76.6 | 772 74.6 | 889 85.9 | 838 81.0 | N/A | 844 81.5 | 967 93.4 | 967 93.4 | 119 | 777 75.1 | 803 77.6 | 52 5.0 |
| Central First Nations Rate per 100 | 136 | 51 37.5 | 51 37.5 | 50 36.8 | 82 60.3 | 56 41.2 | N/A | 90 66.2 | 131 96.3 | 131 96.3 | 22 16.2 | 47 34.6 | 67 49.3 | 5 3.7 |
| Non-First Nations Rate per 100 | 1,555 | 1,290 83.0 | 1,290 | 1,246 80.1 | 1,372 88.2 | 1,272 81.8 | N/A | 1,386 89.1 | 1,468 94.4 | 1,468 | 218 14.0 | 1,206 77.6 | 1,268 81,5 | 52 3.3 |
| All Children Rate per 100 | 1,691 | 1,341 79.3 | 1,341 79.3 | 1,296 76.6 | 1,454 86.0 | 1,328 78.5 | N/A | 1,476 87.3 | 1,599 94,6 | 1,599 94.6 | 240 14.2 | 1,253 74.1 | 1,335 78.9 | 57 3.4 |
| Assiniboine First Nations Rate per 100 | 69 | 26 37.7 | 26 37.7 | 25 36.2 | 41 59.4 | 37 53.6 | N/A | 40 58.0 | 65 94.2 | 65 94.2 | N/A | 37 53.6 | 45 65.2 | N/A |
| Non-First Nations Rate per 100 | 765 | 654 85.5 | 654 85.5 | 639 83.5 | 698 91.2 | 663 86.7 | N/A | 701 91.6 | 730 95.4 | 730 95.4 | 125 16.3 | 643 84.1 | 673 88.0 | 37 4.8 |
| All Children Rate per 100 | 834 | 680 81.5 | 680 81.5 | 664 79.6 | 739 88.6 | 700 83.9 | N/A | 741 88.8 | 795 95.3 | 795 95.3 | 125 15.0 | 680 81.5 | 718 86.1 | 38 4.6 |

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measies | Mumps | Rubella | V | HB | MC | Flu |
|--|-----|-------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Parkland First Nations Rate per 100 | 92 | 73 79.3 | 73 79.3 | 73 79.3 | 84 91.3 | 77 83.7 | N/A | 85 92.4 | 92 100.0 | 92 100.0 | 24 26.1 | 78 84.8 | 86 93.5 | N/A |
| Non-First Nations Rate per 100 | 441 | 378 85.7 | 378 85.7 | 378 85.7 | 410 93.0 | 388 88.0 | N/A | 408 92.5 | 430 97.5 | 430 97.5 | 94 21.3 | 375 85.0 | 402 91.2 | 13 |
| All Children Rate per 100 | 533 | 451 84.6 | 451 84.6 | 451 84.6 | 494 92.7 | 465 87.2 | N/A | 493 92.5 | 522 97.9 | 522 97.9 | 118 22.1 | 453 85.0 | 488 91.6 | 16 |
| NOR-MAN First Nations Rate per 100 | 151 | 114 75.5 | 114 75.5 | 111 73.5 | 130 86.1 | 122 80.8 | N/A | 123 81.5 | 145 96.0 | 145 96.0 | 27 17.9 | 84 55.6 | 112 74.2 | 12 |
| Non-First Nations Rate per 100 | 239 | 208 87.0 | 208 87.0 | 208 87.0 | 218 91.2 | 214 89.5 | N/A | 219 91.6 | 227 95.0 | 227 95.0 | 38 15.9 | 189 79.1 | 208 87.0 | 18 7.5 |
| All Children Rate per 100 | 390 | 322 82.6 | 322 82.6 | 319 81.8 | 348 89.2 | 336 86.2 | N/A | 342 87.7 | 372 95.4 | 372 95,4 | 65 16.7 | 273 70.0 | 320 82.1 | 30 7.7 |
| Burntwood First Nations Rate per 100 | 591 | 330 55.8 | 330 55.8 | 326 55.2 | 443 75.0 | 351 59.4 | *** N/A | 441 74.6 | 562 95.1 | 562 95.1 | 94 15.9 | 367 62.1 | 478 80.9 | 16 |
| Non-First Nations Rate per 100 | 255 | 201 78.8 | 201 78.8 | 193 75.7 | 229 89.8 | 210 82.4 | N/A | 227 89.0 | 247 96.9 | 247 96.9 | 35 13.7 | 197 77.3 | 225 88.2 | 32 12.5 |
| All Children Rate per 100 | 846 | 531 62.8 | 531 62.8 | 519 61.3 | 672 79.4 | 561 66.3 | *** N/A | 668 79.0 | 809 95.6 | 809 95.6 | 129 15.2 | 564 66.7 | 703 83.1 | 48 5.7 |
| Churchill First Nations Rate per 100 | 5 | N/A | N/A | N/A | N/A | *** N/A | N/A | N/A | 5 100.0 | 5 | N/A | 5 100.0 | 5 100.0 | N/A |
| Non-First Nations Rate per 100 | 9 | 5 55.6 | 5 55.6 | 5 55.6 | 5 55.6 | 5 55.6 | N/A | 5 55.6 | 66.7 | 66.7 | N/A | 7 77.8 | 7 77.8 | N/A |
| All Children Rate per 100 | 14 | 8 57.1 | 8 57.1 | 57.1 | 9 64.3 | 8 57.1 | N/A | 9 64.3 | 11 78.6 | 11 78.6 | N/A | 12 85.7 | 12 85.7 | N/A |

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|--|---------|----------------|----------------|----------------|----------------|--------------|------------|----------------|----------------|---|-----------|----------------------------|------------|------------|
| MANITOBA | 3=250 | | | | | | | | | | | | | |
| First Nations Rate per 100 | 1,919 | 720 37.5 | 719 37.5 | 621 32.4 | 1,292 67,3 | 79 4.1 | N/A | 1,281 66.8 | 1,797 93.6 | 1,807 94.2 | N/A | 1,061 55.3 | 0.6 | 61 3.2 |
| Non-First Nations Rate per 100 | 15,928 | 10,658 | 10,668 67.0 | 9,453 59.3 | 13,400 84.1 | 1,120 | N/A | 13,056 82.0 | 14,458 90.8 | 14,464 90.8 | 93 0.6 | 11,366 71.4 | 294 1.8 | 434 2.7 |
| All Children Rate per 100 | 17,847 | 11,378 63.8 | 11,387 63.8 | 10,074 56.4 | 14,692 82.3 | 1,199 6.7 | N/A | 14,337 80.3 | 16,255 91.1 | 16,271 91.2 | 96 0.5 | 12,427 69.6 | 305 | 495 2.8 |
| Winnipeg First Nations Rate per 100 | 474 | 183 38.6 | 183 38.6 | 147 31.0 | 365 77.0 | 28 5.9 | N/A | 335 70,7 | 452 95.4 | 454 95.8 | N/A | 283 59.7 | N/A | 17 3.6 |
| Non-First Nations Rate per 100 | 8,842 | 5,464 61.8 | 5,467 61.8 | 4,761 53.8 | 7,231 81.8 | 671 7.6 | N/A | 6,899 78.0 | 7.724 87.4 | 7,726 87.4 | 61 0.7 | 6,029 68.2 | 213 2.4 | 242 |
| All Children Rate per 100 | 9,316 | 5,647 60.6 | 5,650 60.6 | 4,908 52.7 | 7,596 81.5 | 699 7.5 | N/A | 7,234 77.7 | 8,176 87.8 | 8,180 87.8 | 62 0.7 | 6,312 67.8 | 217 2.3 | 259 2.8 |
| Brandon | | | | | | | | ****** | | | | | | |
| First Nations Rate per 100 | 29 | 10 34.5 | 10 34.5 | 10 34.5 | 21 72.4 | N/A | N/A | 21 72.4 | 27 93.1 | 27 93.1 | N/A | 18 62.1 | N/A | N/A |
| Non-First Nations Rate per 100 | 607 | 429 70.7 | 429 70.7 | 396 65.2 | 477 78.6 | 44 7.2 | N/A | 514 84.7 | 563 92.8 | 563 92.8 | N/A | 453 74.6 | N/A | 11 |
| All Children Rate per 100 | 636 | 439 69.0 | 439 69.0 | 406 63.8 | 498 78.3 | 45 7.1 | N/A | 535 84.1 | 590 92.8 | 590 92.8 | N/A | 471 74.1 | N/A | 13 2.0 |
| North Eastman | Texture | - | | | | | | | | *************************************** | | to an delice of the second | | |
| First Nations Rate per 100 | 153 | 51 33.3 | 51 33.3 | 46 30.1 | 96 62.7 | N/A | N/A | 83 54.2 | 92.2 | 92.8 | N/A | 69 45.1 | N/A | 5 3.3 |
| Non-First Nations Rate per 100 | 496 | 327 65.9 | 329 66.3 | 266 53.6 | 456 91.9 | 37 7.5 | N/A | 443 89.3 | 483 97.4 | 483 97.4 | 5 1.0 | 359 72.4 | 1.4 | 11 2.2 |
| All Children Rate per 100 | 649 | 378 58.2 | 380 58.6 | 312 48.1 | 552 85.1 | 39 6.0 | N/A | 526 81.0 | 624 96.1 | 625 96.3 | 5 0.8 | 428 65.9 | 8 1.2 | 16 2.5 |
| South Eastman | | *** | 646 | *** | | *** | *** | 5 6 6 | | | 885 | *** | *** | *** |
| First Nations Rate per 100 | 8 | N/A | N/A | N/A | 6 75.0 | N/A | N/A | N/A | 7 87.5 | 87.5 | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 | 1,185 | 866 73.1 | 868 73.2 | 760 64.1 | 1,055 89.0 | 93 7.8 | N/A | 1,057 89.2 | 1,134 95.7 | 1,137 95.9 | 6 0.5 | 821 69.3 | 16 1,4 | 18 |
| All Children Rate per 100 | 1,193 | 869 72.8 | 871 73.0 | 762 63.9 | 1,061 88.9 | 93 7.8 | N/A | 1,061 88.9 | 1,141 95,6 | 1,144 | 6 0.5 | 824 69.1 | 16 1.3 | 18 1.5 |
| Interlake First Nations | 142 | 65 | 65 | 61 | 104 | 6 | AAA | 91 | 139 | 139 | *** | 90 | *** | *** |
| Rate per 100 | | 45.8 | 45.8 | 43.0 | 73.2 | 4.2 | N/A | 64.1 | 97.9 | 97.9 | N/A | 63.4 | N/A | N/A |
| Non-First Nations Rate per 100 | 1,046 | 785 75.0 | 785 75.0 | 696 66.5 | 916 87.6 | 77 7.4 | N/A | 838 | 984 94.1 | 985 94.2 | N/A | 782 74.8 | 0.7 | 33 |
| All Children Rate per 100 | 1,188 | 850 71.5 | 850 71.5 | 757 63.7 | 1,020 85.9 | 83 7.0 | N/A | 929 78.2 | 1,123 94.5 | 1,124 94.6 | N/A | 872 73.4 | 7 0.6 | 36 3,0 |
| Central | | | | | 12 20 - | | | | | | | | | |
| First Nations Pate per 100 | 143 | 28.0 | 40 28.0 | 23.1 | 67 46.9 | 4.2 | N/A | 58.0 | 120 83.9 | 120 83.9 | N/A | 68 47.6 | N/A | N/A |
| Non-First Nations Rate per 100 | 1,679 | 1,279 76.2 | 1,281 76.3 | 1,180 | 1.492 88.9 | 84 5.0 | N/A | 1,497 89.2 | 1,607 95.7 | 1,606 95.7 | 7 0.4 | 1,275 75.9 | 28 1.7 | 40 2.4 |
| All Children Rate per 100 | 1,822 | 1,319 72.4 | 1,321 72.5 | 1,213 66.6 | 1,559 85.6 | 90 4.9 | *** N/A | 1,580 86,7 | 1,727 94.8 | 1,726 94.7 | 7 0.4 | 1,343 73.7 | 30 1.6 | 42 2.3 |
| Assiniboine First Nations Rate per 100 | 77 | 34 44.2 | 34 44.2 | 29 37.7 | 55 71.4 | N/A | N/A | 47 61.0 | 73 94.8 | 73 94.8 | N/A | 47 61.0 | *** N/A | N/A |
| Non-First Nations Rate per 100 | 931 | 749 80.5 | 750 80,6 | 696 74.8 | 814 87.4 | 59 6.3 | N/A | 798 85.7 | 881 94.6 | 881 94.6 | N/A | 748 80.3 | 9 | 35 3.8 |
| All Children Rate per 100 | 1,008 | 783 77.7 | 784 77.8 | 725 71.9 | 869 86.2 | 62 6.2 | N/A | 845 83.8 | 954 94.6 | 954 94.6 | N/A | 795 78.9 | 10 | 36 3.6 |

| | Pop | Diphth | Tet | Pert | Polio | Hib | PCV7 | Measles | Mumps | Rubella | V | HB | MC | Flu |
|--|-----|-------------|-------------|-------------|-------------|-----------|------|-------------|--------------|--------------|------------|-------------|----------|-----------|
| Parkland First Nations Rate per 100 | 103 | 68 66.0 | 68 66.0 | 56 54.4 | 96 93.2 | N/A | N/A | 98 95.1 | 106 102.9 | 106 102.9 | N/A | 91 88.3 | N/A | N/A |
| Non-First Nations Rate per 100 | 527 | 396 75.1 | 396 75.1 | 370 70.2 | 462 87.7 | 27 5.1 | N/A | 479 90.9 | 510 96.8 | 510 96.8 | N/A | 428 81.2 | 5 0.9 | 1.9 |
| All Children Rate per 100 | 630 | 464 73.7 | 464 73.7 | 426 67.6 | 558 88.6 | 29 4.6 | N/A | 577 91.6 | 616 97.8 | 616 97.8 | N/A | 519 82.4 | 5 0.8 | 1.7 |
| NOR-MAN First Nations Rate per 100 | 140 | 46 32.9 | 46 32.9 | 40 28.6 | 105 75.0 | 6 4.3 | N/A | 123 87.9 | 134 95.7 | 135 96.4 | N/A | 98 70.0 | N/A | 13 |
| Non-First Nations Rate per 100 | 287 | 186 64.8 | 186 64.8 | 176 61.3 | 241 84.0 | 8 2.8 | N/A | 256 89.2 | 272 94.8 | 273 95.1 | N/A | 244 85.0 | N/A | 15 5,2 |
| All Children Rate per 100 | 427 | 232 54.3 | 232 54.3 | 216 50.6 | 346 81.0 | 14 3.3 | N/A | 379 88.8 | 406 95.1 | 408 95.6 | N/A | 342 80.1 | N/A | 28 6.6 |
| Burntwood First Nations Rate per 100 | 646 | 218 33.7 | 217 33.6 | 195 30.2 | 374 57.9 | 25 3.9 | N/A | 393 60.8 | 594 92.0 | 600 92.9 | *** N/A | 291 45.0 | N/A | 17 |
| Non-First Nations Rate per 100 | 321 | 174 54.2 | 174 54.2 | 150 46.7 | 252 78.5 | 20 6.2 | N/A | 271 84.4 | 296 92.2 | 296 92.2 | N/A | 225 70.1 | N/A | 18 5.6 |
| All Children Rate per 100 | 967 | 392 40.5 | 391 40.4 | 345 35.7 | 626 64.7 | 45 4.7 | N/A | 664 68.7 | 890 92.0 | 896 92.7 | N/A | 516 53.4 | 6 0.6 | 35 3.6 |
| Churchill First Nations Rate per 100 | 4 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations Rate per 100 | 7 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| All Children Rate per 100 | 11 | S 45.5 | 5 45.5 | N/A | 7 63.6 | N/A | N/A | 7 63.6 | 8 72.7 | 8 72.7 | N/A | 5 45.5 | N/A | N/A |

| | | | All Residents | | Cont | inuous Resid | lents | Non-Continuous Residents | | | |
|--------|--|------------------------------------|---------------------------------|-----------------------------|---------------------------|---------------------------------|--|---------------------------------------|---------------------------------|-----------------------------|--|
| Age | | No. of Children | Children Complete for Age | Rate per 100 Children | No. of Children | Children Complete for Age | Rate per 100 Children | No. of Children | Children Complete for Age | Rate per 100 Children | |
| MANIT | OBA | | | | | | | 11/2 | | | |
| 1 | First Nations Non-First Nations All 1 Year Olds | 2,572 12,972 15,544 | 1,640 10,201 11,841 | 63.8 78.6 76.2 | 2,554 12,329 14,883 | 1,635 9,956 11,591 | 64.0 80.8 77.9 | 18 643 661 | 5 245 250 | 27.8 38.1 37.8 | |
| 2 | First Nations Non-First Nations All 2 Year Olds | 2,346 12,666 15,012 | 1,205 7,924 9,129 | 51.4 62.6 60.8 | 2,323 11,548 13,871 | 1, 198 7,678 8,876 | 51.6 66.5 64.0 | 23 1,118 1,141 | 7 246 253 | 30.4 22.0 22.2 | |
| 7 | First Nations Non-First Nations All 7 Year Olds | 1,923 12,988 14,911 | 1,118 8,961 10,079 | 58.1 69.0 67.6 | 1,862 10,481 12,343 | 1,099 8,236 9,335 | 59.0 78.6 75.6 | 61 2,507 2,568 | 19 725 744 | 31.1 28.9 29.0 | |
| 11 | First Nations Non-First Nations All 11 Year Olds | 1,850 13,684 15,534 | 592 7,753 8,345 | 32.0 56.7 53.7 | 1,750 10,582 12,332 | 574 7,062 7,636 | 32.8 66.7 61.9 | 100 3,102 3,202 | 18 691 709 | 18.0 22.3 22.1 | |
| 17 | First Nations Non-First Nations All 17 Year Olds | 1,919 15,928 17,847 | 348 7,609 7,957 | 18.1 47.8 44.6 | 1,750 11,839 13,589 | 320 6,751 7,071 | 18.3 57.0 52.0 | 169 4,089 4,258 | 28 858 886 | 16.6 21.0 20.8 | |
| Vinnip | ea | and the last own profession as the | | | | and the second second | Name of Street, or other party of the street, or other party of th | | | | |
| 1 | First Nations Non-First Nations All 1 Year Olds | 608 7,041 7,649 | 415 5,555 5,970 | 68.3 78.9 78.0 | 601 6,694 7,295 | 414 5,475 5,889 | 68.9 81.8 80.7 | 7 347 354 | 80 81 | N/A 23.1 22.9 | |
| 2 | First Nations Non-First Nations All 2 Year Olds | 559 6,952 7,511 | 258 4,391 4,649 | 46.2 63.2 61.9 | 552 6,313 6,865 | 256 4,298 4,554 | 46.4 68.1 66.3 | 7 639 646 | 93 95 | N/A 14.6 14.7 | |
| 7 | First Nations Non-First Nations All 7 Year Olds | 432 7,159 7,591 | 235 4,553 4,788 | 54.4 63.6 63.1 | 412 5,720 6,132 | 230 4,342 4,572 | 55.8 75.9 74.6 | 20 1,439 1,459 | 5 211 216 | 25.0 14.7 14.8 | |
| 11 | First Nations Non-First Nations All 11 Year Olds | 473 7,539 8,012 | 143 3,720 3,863 | 30.2 49.3 48.2 | 440 5,736 6,176 | 140 3,518 3,658 | 31.8 61.3 59.2 | 33 1,803 1,836 | 202 205 | N/A 11.2 11.2 | |
| 17 | First Nations Non-First Nations All 17 Year Olds | 474 8,842 9,316 | 99 3,831 3,930 | 20.9 43.3 42.2 | 402 6,383 6,785 | 92 3,400 3,492 | 22.9 53.3 51.5 | 72 2,459 2,531 | 7 431 438 | 9.7 17.5 17.3 | |
| Brando | n | | | | | | | * * * * * * * * * * * * * * * * * * * | | | |
| 1 | First Nations Non-First Nations All 1 Year Olds | 60 658 718 | 43 532 575 | 71.7 80.9 80.1 | 59 620 679 | 43 516 559 | 72.9 83.2 82.3 | 1 38 39 | 16 16 | N/A 42.1 41.0 | |
| 2 | First Nations Non-First Nations All 2 Year Olds | 73 632 705 | 34 430 464 | 46.6 68.0 65.8 | 72 566 638 | 34 406 440 | 47.2 71.7 69.0 | 1 66 67 | 24 24 | N/A 36.4 35.8 | |
| 7 | First Nations Non-First Nations All 7 Year Olds | 50 494 544 | 24 348 372 | 48.0 70.4 68.4 | 45 38 i 426 | 22 317 339 | 48.9 83.2 79.6 | 5 113 118 | 31 33 | N/A 27.4 28.0 | |
| 11 | First Nations Non-First Nations All 11 Year Olds | 41 521 562 | 12 334 346 | 29.3 64.1 61.6 | 38 374 412 | 9 289 298 | 23.7 77.3 72.3 | 3 147 150 | 45 48 | N/A 30.6 32.0 | |
| 17 | First Nations Non-First Nations All 17 Year Olds | 29 607 636 | 6 330 336 | 20.7 54.4 52.8 | 23 434 457 | 6 301 307 | 26.1 69.4 67.2 | 6 173 179 | 29 29 | N/A 16.8 16.2 | |

| 445 | | | All Residents | | Cont | inuous Resid | lents | Non-Continuous Residents | | | |
|---------|--|-----------------------|---------------------------------|-----------------------------|--|-------------------------------------|-----------------------------|--------------------------|---------------------------------|-----------------------------|--|
| Age | | No. of Children | Children Complete for Age | Rate per 100 Children | No. of Children | Children Complete for Age | Rate per 100 Children | No. of Children | Children Complete for Age | Rate per 100 Children | |
| North E | astman | | | | | | | | | | |
| 1 | First Nations Non-First Nations All 1 Year Olds | 165 357 522 | . 88 269 357 | 53.3 75.4 68.4 | 165 343 508 | 88 263 351 | 53.3 76.7 69.1 | 0 14 14 | 6 | N/A 42.9 42.9 | |
| 2 | First Nations Non-First Nations All 2 Year Olds | 171 324 495 | 96 190 286 | 56.1 58.6 57.8 | 171 307 478 | 96 187 283 | 56.1 60.9 59.2 | 0 17 17 | 777 503 704 | N/A N/A N/A | |
| 7 | First Nations Non-First Nations All 7 Year Olds | 173 381 554 | 93 294 387 | 53.8 77.2 69.9 | 168 335 503 | 93 273 366 | 55.4 81.5 72.8 | 5 46 51 | 21 21 | N/A 45.7 41.2 | |
| 11 | First Nations Non-First Nations All 11 Year Olds | 147 398 545 | 36 238 274 | 24.5 59.8 50.3 | 143 337 480 | 35 228 263 | 24.5 67.7 54.8 | 4 61 65 | 10 | N/A 16.4 16.9 | |
| 17 | First Nations Non-First Nations All 17 Year Olds | 153 496 649 | 18 213 231 | 11.8 42.9 35.6 | 146 414 560 | 18 191 209 | 12.3 46.1 37.3 | 7 82 89 | 22 22 | N/A 26.8 24.7 | |
| South B | Eastman | | THE SEAL RESPONDED TO | to freedom to a | antico de la constanta de la c | and a feltral standard and a second | | | ZX M NO CHO NO | AND STORES OF THE STORE | |
| 1 | First Nations Non-First Nations All 1 Year Olds | 997 1,008 | 9 815 824 | 81.8 81.7 81.7 | 11 958 969 | 9 792 801 | 81.8 82.7 82.7 | 0 39 39 | 23 23 | N/A 59.0 59.0 | |
| 2 | First Nations Non-First Nations All 2 Year Olds | 13 996 1,009 | 9 676 685 | 69.2 67.9 67.9 | 13 912 925 | 9 649 658 | 69.2 71.2 71.1 | 0 84 84 | 27 27 | N/A 32.1 32.1 | |
| 7 | First Nations Non-First Nations All 7 Year Olds | 5 1,067 1,072 | 842 846 | N/A 78.9 78.9 | 4 794 798 | 681 685 | N/A 85.8 85.8 | 1 273 274 | 161 161 | N/A 59.0 58.8 | |
| 11 | First Nations Non-First Nations All 11 Year Olds | 6 1,066 1,072 | 669 670 | N/A 62.8 62.5 | 5 774 779 | 563 564 | N/A 72.7 72.4 | 1 292 293 | 106 106 | N/A 36.3 36.2 | |
| 17 | First Nations Non-First Nations All 17 Year Olds | 1,185 1,193 | 572 574 | N/A 48.3 48.1 | 7 831 838 | 495 496 | N/A 59.6 59.2 | 1 354 355 | 77 78 | N/A 21.8 22.0 | |
| nterlak | e | | | | | **** | | | | | |
| 1 | First Nations Non-First Nations All 1 Year Olds | 153 730 883 | 98 589 687 | 64.1 80.7 77.8 | 152 703 855 | 98 577 675 | 64.5 82.1 78.9 | 1 27 28 | 12 12 | N/A 44.4 42.9 | |
| 2 | First Nations Non-First Nations All 2 Year Olds | 151 710 861 | 68 445 513 | 45.0 62.7 59.6 | 148 666 814 | 68 433 501 | 45.9 65.0 61.5 | 3 44 47 | 12 12 | N/A 27.3 25.5 | |
| 7 | First Nations Non-First Nations All 7 Year Olds | 115 780 895 | 61 550 611 | 53.0 70.5 68.3 | 112 690 802 | 61 521 582 | 54.5 75.5 72.6 | 3 90 93 | 29 29 | N/A 32.2 31.2 | |
| 11 | First Nations Non-First Nations All 11 Year Olds | 139 896 1,035 | 34 547 581 | 24.5 61.0 56.1 | 136 764 900 | 34 511 545 | 25.0 66.9 60.6 | 3 132 135 | 36 36 | N/A 27.3 26.7 | |
| 17 | First Nations Non-First Nations All 17 Year Olds | 142 1,046 1,188 | 33 515 548 | 23.2 49.2 46.1 | 131 880 1,011 | 33 477 510 | 25.2 54.2 50.4 | 11 166 177 | 38 38 | N/A 22.9 21.5 | |

| | | | All Residents | | Cont | Inuous Resid | lents | Non- | Continuous R | esidents |
|---------|--|-----------------------|--|-----------------------------|-----------------------|---------------------------------|-----------------------------|--------------------|---------------------------------|-----------------------------|
| Age | | No. of Children | Children Complete for Age | Rate per 100 Children | No. of Children | Children Complete for Age | Rate per 100 Children | No. of Children | Children Complete for Age | Rate per 100 Children |
| Centra | | | | | | | | | | |
| 1 | First Nations Non-First Nations All 1 Year Olds | 175 1,410 1,585 | 81 1,003 1,084 | 46.3 71.1 68.4 | 174 1,323 1,497 | 81 958 1,039 | 46.6 72.4 69.4 | 1 87 88 | 45 45 | N/A 51.7 51.1 |
| 2 | First Nations Non-First Nations All 2 Year Olds | 171 1,427 1,598 | 61 700 761 | 35.7 49.1 47.6 | 170 1,283 1,453 | 61 676 737 | 35.9 52.7 50.7 | 1 144 145 | 24 24 | N/A 16.7 16.6 |
| 7 | First Nations Non-First Nations All 7 Year Olds | 118 1,470 1,588 | 68 1,091 1,159 | 57.6 74.2 73.0 | 115 1,180 1,295 | 68 940 1,008 | 59.1 79.7 77.8 | 3 290 293 | 151 151 | N/A 52.1 51.8 |
| 11 | First Nations Non-First Nations All 11 Year Olds | 136 1,555 1,691 | 25 1,014 1,039 | 18.4 65.2 61.4 | 132 1,207 1,339 | 24 871 895 | 18.2 72.2 66.8 | 348 352 | 143 144 | N/A 41.1 40.9 |
| 17 | First Nations Non-First Nations All 17 Year Olds | 143 1,679 1,822 | 17 978 995 | 11.9 58.2 54.6 | 134 1,257 1,391 | 13 850 863 | 9.7 67.6 62.0 | 9 422 431 | 128 132 | N/A 30.3 30.6 |
| Assinit | poine | | NAMES OF THE OWNER, OF THE OWNER, OF THE OWNER, | | | Made Manches and an Atlantique | | | | |
| 1 | First Nations Non-First Nations All 1 Year Olds | 99 705 804 | 61 577 638 | 61.6 81.8 79.4 | 98 662 760 | 59 546 605 | 60.2 82.5 79.6 | 1 43 44 | 31 | N/A 72.1 75.0 |
| 2 | First Nations Non-First Nations All 2 Year Olds | 99 645 744 | 59 416 475 | 59.6 64.5 63.8 | 97 594 691 | 59 389 448 | 60.8 65.5 64.8 | 2 51 53 | 27 27 | N/A 52.9 50.9 |
| 7 | First Nations Non-First Nations All 7 Year Olds | 67 676 743 | 42 553 595 | 62.7 81.8 80.1 | 57 570 627 | 40 505 545 | 70.2 88.6 86.9 | 10 106 116 | 48 50 | N/A 45.3 43.1 |
| 11 | First Nations Non-First Nations All 11 Year Olds | 69 765 834 | 14 569 583 | 20.3 74.4 69.9 | 49 614 663 | 12 500 512 | 24.5 81.4 77.2 | 20 151 171 | 69 71 | N/A 45.7 41.5 |
| 17 | First Nations Non-First Nations All 17 Year Olds | 77 931 1,008 | 21 566 587 | 27.3 60.8 58.2 | 59 762 821 | 19 518 537 | 32.2 68.0 65.4 | 18 169 187 | 48 50 | N/A 28.4 26.7 |
| arklar | ıd | CONTRACTOR OF STREET | homewood visited by | | | Ti | *********** | ** ** ** ** ** ** | Absorber the con- | |
| 1 | First Nations Non-First Nations All 1 Year Olds | 119 438 557 | 91 375 466 | 76.5 85.6 83.7 | 119 419 538 | 91 362 453 | 76.5 86.4 84.2 | 0 19 19 | 13 13 | N/A 68.4 68.4 |
| 2 | First Nations Non-First Nations All 2 Year Olds | 108 421 529 | 77 302 379 | 71.3 71.7 71.6 | 105 391 496 | 75 282 357 | 71.4 72.1 72.0 | 3 30 33 | 20 22 | N/A 66.7 66.7 |
| 7 | First Nations Non-First Nations All 7 Year Olds | 85 399 484 | 74 322 396 | 87.1 80.7 81.8 | 83 338 421 | 71 290 361 | 85.5 85.8 85.7 | 2 61 63 | 32 35 | N/A 52.5 55.6 |
| 11 | First Nations Non-First Nations All 11 Year Olds | 92 441 533 | 58 330 388 | 63.0 74.8 72.8 | 83 360 443 | 54 287 341 | 65.1 79.7 77.0 | 9 81 90 | 43 47 | N/A 53.1 52.2 |
| 17 | First Nations Non-First Nations All 17 Year Olds | 103 527 630 | 46 311 357 | 44.7 59.0 56.7 | 92 408 500 | 39 272 311 | 42.4 66.7 62.2 | 11 119 130 | 7 39 46 | 63.6 32.8 35.4 |

| | | | All Residents | | Cont | inuous Resid | lents . | Non- | Continuous R | esidents |
|--------|--|-----------------------|---------------------------------|-----------------------------|---------------------|---------------------------------|---|--------------------|---------------------------------|-----------------------------|
| Age | | No. of Children | Children Complete for Age | Rate per 100 Children | No. of Children | Children Complete for Age | Rate per 100 Children | No. of Children | Children Complete for Age | Rate per 100 Children |
| NOR-M | AN | | | | | - 1/-1 | | | | |
| 1 | First Nations Non-First Nations All 1 Year Olds | 215 266 481 | 164 203 367 | 76.3 76.3 76.3 | 213 255 468 | 163 193 356 | 76.5 75.7 76.1 | 2 11 13 | 10 | N/A 90.3 84.6 |
| 2 | First Nations Non-First Nations All 2 Year Olds | 179 226 405 | 104 152 256 | 58.1 67.3 63.2 | 176 207 383 | 102 146 248 | 58.0 70.5 64.8 | 3 19 22 | 6 8 | N// 31.1 36.4 |
| 7 | First Nations Non-First Nations All 7 Year Olds | 172 239 411 | 135 182 317 | 78.5 76.2 77.1 | 167 197 364 | 132 161 293 | 79.0 81.7 80.5 | 5 42 47 | 21 24 | N// 50.0 51. |
| 11 | First Nations Non-First Nations All 11 Year Olds | 151 239 390 | 66 173 239 | 43.7 72.4 61.3 | 145 197 342 | 66 152 218 | 45.5 77.2 63.7 | 6 42 48 | 21 21 | N/a 50. 43. |
| 17 | First Nations Non-First Nations All 17 Year Olds | 140 287 427 | 31 166 197 | 22.1 57.8 46.1 | 131 221 352 | 29 142 171 | 22.1 64.3 48.6 | 9 66 75 | 24 26 | N/36. 36. 34. |
| Burntw | ood | Anti-de-16-5 stations | | | | **** | 500000000000000000000000000000000000000 | | 10.520 + 30 - 2-5 - 2-5 | orden to tox |
| 1 | First Nations Non-First Nations All 1 Year Olds | 964 358 1,322 | 587 274 861 | 60.9 76.5 65.1 | 959 341 1,300 | 586 266 852 | 61.1 78.0 65.5 | 5 17 22 | 8 9 | N// 47. 40. |
| 2 | First Nations Non-First Nations All 2 Year Olds | 818 321 1,139 | 436 211 647 | 53.3 65.7 56.8 | 815 297 1,112 | 435 201 636 | 53.4 67.7 57.2 | 3 24 27 | 10 | N/ 41, 40. |
| 7 | First Nations Non-First Nations All 7 Year Olds | 702 304 1,006 | 378 210 588 | 53.8 69.1 58.4 | 695 262 957 | 374 194 568 | 53.8 74.0 59.4 | 7 42 49 | 16 20 | N// 38. 40. |
| 11 | First Nations Non-First Nations All 11 Year Olds | 591 255 846 | 200 154 354 | 33.8 60.4 41.8 | 574 213 787 | 196 138 334 | 34.1 64.8 42.4 | 17 42 59 | 16 20 | N// 38. 33. |
| 17 | First Nations Non-First Nations All 17 Year Olds | 646 321 967 | 75 126 201 | 11.6 39.3 20.8 | 621 245 866 | 70 104 174 | 11.3 42.4 20.1 | 25 76 101 | 5 22 27 | 20.1 28.1 26.1 |
| Church | 111 | | | | | | | | | |
| 1 | First Nations Non-First Nations All 1 Year Olds | 3 12 15 | 9 | N/A 75.0 80.0 | 3 11 14 | 8 | N/A 72.7 78.6 | 0 | 82.5 82.5 | N/A N/A N/A |
| 2 | First Nations Non-First Nations All 2 Year Olds | 4 12 16 | 11 14 | N/A 91.7 87.5 | 4 12 16 | 11 14 | N/A 91.7 87.5 | 0 0 0 | *** *** *** | N// N// N// |
| 7 | First Nations Non-First Nations All 7 Year Olds | 4 19 23 | 16 20 | N/A 84.2 87.0 | 4 14 18 | 12 16 | N/A 85.7 88.9 | 0 5 5 | 55.5 57.5 85.0 | N/ N/ N/ |
| 11 | First Nations Non-First Nations All 11 Year Olds | 5 9 14 | 5 8 | N/A 55.6 57.1 | 5 6 11 | 5 8 | N/A 83.3 72.7 | 0 3 3 | 8.5.4 88.5 88.5 | N/ N/ N/ |
| 17. | First Nations Non-First Nations All 17 Year Olds | 4 7 11 | *** *** | N/A N/A N/A | 4 4 8 | *** | N/A N/A N/A | 0 3 3 | *** | N/A N/A N/A |

For all residents, continuous residents and non-continuous residents

Note: Coverage rates for children who were complete for age from birth for all immunogens is provided for each separate year from 2004 to 2008. This allows comparison over time.

| | | 2004 Residents | | | 2005 Residents | | | 2006 Residents | | | 2007 Residents | | 2008 Residents | | |
|--------------|--|-------------------|-------------------------|--------------------|-------------------|-------------------------|--------------------|-------------------|-------------------------|--------------------|-------------------|-------------------------|--------------------|-----------------|--------------------------|
| Age | No. of Children | Contin- | Non- Contin- uous | No. of Children | Contin- uous | Non- Contin- uous | No. of Children | Contin- uous | Non- Contin- uous | No. of Children | Contin- uous | Non- Contin- uous | No. of Children | Contin- uous | Non- Contin- uous |
| MANITOBA | | | | | | | | | | | | | N. ASSESSED | | A decided and the second |
| 1 CFA | 11,266 | 11,022 | 244 | 11.024 | 10,830 | 194 | 11.019 | 10,833 | 186 | 11,242 | 11,034 | 208 | 11.841 | 11.591 | 250 |
| Population | 14,138 | 13,509 | 629 | 13,952 | 13,423 | 529 | 14,243 | 13,711 | 532 | 14,774 | 14,183 | 591 | 15.544 | 14.883 | 661 |
| Rate per 100 | 79.7 | 81.6 | 38.8 | 79.0 | 80,7 | 36.7 | 77.4 | 79.0 | 35.0 | 76.1 | 77.8 | 35.2 | 76.2 | 77.9 | 37.8 |
| 2 CFA | 9,554 | 9,287 | 267 | 9,314 | 9,058 | 256 | 6.322 | 6,169 | 153 | 8,415 | 8,244 | 171 | 9,129 | 8,876 | 253 |
| Population | 14,208 | 13,205 | 1,003 | 14,216 | 13,218 | 998 | 14,045 | 13,094 | 951 | 14,386 | 13,383 | 1,003 | 15,012 | 13,871 | 1,141 |
| Rate per 100 | 67.2 | 70.3 | 26.6 | 65.5 | 68.5 | 25.7 | 45.0 | 47.1 | 16.1 | 58.5 | 61.6 | 17.0 | 60.8 | 64.0 | 22.2 |
| 7 CFA | 9,782 | 9,164 | 618 | 9,536 | 8,954 | 582 | 9,976 | 9,278 | 698 | 10,126 | 9,432 | 694 | 10.271 | 9,442 | 829 |
| Population | 15,141 | 12,811 | 2,330 | 15,039 | 12,749 | 2,290 | 15,031 | 12,565 | 2,466 | 14,759 | 12,446 | 2,313 | 14.911 | 12,343 | 2,568 |
| Rate per 100 | 64.6 | 71.5 | 26.5 | 63.4 | 70.2 | 25.4 | 66.4 | 73.8 | 28.3 | 68.6 | 75.8 | 30.0 | 68.9 | 76.5 | 32.3 |
| 11 CFA | 9,834 | 8,838 | 996 | 9,821 | 8,933 | 888 | 9,130 | 8,328 | 802 | 8,778 | 8.012 | 766 | 8,345 | 7,636 | 709 |
| Population | 16,995 | 13,782 | 3,213 | 16,892 | 13,747 | 3,145 | 16,604 | 13,531 | 3,073 | 16,150 | 12.950 | 3,200 | 15,534 | 12,332 | 3,202 |
| Rate per 100 | 57.9 | 64.1 | 31.0 | 58.1 | 65.0 | 28.2 | 55.0 | 61.5 | 26.1 | 54.4 | 61.9 | 23.9 | 53.7 | 61.9 | 22.1 |
| 17 CFA | 8,647 | 7,591 | 1,056 | 8,998 | 7,861 | 1,137 | 6,001 | 5,309 | 692 | 7,380 | 6.555 | 825 | 7,957 | 7,071 | 886 |
| Population | 16,710 | 12,953 | 3,757 | 16,819 | 12,952 | 3,867 | 17,341 | 13,429 | 3,912 | 17,612 | 13,574 | 4,038 | 17,847 | 13,589 | 4,258 |
| Rate per 100 | 51.7 | 58.6 | 28.1 | 53.5 | 60.7 | 29.4 | 34.6 | 39.5 | 17.7 | 41.9 | 48.3 | 20.4 | 44.6 | 52.0 | 20.8 |
| Winnipeg | and the same of th | | | | | 10.70.0 | | | | / / - tr | | - | | - | |
| 1 CFA | 5,895 | 5,826 | 69 | 5,735 | 5,680 | 55 | 5,795 | 5,733 | 62 | 5,763 | 5,684 | 79 | 5,970 | 5,889 | 81 |
| Population | 7,231 | 6,902 | 329 | 7,103 | 6,810 | 293 | 7,214 | 6,943 | 271 | 7,405 | 7,081 | 324 | 7,649 | 7,295 | 354 |
| Rate per 100 | 81.5 | 84.4 | 21.0 | 80.7 | 83.4 | 18.8 | 80.3 | 82.6 | 22.9 | 77.8 | 80.3 | 24.4 | 78.0 | 80.7 | 22.9 |
| 2 CFA | 5,017 | 4,926 | 91 | 4,822 | 4,743 | 79 | 3.515 | 3,450 | 65 | 4,369 | 4,314 | 55 | 4,649 | 4.554 | 95 |
| Population | 7,266 | 6,702 | 564 | 7,167 | 6,617 | 550 | 7,085 | 6,559 | 526 | 7,235 | 6,681 | 554 | 7,511 | 6.865 | 646 |
| Rate per 100 | 69.0 | 73.5 | 16.1 | 67.3 | 71.7 | 14.4 | 49.6 | 52.6 | 12.4 | 60.4 | 64.6 | 9.9 | 61.9 | 66.3 | 14.7 |
| 7 CFA | 4,615 | 4,436 | 179 | 4,295 | 4,143 | 152 | 4,608 | 4,413 | 195 | 4,838 | 4,631 | 207 | 4,864 | 4,611 | 253 |
| Population | 7,795 | 6,487 | 1,308 | 7,571 | 6,254 | 1,317 | 7,643 | 6,250 | 1,393 | 7,527 | 6,236 | 1,291 | 7,591 | 6,132 | 1,459 |
| Rate per 100 | 59.2 | 68.4 | 13.7 | 56.7 | 66.2 | 11.5 | 60.3 | 70.6 | 14.0 | 64.3 | 74.3 | 16.0 | 64,1 | 75.2 | 17.3 |
| 11 CFA | 5,013 | 4,520 | 493 | 5,107 | 4,694 | 413 | 4,468 | 4,143 | 325 | 4,244 | 3,952 | 292 | 3,863 | 3,658 | 205 |
| Population | 8,663 | 6,831 | 1,832 | 8,723 | 6,933 | 1,790 | 8,510 | 6,785 | 1,725 | 8,338 | 6,513 | 1,825 | 8,012 | 6,176 | 1,836 |
| Rate per 100 | 57.9 | 66.2 | 26.9 | 58.5 | 67.7 | 23.1 | 52.5 | 61.1 | 18.8 | 50.9 | 60.7 | 16.0 | 48,2 | 59.2 | 11.2 |
| 17 CFA | 4,141 | 3,574 | 567 | 4,354 | 3,758 | 596 | 2,780 | 2,432 | 348 | 3,513 | 3,119 | 394 | 3,930 | 3,492 | 438 |
| Population | 8,620 | 6,359 | 2,261 | 8,698 | 6,405 | 2,293 | 8,952 | 6,661 | 2,291 | 9,100 | 6,756 | 2,344 | 9,316 | 6,785 | 2,531 |
| Rate per 100 | 48.0 | 56.2 | 25.1 | 50.1 | 58.7 | 26.0 | 31.1 | 36.5 | 15.2 | 38.6 | 46.2 | 16.8 | 42.2 | 51,5 | 17.3 |
| Brandon | | - Xe | | | | - | | | | | | | | | |
| 1 CFA | 522 | 508 | 14 | 542 | 529 | 13 | 510 | 492 | 18 | 588 | 566 | 22 | 575 | 559 | 16 |
| Population | 624 | 589 | 35 | 638 | 612 | 26 | 633 | 595 | 38 | 706 | 668 | 38 | 718 | 679 | 39 |
| Rate per 100 | 83.7 | 86.2 | 40.0 | 85.0 | 86.4 | 50.0 | 80.6 | 82.7 | 47.4 | 83.3 | 84.7 | 57.9 | 80.1 | 82.3 | 41.0 |
| 2 CFA | 422 | 403 | 19 | 428 | 412 | 16 | 324 | 317 | 7 | 406 | 391 | 15 | 464 | 440 | 24 |
| Population | 628 | 570 | 58 | 635 | 578 | 57 | 636 | 586 | 50 | 629 | 564 | 65 | 705 | 638 | 67 |
| Rate per 100 | 67.2 | 70.7 | 32.8 | 67.4 | 71.3 | 28.1 | 50.9 | 54.1 | 14.0 | 64.5 | 69.3 | 23.1 | 65.8 | 69.0 | 35.8 |
| 7 CFA | 440 | 381 | 59 | 422 | 375 | 47 | 431 | 378 | 53 | 428 | 385 | 43 | 375 | 340 | 35 |
| Population | 592 | 472 | 120 | 605 | 488 | 117 | 578 | 464 | 114 | 586 | 465 | 121 | 544 | 426 | 118 |
| Rate per 100 | 74.3 | 80.7 | 49.2 | 69.8 | 76.8 | 40.2 | 74.6 | 81.5 | 46.5 | 73.0 | 82.8 | 35.5 | 68.9 | 79.8 | 29.7 |
| 11 CFA | 421 | 353 | 68 | 395 | 357 | 38 | 414 | 354 | 60 | 408 | 351 | 57 | 346 | 298 | 48 |
| Population | 645 | 476 | 169 | 660 | 506 | 154 | 631 | 463 | 168 | 606 | 455 | 151 | 562 | 412 | 150 |
| Rate per 100 | 65.3 | 74.2 | 40.2 | 59.8 | 70.6 | 24.7 | 65.6 | 76.5 | 35.7 | 67.3 | 77.1 | 37.7 | 61.6 | 72.3 | 32.0 |
| 17 CFA | 437 | 368 | 69 | 429 | 341 | 88 | 297 | 246 | 51 | 341 | 287 | 54 | 336 | 307 | 29 |
| Population | 701 | 511 | 190 | 687 | 492 | 195 | 714 | 516 | 198 | 683 | 476 | 207 | 636 | 457 | 179 |
| Rate per 100 | 62.3 | 72.0 | 36.3 | 62.4 | 69.3 | 45.1 | 41.6 | 47.7 | 25.8 | 49.9 | 60.3 | 26.1 | 52.8 | 67.2 | 16.2 |

Report 4 - Complete for Age from Birth for all Immunogens by Region of Residence, 2004-2008

For all residents, continuous residents and non-continuous residents

| | No. of | 2004 Residents Contin- | Non- | No. of | 2005 Residents Contin- | Non- | No. of | 2006 Residents Contin- | Non- | No. of | 2007 Residents Contin- | Non- | No. of | 2008 Residents Contin- | Non- |
|-------------------------------------|--------------------|------------------------------|-----------------|--------------------|------------------------------|-----------------|---|------------------------------|-----------------|--------------------|------------------------------|---|--------------------|------------------------------|-----------------|
| Age | Children | Uous | Contin- uous | Children | HOUS | Contin- uous | Children | The second second | Contin- uous | Children | | Contin- uous | Children | uous | Contin- uous |
| North Eastman | | | 0005 | | | - aves | | | 1100-4 | | | | | | 00.00 |
| 1 CFA Population Rate per 100 | 345 475 72.6 | 338 464 72.8 | 7 11 63.6 | 348 449 77.5 | 344 443 77.7 | N/A | 346 433 79.9 | 344 427 80.6 | *** N/A | 357 494 72.3 | 353 484 72.9 | N/A | 357 522 68.4 | 351 508 69.1 | 6 14 42.9 |
| 2 CFA Population Rate per 100 | 283 470 60.2 | 275 448 61.4 | 8 22 36.4 | 280 476 58.8 | 274 458 59.8 | 6 18 33.3 | 188 455 41.3 | 186 440 42.3 | N/A | 237 460 51.5 | 235 450 52.2 | N/A | 286 495 57.8 | 283 478 59.2 | N/A |
| 7 CFA | 333 | 319 | 14 | 379 | 359 | 20 | 377 | 354 | 23 | 381 | 369 | 12 | 391 | 370 | 21 |
| Population | 516 | 479 | 37 | 553 | 514 | 39 | 527 | 485 | 42 | 527 | 497 | 30 | 554 | 503 | 51 |
| Rate per 100 | 64.5 | 66.6 | 37.8 | 68.5 | 69.8 | 51.3 | 71.5 | 73.0 | 54.8 | 72.3 | 74.2 | 40.0 | 70.6 | 73.6 | 41.2 |
| 11 CFA | 378 | 359 | 19 | 346 | 316 | 30 | 321 | 298 | 23 | 291 | 263 | 28 | 274 | 263 | 11 |
| Population | 688 | 615 | 73 | 642 | 569 | 73 | 619 | 563 | 56 | 576 | 500 | 76 | 545 | 480 | 65 |
| Rate per 100 | 54.9 | 58.4 | 26.0 | 53.9 | 55.5 | 41.1 | 51.9 | 52.9 | 41.1 | 50.5 | 52.6 | 36.8 | 50.3 | 54.8 | 16.9 |
| 17 CFA | 293 | 263 | 30 | 329 | 297 | 32 | 196 | 172 | 24 | 211 | 190 | 21 | 231 | 209 | 22 |
| Population | 631 | 554 | 77 | 595 | 510 | 85 | 648 | 560 | 88 | 639 | 525 | 114 | 649 | 560 | 89 |
| Rate per 100 | 46.4 | 47.5 | 39.0 | 55.3 | 58.2 | 37.6 | 30.2 | 30.7 | 27.3 | 33.0 | 36.2 | 18.4 | 35.6 | 37.3 | 24.7 |
| South Eastman | | | | | | | **** | | | | | rida esta esta esta esta esta esta esta est | | | |
| 1 CFA | 687 | 657 | 30 | 700 | 677 | 23 | 743 | 728 | 15 | 769 | 752 | 17 | 824 | 801 | 23 |
| Population | 821 | 775 | 46 | 821 | 787 | 34 | 914 | 869 | 45 | 955 | 918 | 37 | 1,008 | 969 | 39 |
| Rate per 100 | 83.7 | 84.8 | 65.2 | 85.3 | 86.0 | 67.6 | 81.3 | 83.8 | 33.3 | 80.5 | 81.9 | 45.9 | 81.7 | 82.7 | 59.0 |
| 2 CFA | 615 | 575 | 40 | 624 | 588 | 36 | 381 | 368 | 13 | 621 | 605 | 16 | 685 | 658 | 27 |
| Population | 862 | 771 | 91 | 876 | 800 | 76 | 858 | 791 | 67 | 964 | 874 | 90 | 1,009 | 925 | 84 |
| Rate per 100 | 71.3 | 74.6 | 44.0 | 71.2 | 73.5 | 47.4 | 44.4 | 46.5 | 19.4 | 64.4 | 69.2 | 17.8 | 67.9 | 71.1 | 32.1 |
| 7 CFA | 708 | 626 | 82 | 723 | 619 | 104 | 713 | 593 | 120 | 779 | 656 | 123 | 865 | 687 | 178 |
| Population | 949 | 757 | 192 | 941 | 749 | 192 | 931 | 697 | 234 | 997 | 761 | 236 | 1,072 | 798 | 274 |
| Rate per 100 | 74.6 | 82.7 | 42.7 | 76.8 | 82.6 | 54.2 | 76.6 | 85.1 | 51.3 | 78.1 | 86.2 | 52.1 | 80.7 | 86.1 | 65.0 |
| 11 CFA | 697 | 591 | 106 | 640 | 558 | 82 | 674 | 584 | 90 | 655 | 569 | 86 | 670 | 564 | 106 |
| Population | 1,045 | 797 | 248 | 1,018 | 768 | 250 | 1,061 | 797 | 264 | 1,058 | 769 | 289 | 1,072 | 779 | 293 |
| Rate per 100 | 66.7 | 74.2 | 42.7 | 62.9 | 72.7 | 32.8 | 63.5 | 73.3 | 34.1 | 61.9 | 74.0 | 29.8 | 62.5 | 72.4 | 36.2 |
| 17 CFA | 532 | 458 | 74 | 561 | 480 | 81 | 344 | 305 | 39 | 486 | 409 | 77 | 574 | 496 | 78 |
| Population | 997 | 750 | 247 | 967 | 722 | 245 | 1,039 | 762 | 277 | 1,097 | 785 | 312 | 1,193 | 838 | 355 |
| Rate per 100 | 53.4 | 61.1 | 30.0 | 58.0 | 66.5 | 33.1 | 33.1 | 40.0 | 14.1 | 44.3 | 52.1 | 24.7 | 48.1 | 59.2 | 22.0 |
| Interlake | | | | | *** | | 10 to | er e e e e | | | - | | | ** | |
| 1 CFA | 649 | 634 | 15 | 626 | 615 | 11 | 620 | 613 | 7 | 637 | 627 | 10 | 687 | 675 | 12 |
| Population | 795 | 761 | 34 | 805 | 776 | 29 | 795 | 778 | 17 | 838 | 817 | 21 | 883 | 855 | 28 |
| Rate per 100 | 81.6 | 83.3 | 44.1 | 77.8 | 79.3 | 37.9 | 78.0 | 78.8 | 41.2 | 76.0 | 76.7 | 47.6 | 77.8 | 78.9 | 42.9 |
| 2 CFA | 559 | 549 | 10 | 525 | 510 | 15 | 335 | 327 | 8 | 457 | 452 | 5 | 513 | 501 | 12 |
| Population | 847 | 806 | 41 | 808 | 766 | 42 | 824 | 780 | 44 | 812 | 778 | 34 | 861 | 814 | 47 |
| Rate per 100 | 66.0 | 68.1 | 24.4 | 65.0 | 66.6 | 35.7 | 40.7 | 41.9 | 18.2 | 56.3 | 58.1 | 14.7 | 59.6 | 61.5 | 25.5 |
| 7 CFA | 682 | 644 | 38 | 681 | 663 | 18 | 654 | 621 | .33 | 613 | 595 | 18 | 621 | 589 | 32 |
| Population | 983 | 868 | 115 | 953 | 877 | 76 | 953 | 841 | 112 | 861 | 784 | 77 | 895 | 802 | 93 |
| Rate per 100 | 69.4 | 74.2 | 33.0 | 71.5 | 75.6 | 23.7 | 68.6 | 73.8 | 29.5 | 71.2 | 75.9 | 23.4 | 69.4 | 73.4 | 34.4 |
| 11 CFA | 634 | 605 | 29 | 621 | 588 | 33 | 685 | 648 | 37 | 576 | 552 | 24 | 581 | 545 | 36 |
| Population | 1,162 | 1,014 | 148 | 1,100 | 965 | 135 | 1,192 | 1,038 | 154 | 1,076 | 947 | 129 | 1,035 | 900 | 135 |
| Rate per 100 | 54.6 | 59.7 | 19.6 | 56.5 | 60.9 | 24.4 | 57.5 | 62.4 | 24.0 | 53.5 | 58.3 | 18.6 | 56.1 | 60.6 | 26.7 |
| 17 CFA | 579 | 536 | 43 | 684 | 633 | 51 | 409 | 383 | 26 | 531 | 493 | 38 | 548 | 510 | 38 |
| Population | 1,114 | 962 | 152 | 1,197 | 1,027 | 170 | 1,200 | 1,015 | 185 | 1,184 | 999 | 185 | 1,188 | 1,011 | 177 |
| Rate per 100 | 52.0 | 55.7 | 28.3 | 57.1 | 61.6 | 30.0 | 34.1 | 37.7 | 14.1 | 44.8 | 49.3 | 20.5 | 46.1 | 50.4 | 21.5 |

Report 4 - Complete for Age from Birth for all Immunogens by Region of Residence, 2004-2008

For all residents, continuous residents and non-continuous residents

| | | 2004 | | | 2005 | | | 2006 | | | 2007 | | | 2008 | |
|-------------------------------------|----------------------|----------------------|------------------|----------------------|----------------------|-------------------|----------------------|----------------------|-------------------|--------------------------|----------------------|-------------------|----------------------|----------------------|--------------|
| Age | Nq. of | Residents Contin- | Non- | No. of | Residents Contin- | Non- | No. of | Residents Contin- | Non- | No. of | Residents Contin- | Non- | No. of | Residents Contin- | Non- |
| | Children | HOUS | Contin- uous | Children | uous | Contin- uous | Children | uous | Contin- uous | Children | uous | Contin- uous | Children | uous | Continuous |
| Central | | | | | | | | | | | | | S AMERICAN STREET | | |
| 1 CFA | 1,119 | 1,078 | 41 | 1,030 | 991 | 39 | 1,025 | 1,006 | 19 | 1,044 | 1,021 | 23 | 1,084 | 1,039 | 4 |
| Population | 1,475 | 1,402 | 73 | 1,388 | 1,334 | 54 | 1,490 | 1,426 | 64 | 1,521 | 1,452 | 69 | 1,585 | 1,497 | 8 |
| Rate per 100 | 75.9 | 76.9 | 56.2 | 74.2 | 74.3 | 72.2 | 68.8 | 70.5 | 29.7 | 68.6 | 70.3 | 33.3 | 68.4 | 69,4 | 51. |
| 2 CFA Population Rate per 100 | 949 1,466 64.7 | 909 1,371 66.3 | 40 95 42.1 | 953 1,544 61.7 | 913 1,419 64.3 | 40 125 32.0 | 503 1,428 35.2 | 486 1,323 36.7 | 17 105 16.2 | 754 1,527 49.4 | 733 1,410 52.0 | 21 117 17.9 | 761 1,598 47.6 | 737 1,453 50.7 | 14 16. |
| 7 CFA | 1,129 | 1,035 | 94 | 1,073 | 976 | 97 | 1,139 | 1,036 | 103 | 1,153 | 1,015 | 138 | 1,188 | 1,019 | 16 |
| Population | 1,581 | 1,337 | 244 | 1,518 | 1,281 | 237 | 1,552 | 1,288 | 264 | 1,560 | 1,286 | 274 | 1,588 | 1,295 | 29 |
| Rate per 100 | 71.4 | 77.4 | 38.5 | 70.7 | 76.2 | 40.9 | 73.4 | 80.4 | 39.0 | 73.9 | 78.9 | 50.4 | 74.8 | 78.7 | 57 |
| 11 CFA | 1.005 | 886 | 119 | 1,036 | 910 | 126 | 979 | 855 | 124 | 937 | 814 | 123 | 1,039 | 895 | 14 |
| Population | 1,679 | 1,357 | 322 | 1,670 | 1,358 | 312 | 1,654 | 1,323 | 331 | 1,601 | 1,278 | 323 | 1,691 | 1,339 | 35: |
| Rate per 100 | 59.9 | 65.3 | 37.0 | 62.0 | 67.0 | 40.4 | 59.2 | 64.6 | 37.5 | 58.5 | 63.7 | 38.1 | 61.4 | 66.8 | 40.5 |
| 17 CFA | 1,053 | 953 | 100 | 1,065 | 960 | 105 | 720 | 642 | 78 | 922 | 812 | 110 | 995 | 863 | 13: |
| Population | 1,610 | 1,308 | 302 | 1,626 | 1,292 | 334 | 1,637 | 1,300 | 337 | 1,741 | 1,345 | 396 | 1,822 | 1,391 | 43 |
| Rate per 100 | 65.4 | 72.9 | 33.1 | 65.5 | 74.3 | 31.4 | 44.0 | 49.4 | 23.1 | 53.0 | 60.4 | 27.8 | 54.6 | 62.0 | 30.6 |
| Assiniboine | | | NOX PERSON | - | | | | | *********** | and the same of the same | | | - | | |
| 1 CFA | 622 | 593 | 29 | 619 | 598 | 21 | 537 | 511 | 26 | 595 | 569 | 26 | 638 | 605 | 3: |
| Population | 724 | 678 | 46 | 744 | 712 | 32 | 702 | 662 | 40 | 743 | 710 | 33 | 804 | 760 | 4: |
| Rate per 100 | 85.9 | 87.5 | 63.0 | 83.2 | 84.0 | 65.6 | 76.5 | 77.2 | 65.0 | 80.1 | 80.1 | 78.8 | 79.4 | 79.6 | 75.0 |
| 2 CFA Population Rate per 100 | 507 705 71.9 | 481 650 74.0 | 26 55 47.3 | 521 722 72.2 | 493 673 73.3 | 28 49 57,1 | 307 742 41.4 | 290 686 42.3 | 17 56 30.4 | 441 716 61.6 | 420 659 63.7 | 21 57 36.8 | 475 744 63.8 | 448 691 64.8 | 50.9 50.9 |
| 7 CFA | 641 | 578 | 63 | 654 | 605 | 49 | 662 | 602 | 60 | 628 | 560 | 68 | 602 | 550 | 52 |
| Population | 830 | 691 | 139 | 836 | 726 | 110 | 814 | 694 | 120 | 776 | 653 | 123 | 743 | 627 | 116 |
| Rate per 100 | 77.2 | 83.6 | 45.3 | 78.2 | 83.3 | 44.5 | 81.3 | 86.7 | 50.0 | 80.9 | 85.8 | 55.3 | 81.0 | 87.7 | 44.8 |
| 11 CFA | 661 | 601 | 60 | 656 | 589 | 67 | 619 | 561 | 58 | 603 | 544 | 59 | 583 | 512 | 17 |
| Population | 984 | 829 | 155 | 944 | 780 | 164 | 905 | 758 | 147 | 865 | 721 | 144 | 834 | 663 | 17 |
| Rate per 100 | 67.2 | 72.5 | 38.7 | 69.5 | 75.5 | 40.9 | 68.4 | 74.0 | 39.5 | 69.7 | 75.5 | 41.0 | 69.9 | 77.2 | 41.5 |
| 17 CFA | 672 | 620 | 52 | 686 | 611 | 75 | 551 | 509 | 42 | 572 | 520 | 52 | 587 | 537 | 50 |
| Population | 1,101 | 883 | 218 | 1,049 | 831 | 218 | 1,069 | 859 | 210 | 1,035 | 841 | 194 | 1,008 | 821 | 187 |
| Rate per 100 | 61.0 | 70.2 | 23.9 | 65.4 | 73.5 | 34.4 | 51.5 | 59.3 | 20.0 | 55.3 | 61.8 | 26.8 | 58.2 | 65.4 | 26.7 |
| Parkland | | | | | | | | | | | | | | | |
| 1 CFA | 431 | 417 | 14 | 394 | 385 | 9 | 435 | 423 | 12 | 428 | 416 | 12 | 466 | 453 | 13 |
| Population | 508 | 488 | 20 | 467 | 452 | 15 | 514 | 497 | 17 | 529 | 509 | 20 | 557 | 538 | 19 |
| Rate per 100 | 84.8 | 85.5 | 70.0 | 84.4 | 85.2 | 60.0 | 84.6 | 85.1 | 70.6 | 80.9 | 81.7 | 60.0 | 83.7 | 84.2 | 68.4 |
| 2 CFA | 373 | 360 | 13 | 376 | 365 | 11 | 236 | 224 | 12 | 362 | 352 | 10 | 379 | 357 | 22 |
| Population | 505 | 478 | 27 | 506 | 479 | 27 | 484 | 453 | 31 | 516 | 490 | 26 | 529 | 496 | 33 |
| Rate per 100 | 73.9 | 75.3 | 48.1 | 74.3 | 76.2 | 40.7 | 48.8 | 49.4 | 38.7 | 70.2 | 71.8 | 38.5 | 71.6 | 72.0 | 66.7 |
| 7 CFA | 432 | 392 | 40 | 464 | 417 | 47 | 452 | 404 | 48 | 426 | 382 | 44 | 403 | 364 | 39 |
| Population | 541 | 467 | 74 | 570 | 485 | 85 | 568 | 491 | 77 | 517 | 451 | 66 | 484 | 421 | 63 |
| Rate per 100 | 79.9 | 83.9 | 54.1 | 81.4 | 86.0 | 55.3 | 79.6 | 82.3 | 62.3 | 82.4 | 84.7 | 66.7 | 83.3 | 86.5 | 61.9 |
| 11 CFA | 393 | 344 | 49 | 440 | 387 | 53 | 393 | 356 | 37 | 398 | 355 | 43 | 388 | 341 | 47 |
| Population | 579 | 475 | 104 | 614 | 509 | 105 | 555 | 462 | 93 | 578 | 461 | 117 | 533 | 443 | 90 |
| Rate per 100 | 67.9 | 72.4 | 47.1 | 71.7 | 76.0 | 50.5 | 70.8 | 77.1 | 39.8 | 68.9 | 77.0 | 36.8 | 72.8 | 77.0 | 52.2 |
| 17 CFA | 449 | 393 | 56 | 413 | 357 | 56 | 310 | 280 | 30 | 373 | 339 | 34 | 357 | 311 | 46 |
| Population | 642 | 518 | 124 | 597 | 469 | 128 | 618 | 492 | 126 | 668 | 549 | 119 | 630 | 500 | 130 |
| Rate per 100 | 69.9 | 75.9 | 45.2 | 69.2 | 76.1 | 43.8 | 50.2 | 56.9 | 23.8 | 55.8 | 61.7 | 28.6 | 56.7 | 62.2 | 35,4 |

Report 4 - Complete for Age from Birth for all Immunogens by Region of Residence, 2004-2008

For all residents, continuous residents and non-continuous residents

| | | 2004 | | | 2005 | | | 2006 | | | 2007 | | | 2008 | |
|--------------------------------------|----------------------|------------------------------|-----------------------|----------------------|------------------------------|-------------------|----------------------|--|-------------------|----------------------|---|------------------|----------------------|------------------------------|-------------------|
| Age | No. of Children | Residents Contin- uous | Non- Contin- | No. of Children | Residents Contin- uous | Non- Contin- | No. of Children | Residents Contin- uous | Non- Contin- | No. of Children | Resident Contin- uous | Non- Contin- | No. of Children | Resident: Contin- uous | Non- Contin |
| NOR-MAN | | | Hous | | The second | LIOUS | 1800000 | The same of the sa | uous | | | Uous | | | uous |
| 1 CFA Population Rate per 100 | 309 418 73.9 | 306 407 75.2 | *** N/A | 318 438 72.6 | 305 419 72.8 | 13 19 68.4 | 311 400 77.8 | 301 384 78.4 | 10 16 62.5 | 305 413 73.8 | 298 395 75.4 | 7 18 38.9 | 367 481 76.3 | 356 468 76.1 | 1 13 84.6 |
| 2 CFA Population Rate per 100 | 289 432 66.9 | 280 413 67.8 | 9 19 47.4 | 262 406 64.5 | 254 390 65.1 | 8 16 50.0 | 181 439 41.2 | 173 409 42.3 | 8 30 26.7 | 246 402 61.2 | 235 380 61.8 | 11 22 50.0 | 256 405 63.2 | 248 383 64.8 | 2: 36. |
| 7 CFA Population Rate per 100 | 325 427 76.1 | 294 374 78.6 | 31 53 58.5 | 312 434 71.9 | 281 374 75.1 | 31 60 51.7 | 341 422 80.8 | 307 373 82.3 | 34 49 69.4 | 314 412 76.2 | 292 366 79.8 | 22 46 47.8 | 319 411 77.6 | 294 364 80.8 | 2! 4 53.2 |
| 11 CFA Population Rate per 100 | 282 471 59.9 | 256 402 63.7 | 26 69 37.7 | 261 434 60.1 | 236 363 65.0 | 25 71 35.2 | 250 429 58.3 | 220 364 60.4 | 30 65 46.2 | 238 408 58.3 | 213 343 62.1 | 25 65 38.5 | 239 390 61.3 | 218 342 63.7 | 2 48 43.8 |
| 17 CFA Population Rate per 100 | 232 426 54.5 | 192 335 57.3 | 40 91 44.0 | 212 390 54.4 | 182 309 58.9 | 30 81 37.0 | 209 445 47.0 | 173 352 49.1 | 36 93 38.7 | 219 457 47.9 | 189 375 50.4 | 30 82 36.6 | 197 427 46.1 | 171 352 48.6 | 26 78 34.7 |
| Burntwood | | | and the second second | | | | | | | | *************************************** | | | | |
| 1 CFA Population Rate per 100 | 675 1,056 63.9 | 653 1,032 63.3 | 22 24 91.7 | 701 1,085 64.6 | 696 1,065 65.4 | 5 20 25.0 | 679 1,126 60.3 | 666 1,111 59.9 | 13 15 86.7 | 742 1,157 64.1 | 734 1,136 64.6 | .8 21 38.1 | 861 1,322 65.1 | 852 1,300 65.5 | 22 40.9 |
| 2 CFA Population Rate per 100 | 522 1,006 51.9 | 512 978 52.4 | 10 28 35.7 | 511 1,063 48.1 | 494 1,026 48.1 | 17 37 45.9 | 345 1,085 31.8 | 341 1,059 32.2 | N/A | 506 1,104 45.8 | 493 1,079 45.7 | 13 25 52.0 | 647 1,139 56,8 | 636 1,112 57.2 | 11 27 40.7 |
| 7 CFA Population Rate per 100 | 464 909 51.0 | 446 862 51.7 | 18 47 38.3 | 524 1,044 50.2 | 508 992 51.2 | 16 52 30.8 | 589 1,030 57.2 | 561 973 57.7 | 28 57 49.1 | 562 989 56.8 | 543 941 57.7 | 19 48 39.6 | 623 1,006 61.9 | 602 957 62.9 | 21 49 42.9 |
| 11 CFA Population Rate per 100 | 344 1,063 32,4 | 318 977 32.5 | 26 86 30.2 | 311 1,076 28.9 | 293 990 29.6 | 18 86 20.9 | 319 1,031 30.9 | 302 965 31.3 | 17 66 25.8 | 415 1,028 40.4 | 387 949 40.8 | 28 79 35.4 | 354 846 41.8 | 334 787 42.4 | 20 59 33.9 |
| 17 CFA Population Rate per 100 | 250 855 29.2 | 227 764 29.7 | 23 91 25.3 | 259 1,002 25.8 | 236 885 26.7 | 23 117 19.7 | 183 1,008 18.2 | 165 907 18.2 | 18 101 17.8 | 207 992 20.9 | 193 913 21.1 | 14 79 17.7 | 201 967 20.8 | 174 866 20.1 | 27 101 26.7 |
| Churchill | | | | | | | - | | - | | | | | | |
| 1 CFA Population Rate per 100 | 12 11 109.1 | 12 11 109.1 | N/A | 11 14 78.6 | 10 13 76.9 | N/A | 18 22 81.8 | 16 19 84.2 | N/A | 14 13 107.7 | 14 13 107.7 | N/A | 12 15 80.0 | 11 14 78.6 | N/A |
| 2 CFA Population Rate per 100 | 18 21 85.7 | 17 18 94.4 | *** N/A | 12 13 92.3 | 12 12 100.0 | N/A | 7 9 77.8 | 7 8 87.5 | N/A | 16 21 76.2 | 14 18 77.8 | N/A | 14 16 87.5 | 14 16 87.5 | N/A |
| Population Rate per 100 | 13 18 72.2 | 13 17 76.5 | N/A | 9 14 64.3 | 8 9 88.9 | N/A | 10 13 76.9 | 9 9 100.0 | N/A | *** *** N/A | N/A | N/A | 20 23 87.0 | 16 18 88.9 | N/A |
| 11 CFA Population Rate per 100 | 6 16 37.5 | 5 9 55.6 | *** *** N/A | 8 11 72.7 | 5 6 83.3 | N/A | 8 17 47.1 | 7 13 53.8 | N/A | 13 16 81.3 | 12 14 85.7 | N/A | 8 14 57.1 | 8 11 72.7 | N/A |
| 17 CFA Population Rate per 100 | 9 13 69.2 | 7 9 77.8 | *** N/A | 6 11 54.5 | 6 10 60.0 | N/A | N/A | *** *** N/A | N/A | 5 16 31.3 | N/A | N/A | NAN N/A | N/A | N/A |

January 1 to December 31, 2008

| Provider | DTaP- | DTaP- IPV-HIB | Td | MMR | HBV | НЕРА/В | V | Tdap | MC | PCV7 | Flu | Total Doses |
|---|--------------|------------------|-----------|---------------|-----------------|------------|--------------|---------------|---------------|-----------------|---------------|----------------|
| MANITOBA | | | | | | | | | | | | |
| Public Health Nurse First Nations Non-First Nations | 289 3,220 | 1,508 10,882 | 7 58 | 770 6,383 | 1,699 30,227 | 506 | 638 5,445 | 459 10,506 | 552 10,775 | 1,489 10,485 | 480 5,860 | |
| Total | 3,509 | 12,390 | 65 | 7,153 | 31,926 | 507 | 6,083 | 10,965 | 11,327 | 11,974 | 6,340 | 102,239 |
| Percentage of Doses Administered | 3.4% | 12.1% | 0.1% | 7.0% | 31.2% | 0.5% | 5.9% | 10.7% | 11.1% | 11.7% | 6.2% | 39.8% |
| Physician First Nations Non-First Nations | 293 7,079 | 2,130 32,826 | 20 376 | 815 15,621 | 96 1,831 | 7 1,594 | 550 9,325 | 42 1,053 | 22 1,365 | 2,076 32,104 | 633 13,337 | |
| Total | 7,372 | 34,956 | 396 | 16,436 | 1,927 | 1,601 | 9,875 | 1.095 | 1,387 | 34,180 | 13,970 | 123,195 |
| Percentage of Doses Administered | 6.0% | 28.4% | 0.3% | 13.3% | 1.6% | 1.3% | 8.0% | 0.9% | 1.1% | 27.7% | 11.3% | 48.0% |
| First Nation/Tribal Council First Nations Non-First Nations | 1,100 | 5,194 925 | 46 | 2,516 449 | 2,034 429 | 8 | 1,679 329 | 645 119 | 633 133 | 5,057 898 | 642 112 | |
| Total | 1,283 | 6,119 | 50 | 2,965 | 2,463 | 9 | 2,008 | 764 | 766 | 5,955 | 754 | 23,136 |
| Percentage of Doses Administered | 5.5% | 26.4% | 0.2% | 12.8% | 10.6% | 0.0% | 8.7% | 3.3% | 3.3% | 25.7% | 3.3% | 9.0% |
| Other First Nations Non-First Nations | 80 333 | 498 1,346 | 49 242 | 263 765 | 105 373 | 81 | 141 438 | 88 302 | 11 132 | 492 1,355 | 232 868 | |
| Total | 413 | 1,844 | 291 | 1,028 | 478 | 81 | 579 | 390 | 143 | 1,847 | 1,100 | 8,194 |
| Percentage of Doses Administered | 5.0% | 22.5% | 3.6% | 12.5% | 5.8% | 1.0% | 7.1% | 4.8% | 1.7% | 22.5% | 13.4% | 3.2% |
| Total for MANITOBA | 12,577 | 55,309 | 802 | 27,582 | 36,794 | 2,198 | 18,545 | 13,214 | 13,623 | 53,956 | 22,164 | 256,764 |
| Winnipeg | | | | | | | | | | | | |
| Public Health Nurse First Nations Non-First Nations | 17 87 | 16 194 | *** | 23 271 | 667 15,748 | 275 | 31 878 | 99 4,945 | 212 5,567 | 15 180 | 47 1,424 | |
| Total | 104 | 210 | 4.6% | 294 | 16,415 | 276 | 909 | 5,044 | 5,779 | 195 | 1,471 | 30,701 |
| Percentage of Doses Administered | 0.3% | 0.7% | N/A | 1.0% | 53.5% | 0.9% | 3.0% | 16.4% | 18.8% | 0.6% | 4.8% | 21.6% |
| Physician First Nations Non-First Nations | 265 6,090 | 1,763 27,005 | 16 | 699 13,227 | 96 1,779 | 5 1,421 | 462 7,805 | 39 1,020 | 22 | 1,716 26,492 | 599 12,271 | |
| Total | 6,355 | 28,768 | 321 | 13,926 | 1,875 | 1.426 | 8,267 | 1,059 | 1,341 | 28,208 | 12,870 | 104,416 |
| Percentage of Doses Administered | 6.1% | 27.6% | 0.3% | 13.3% | 1.8% | 1.4% | 7.9% | 1.0% | 1.3% | 27.0% | 12.3% | 73.5% |
| Other First Nations Non-First Nations | 78 281 | 472 1,218 | 5 44 | 234 628 | 85 297 | 42 | 128 357 | 83 262 | 11 54 | 467 1,220 | 226 763 | |
| Total | 359 | 1,690 | 49 | 862 | 382 | 42 | 485 | 345 | 65 | 1,687 | 989 | 6,955 |
| Percentage of Doses Administered | 5.2% | 24.3% | 0.7% | 12.4% | 5.5% | 0.6% | 7.0% | 5.0% | 0.9% | 24.3% | 14.2% | 4.9% |
| Total for Winnipeg | 6.818 | 30.668 | 374 | 15.082 | 18.672 | 1.744 | 9.661 | 6,448 | 7.185 | 30,090 | 15 220 | 142,072 |

January 1 to December 31, 2008

| Provider | DTaP- IPV | DTaP- IPV-HIB | Td | MMR | HBV | HEPA/B | V | Tdap | MC | PCV7 | Au | Total Doses |
|---|--------------|------------------|-------|-----------|-------------|--------|-----------|-----------|-----------|--------------|-----------|----------------|
| Brandon | | | | | | | | | | | | |
| Public Health Nurse First Nations Non-First Nations | 30 212 | 153 900 | *** | 80 458 | 75 1,288 | 33 | 71 402 | 24 516 | 26 442 | 147 898 | 30 414 | |
| Total | 242 | 1,053 | *** | 538 | 1,363 | 33 | 473 | 540 | 468 | 1.045 | 444 | 6,202 |
| Percentage of Doses Administered | 3.9% | 17.0% | N/A | 8.7% | 22.0% | 0.5% | 7.6% | 8.7% | 7.5% | 16.8% | 7.2% | 51.8% |
| Physician First Nations Non-First Nations | 14 319 | 139 1,680 | 21 | 52 740 | 8 | 39 | 39 541 | *** | *** | 136 1,655 | 14 354 | |
| Total | 333 | 1,819 | 23 | 792 | 8 | 39 | 580 | *** | *** | 1,791 | 368 | 5,758 |
| Percentage of Doses Administered | 5.8% | 31.6% | 0.4% | 13.8% | 0.1% | 0.7% | 10.1% | N/A | N/A | 31.1% | 6.4% | 48.1% |
| Other First Nations Non-First Nations | *** | *** | 6 | *** | *** | *** | *** | 9 | *** | *** | *** | |
| Total | *** | 889 | .7. | 100 | *** | *** | Ne# | 10 | 886 | 110 | *** | 20 |
| Percentage of Doses Administered | N/A | N/A | 35.0% | N/A | N/A | N/A | N/A | 50.0% | N/A | N/A | N/A | 0.2% |
| Total for Brandon | 576 | 2,872 | 33 | 1,330 | 1,372 | 72 | 1,053 | 553 | 470 | 2,836 | 813 | 11,980 |
| North Eastman | | | | | | | | | | | | |
| Public Health Nurse First Nations Non-First Nations | 19 128 | 82 385 | *** | 47 248 | 80 902 | 12 | 19 150 | 17 363 | 26 322 | 80 381 | 19 224 | |
| Total | 147 | 467 | *** | 295 | 982 | 12 | 169 | 380 | 348 | 461 | 243 | 3,507 |
| Percentage of Doses Administered | 4.2% | 13.3% | N/A | 8.4% | 28.0% | 0.3% | 4.8% | 10.8% | 9.9% | 13.1% | 6.9% | 55.5% |
| Physician First Nations Non-First Nations | 48 | 111 | 10 | 86 | 5 | 11 | 42 | *** | *** | 106 | 40 | |
| Total | 48 | 111 | 10 | 86 | 5 | 11 | 42 | *** | *** | 106 | 43 | 467 |
| Percentage of Doses Administered | 10.3% | 23.8% | 2.1% | 18.4% | 1.1% | 2.4% | 9.0% | N/A | N/A | 22.7% | 9.2% | 7.4% |
| First Nation/Tribal Council First Nations Non-First Nations | 96 17 | 469 86 | 5×0 | 218 50 | 238 60 | *** | 148 38 | 82 | 39 13 | 469 86 | 186 19 | |
| Total | 113 | 555 | 2.65 | 268 | 298 | 19.00 | 186 | 90 | 52 | 555 | 205 | 2,326 |
| Percentage of Doses Administered | 4.9% | 23.9% | N/A | 11.5% | 12.8% | N/A | 8.0% | 3.9% | 2.2% | 23.9% | 8.8% | 36.8% |
| Other First Nations Non-First Nations | 888 | *** | 13 | *** | *** | *** | *** | *** | *** | *** | *** | |
| Total | *** | *** | 17 | 4100 | *** | *** | *95 | 444 | *** | *** | *** | 20 |
| Percentage of Doses Administered | N/A | N/A | 85.0% | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0.3% |
| Total for North Eastman | 309 | 1,133 | 33 | 649 | 1,285 | 24 | 397 | 474 | 401 | 1,122 | 493 | 6,320 |

January 1 to December 31, 2008

| Provider | DTaP- IPV | DTaP- IPV-HIB | Td | MMR | HBV | НЕРА/В | V | Tdap | MC | PCV7 | Au | Total Doses |
|---|--------------|------------------|---------|-----------|-------------|--------|-----------|-----------|------------|-------------|-------------|----------------|
| South Eastman | | | | | | | | | | | | |
| Public Health Nurse First Nations Non-First Nations | 471 | 11 | 9 | 10 844 | 29 2,268 | *** | 6 525 | 5 967 | 10 846 | 11 | 503 | |
| Total | 473 | 1,182 | 9 | 854 | 2.297 | 255 | 531 | 972 | 856 | 1,155 | 507 | 8,839 |
| Percentage of Doses Administered | 5.4% | 13.4% | 0.1% | 9.7% | 26.0% | N/A | 6.0% | 11.0% | 9.7% | 13.1% | 5.7% | 65.0% |
| Physician First Nations Non-First Nations | 214 | 16 1,675 | 17 | 571 | *** | 21 | 365 | *** | 35 | 15 1,668 | 87 | |
| Total | 214 | 1,691 | 17 | 573 | 8 | 21 | 367 | 200 | 35 | 1,683 | 90 | 4,703 |
| Percentage of Doses Administered | 4.6% | 36.0% | 0.4% | 12.2% | 0.2% | 0.4% | 7.8% | N/A | 0.7% | 35.8% | 1.9% | 34.6% |
| Other First Nations Non-First Nations | *** | *** | 37 | *** | 6 | *** | *** | *** | *** | *** | *** | |
| Total | *** | *** | 37 | *** | 6 | *** | 444 | 2.55 | 944 | 569 | 444 | 50 |
| Percentage of Doses Administered | N/A | N/A | 74.0% | N/A | 12.0% | N/A | N/A | N/A | N/A | N/A | N/A | 0.4% |
| Total for South Eastman | 687 | 2,874 | 63 | 1,428 | 2,311 | 26 | 898 | 978 | 891 | 2,838 | 598 | 13,592 |
| Interlake | | | | | | | | | | | | |
| Public Health Nurse First Nations Non-First Nations | 13 164 | 37 478 | 5 | 26 280 | 101 2,149 | 13 | 32 384 | 30 787 | 43 882 | 36 444 | 24 395 | |
| Total | 177 | 515 | 5 | 306 | 2,250 | 13 | 416 | 817 | 925 | 480 | 419 | 6,323 |
| Percentage of Doses Administered | 2.8% | 8.1% | 0.1% | 4.8% | 35.6% | 0.2% | 6.6% | 12.9% | 14.6% | 7.6% | 6.6% | 57.8% |
| Physician First Nations Non-First Nations | 7 174 | 19 750 | 10 | 14 391 | 14 | 11 | 6 234 | 19 | 255 255 | 17 697 | 5 201 | |
| Total | 181 | 769 | 10 | 405 | 14 | 11 | 240 | 21 | *** | 714 | 206 | 2,573 |
| Percentage of Doses Administered | 7.0% | 29.9% | 0.4% | 15.7% | 0.5% | 0.4% | 9.3% | 0.8% | N/A | 27.7% | 8.0% | 23.5% |
| First Nation/Tribal Council First Nations Non-First Nations | 92 18 | 421 121 | *** | 217 51 | 173 26 | *** | 105 24 | 77 19 | 54 9 | 401 117 | 58 | |
| Total | 110 | 542 | *** | 268 | 199 | *** | 129 | 96 | 63 | 518 | 62 | 1,987 |
| Percentage of Doses Administered | 5.5% | 27.3% | N/A | 13.5% | 10.0% | N/A | 6.5% | 4.8% | 3.2% | 26.1% | 3.1% | 18,2% |
| Other First Nations Non-First Nations | 8 8 F | *** | 8 42 | *** | *** | 415 | *** | 244 | *** | *** | 印产丸 有8 8 | |
| Total | 5.80 | *** | 50 | 8/8/8 | *** | *** | *** | *** | *6X | *** | 68.0 | 51 |
| Percentage of Doses Administered | N/A | N/A | 98.0% | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0.5% |
| Total for Interlake | 469 | 1,826 | 65 | 979 | 2,463 | 24 | 785 | 934 | 990 | 1.712 | 687 | 10,934 |

January 1 to December 31, 2008

| Provider | DTaP- IPV | DTaP- | | MMR | HBV | HEPA/B | | Tdap | MC | PCV7 | Flu | Total Doses |
|---|--------------|-------------|------------|-------------|--------------|--------|-------------|-------------|-------------|-------------|-----------|----------------|
| Central | | | | | | | | | | | | |
| Public Health Nurse First Nations Non-First Nations | 20 928 | 83 3.087 | 14 | 69 1,766 | 141 3,324 | 78 | 50 1,168 | 36 1,325 | 42 1,170 | 78 2,851 | 31 854 | |
| Total | 948 | 3,170 | 14 | 1,835 | 3,465 | 78 | 1,218 | 1,361 | 1,212 | 2,929 | 885 | 17,115 |
| Percentage of Doses Administered | 5.5% | 18.5% | 0.1% | 10.7% | 20.2% | 0.5% | 7.1% | 8.0% | 7.1% | 17.1% | 5.2% | 78.3% |
| Physician First Nations Non-First Nations | 131 | 112 903 | 6 | 24 341 | *** | 29 | 21 172 | *** | *** | 110 873 | 259 | and the de |
| Total | 132 | 1,015 | 6 | 365 | # 10 M | 29 | 193 | *** | 245 | 983 | 261 | 2.989 |
| Percentage of Doses Administered | 4.4% | 34.0% | 0.2% | 12.2% | N/A | 1.0% | 6.5% | N/A | N/A | 32.9% | 8.7% | 13.7% |
| First Nation/Tribal Council First Nations Non-First Nations | 74 19 | 382 86 | 555 535 | 181 42 | 120 33 | *** | 143 27 | 21 6 | 55 9 | 362 82 | 29 16 | |
| Total | 93 | 468 | 200 | 223 | 153 | 202 | 170 | 27 | 64 | 444 | 45 | 1,688 |
| Percentage of Doses Administered | 5.5% | 27.7% | N/A | 13.2% | 9.1% | N/A | 10.1% | 1.6% | 3.8% | 26.3% | 2.7% | 7.7% |
| Other First Nations Non-First Nations | 544 544 | *** | 9 | *** | *** | *** | *** | *** | *** | *** | 21 | |
| Total | 540 | 441 | 40 | *** | 87.8 | *** | 200 | *** | +** | *** | 21 | 65 |
| Percentage of Doses Administered | N/A | N/A | 61.5% | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 32.3% | 0.3% |
| Total for Central | 1,174 | 4,653 | 60 | 2,424 | 3,620 | 108 | 1,581 | 1,389 | 1,280 | 4,356 | 1,212 | 21,857 |
| Assiniboine | | | | | | | | | | - | | |
| Public Health Nurse First Nations Non-First Nations | 5 526 | 41 1,824 | *** | 20 991 | 62 1,953 | *** | 21 726 | 15 683 | 24 623 | 38 1,743 | 8 541 | |
| Total | 531 | 1,865 | *** | 1,011 | 2,015 | E 1. A | 747 | 698 | 647 | 1,781 | 549 | 9,847 |
| Percentage of Doses Administered | 5.4% | 18.9% | N/A | 10.3% | 20.5% | N/A | 7.6% | 7.1% | 6.6% | 18.1% | 5.6% | 82.3% |
| Physician First Nations Non-First Nations | 45 | 6 266 | *** | 105 | 13 | 35 | 37 | *** | *** | 6 185 | 50 | |
| Total | 45 | 272 | * 6.0 | 106 | 13 | 35 | 37 | # N N | *** | 191 | 51 | 757 |
| Percentage of Doses Administered | 5.9% | 35,9% | N/A | 14.0% | 1.7% | 4.6% | 4.9% | N/A | N/A | 25.2% | 6.7% | 6.3% |
| First Nation/Tribal Council First Nations Non-First Nations | 67 13 | 280 66 | 000 | 123 29 | 122 25 | 546 | 62 19 | 24 | 20 8 | 282 66 | 55 17 | * * * |
| Total | 80 | 346 | 944 | 152 | 147 | *** | 81 | 31 | 28 | 348 | 72 | 1,286 |
| Percentage of Doses Administered | 6.2% | 26.9% | N/A | 11.8% | 11.4% | N/A | 6.3% | 2.4% | 2.2% | 27.1% | 5.6% | 10.8% |
| Other First Nations Non-First Nations | Sec. | 200 200 | 7 36 | ### ### | 264 868 | 11 | *** | 244 | *** | *** | 9 | |
| Total | *** | 5 90.5 | 43 | *** | *** | 11 | trick | *** | *** | 964 | 9 | 72 |
| Percentage of Doses Administered | N/A | N/A | 59.7% | N/A | N/A | 15.3% | N/A | N/A | N/A | N/A | 12.5% | 0.6% |
| Total for Assiniboine | 657 | 2.483 | 49 | 1,270 | 2,177 | 47 | 865 | 736 | 676 | 2.321 | 681 | 11,962 |

January 1 to December 31, 2008

| Provider | DTaP- | DTaP- IPV-HIB | Td | MMR | HBV | НЕРА/В | V | Tdap | MC | PCV7 | Flu | Total Doses |
|---|------------|------------------|---|------------|---|--------|------------|-----------|-------------|------------|-------------|----------------|
| Parkland | | | | | | | 11- | | | | | |
| Public Health Nurse First Nations Non-First Nations | 33 282 | 226 996 | 10 | 91 560 | 145 1,275 | 21 | 95 466 | 64 438 | 47 406 | 224 990 | 16 425 | |
| Total | 315 | 1,222 | 10 | 651 | 1,420 | 21 | 561 | 502 | 453 | 1.214 | 441 | 6,810 |
| Percentage of Doses Administered | 4.6% | 17.9% | 0.1% | 9.6% | 20.9% | 0.3% | 8.2% | 7.4% | 6.7% | 17.8% | 6.5% | 68.4% |
| Physician First Nations Non-First Nations | 6 54 | 71 419 | # 4ch | 21 154 | ************************************** | 25 | 19 126 | *** | AA1 1945 | 72 413 | 6 66 | |
| Total | 60 | 490 | *** | 175 | 194 | 27 | 145 | *** | 222 | 485 | 72 | 1.460 |
| Percentage of Doses Administered | 4.1% | 33.6% | N/A | 12.0% | N/A | 1.8% | 9.9% | N/A | N/A | 33.2% | 4.9% | 14.7% |
| First Nation/Tribal Council First Nations Non-First Nations | 58 24 | 246 121 | \$ 8 8 8 8 8 | 122 55 | 151 78 | 7 | 109 54 | 71 33 | 52 25 | 239 120 | 76 14 | |
| Total | 82 | 367 | *** | 177 | 229 | 7 | 163 | 104 | 77 | 359 | 90 | 1,656 |
| Percentage of Doses Administered | 5.0% | 22.2% | N/A | 10.7% | 13.8% | 0.4% | 9.8% | 6.3% | 4.6% | 21.7% | 5.4% | 16.6% |
| Other First Nations Non-First Nations | 226 | *** | 13 | *** | *** | *** | 254 | 8 | *** | 200 | 555 555 | |
| Total | *** | *** | 15 | *** | *** | *** | *** | 9 | *** | *** | 57.5 | 27 |
| Percentage of Doses Administered | N/A | N/A | 55.6% | N/A | N/A | N/A | N/A | 33.3% | N/A | N/A | N/A | 0.3% |
| Total for Parkland | 457 | 2,079 | 30 | 1,006 | 1,650 | 55 | 869 | 615 | 531 | 2,058 | 603 | 9,953 |
| NOR-MAN | | | *************************************** | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | - | 2001 Aud 1 | | |
| Public Health Nurse First Nations Non-First Nations | 73 195 | 443 800 | 5 | 190 408 | 182 693 | 14 | 147 338 | 83 246 | 43 229 | 442 801 | 102 531 | |
| Total | 268 | 1,243 | 5 | 598 | 875 | 14 | 485 | 329 | 272 | 1,243 | 633 | 5,965 |
| Percentage of Doses Administered | 4.5% | 20.8% | 0.1% | 10.0% | 14.7% | 0.2% | 8.1% | 5.5% | 4.6% | 20.8% | 10.6% | 79.1% |
| Physician First Nations Non-First Nations | *** | 200 | *** | *** | 0.5.5 | 5 A.S. | 500 | *** | *** | *** | 5 | |
| Total | *** | *** | 644 | *** | hnn | *** | *** | *** | *** | *** | 5 | 7 |
| Percentage of Doses Administered | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 71.4% | 0.1% |
| First Nation/Tribal Council First Nations Non-First Nations | 77 13 | 373 83 | *** | 180 53 | 116 25 | 100 | 92 36 | 28 7 | 26 6 | 361 78 | *** | |
| Total | 90 | 456 | NAK | 233 | 141 | *** | 128 | 35 | 32 | 439 | 575 | 1,556 |
| Percentage of Doses Administered | 5.8% | 29.3% | N/A | 15.0% | 9.1% | N/A | 8.2% | 2.2% | 2.1% | 28.2% | N/A | 20.6% |
| Other First Nations Non-First Nations | 252 252 | *** | *** *** | 626 545 | 575 558 | *** | *** | 5 | *** | *** | *** **** | |
| Total | 842 | *** | 8 | *** | *** | 4.55 | *** | 7 | *** | *** | *** | 17 |
| Percentage of Doses Administered | N/A | N/A | 47.1% | N/A | N/A | N/A | N/A | 41.2% | N/A | N/A | N/A | 0.2% |
| Total for NOR-MAN | 359 | 1,701 | 15 | 832 | 1,016 | 14 | 613 | 371 | 304 | 1,682 | 638 | 7,545 |

January 1 to December 31, 2008

| Provider | DTaP- IPV | DTaP- | Tđ | MMR | HBV | HEPA/B | ٧ | Tdap | MC | PCV7 | Flu | Total Doses |
|--|--|---------|----------------|---|--------|---------------|-----------|-------|------------|----------|---------|---|
| Burntwood | | | | | | | | | | | | |
| Public Health Nurse | | | | | 1 | | 705 St. E | | | | | |
| First Nations | 72 | 406 | 5 | 201 | 211 | *** | 153 | 79 | 76 | 408 | 194 | |
| Non-First Nations | 204 | 869 | *** | 455 | 559 | 49 | 339 | 211 | 206 | 875 | 509 | |
| Total | 276 | 1,275 | 8 | 656 | 770 | 49 | 492 | 290 | 282 | 1,283 | 703 | 6,084 |
| Percentage of Doses Administered | 4.5% | 21.0% | 0.1% | 10.8% | 12.7% | 0.8% | 8.1% | 4.8% | 4.6% | 21.1% | 11.6% | 32.3% |
| Physician | 355 | *** | 278 | *** | *** | *** | *** | *** | *** | *** | *** | |
| First Nations Non-First Nations | *** | 8 | 200 | | *** | *** | *** | *** | *** | 8 | *** | |
| Total | *** | 12 | *** | 6 | PAX | *** | 25.5 | *** | *** | 12 | *** | 41 |
| Percentage of Doses Administered | N/A | 29.3% | N/A | 14.6% | N/A | N/A | N/A | N/A | N/A | 29.3% | N/A | 0.2% |
| First Nation/Tribal Council | 14/7 | 20.070 | 14/5 | 14.070 | t spri | 14/1 | 1407 | 14/1 | | 20.070 | 14/14 | 0.2.70 |
| First Nations | 636 | 3.023 | 40 | 1,475 | 1,114 | *** | 1,020 | 342 | 387 | 2,943 | 238 | |
| Non-First Nations | 79 | 362 | *** | 169 | 182 | *** | 131 | 39 | 63 | 349 | 42 | |
| Total | 715 | 3,385 | 43 | 1,644 | 1,296 | *** | 1,151 | 381 | 450 | 3,292 | 280 | 12,637 |
| Percentage of Doses Administered | 5.7% | 26.8% | 0.3% | 13.0% | 10.3% | N/A | 9.1% | 3.0% | 3.6% | 26.1% | 2.2% | 67.1% |
| Other | | | | | | | | | 1 | | | |
| First Nations | **** *** | *** | 9 | 11 | 19 | *** | 59.E | *** | *** | *** | 244 | |
| Non-First Nations | 222 | *** | | | | *** | *** | 255 | *** | *** | *** | |
| Total Second Administrated | NIIA | NUA | 19 | 13 | 28 | AUA | 611A | D1/A | NI/A | 21/4 | | 61 |
| Percentage of Doses Administered | N/A | N/A | - | 21.3% | 45.9% | N/A | N/A | N/A | N/A | N/A | N/A | 0.3% |
| Total for Burntwood | 994 | 4,672 | 71 | 2,319 | 2,094 | 51 | 1,647 | 672 | 732 | 4,587 | 984 | 18,823 |
| Churchill | | | | | | | | | | | **** | |
| Public Health Nurse | *** | | *** | - | - | *** | | 77 | *** | - | - | |
| First Nations Non-First Nations | 9 | 7 52 | *** | 9 | 6 20 | *** | 10 | 7 8 | 8 | 52 | 5 17 | |
| Total | 13 | 59 | 69.6 | 26 | 26 | *** | 26 | 15 | 9 | 59 | 22 | 255 |
| Percentage of Doses Administered | 5.1% | 23.1% | N/A | 10.2% | 10.2% | N/A | 10.2% | 5.9% | 3.5% | 23.1% | 8.6% | 100.0% |
| Total for Churchill | 13 | 59 | *** | 26 | 26 | *** | 26 | 15 | 9 | 59 | 22 | 255 |
| Unknown | | | N TO THE WORLD | | | ************* | | | | | | |
| A STATE OF THE STA | A STATE OF THE STA | | | | | | | | | | | |
| Physician First Nations | *** | *** | *** | *** | *** | *** | *** | *** | 898 | *** | 245 | |
| Non-First Nations | *** | 8 | *** | *** | 468 | *** | *** | *41 | *** | 7 | *** | |
| Total | *** | 8 | 226 | *** | *** | Nax | NEK | - *** | *** | 7 | *** | 24 |
| Percentage of Doses Administered | N/A | 33.3% | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 29.2% | N/A | 8.2% |
| Other | | | | - | | | | | | | | *************************************** |
| First Nations | 3.4 | 20 | *** | 11 | *** | *** | 10 | *** | £48 £4£ | 19 | *** | |
| Non-First Nations | 14 | 56 | *** | 30 | 5 | *** | 21 | | *** | 55 | 13 | 007 |
| Total | 16 | 76 | | 41 | -5 | | 31 | 5 | | 74 | 16 | 267 |
| Percentage of Doses Administered | 6.0% | 28.5% | N/A | 15.4% | 1.9% | N/A | 11.6% | 1.9% | N/A | 27.7% | 6.0% | 91.8% |
| Total for Unknown | 16 | 84 | *** | 43 | 7 | AAA | 31 | 5 | *** | 81 | 20 | 291 |
| Non-Manitoba | | | | a. a. a. | | | | | | | | |
| Public Health Nurse | 550 | 264 | *** | 200 | *** | *** | X.5.K | *** | *** | | 5 A X | |
| First Nations Non-First Nations | 14 | 126 | *** | 85 | 48 | 7 | 53 | 17 | 74 | 126 | 23 | |
| Total | 15 | 129 | *** | 89 | 48 | 7 | 56 | 17 | 76 | 129 | 23 | 591 |
| Percentage of Doses Administered | 2.5% | 21.8% | N/A | 15.1% | 8.1% | 1.2% | 9.5% | 2,9% | 12.9% | 21.8% | 3.9% | 50.1% |
| Other | 2,0,0 | | 473 | *************************************** | 0,110 | 112.70 | 0.070 | 2,0,0 | | - 1,0 10 | 0.070 | |
| First Nations | *** | 5 | *** | *** | *** | 2.84 | THE | *** | | 6 | *** | |
| Non-First Nations | 33 | 71 | 5 | 101 | 52 | 26 | 60 | 7 | 76 | 79 | 57 | |
| Total | 33 | 76 | 5 | 105 | 53 | 26 | 63 | 7 | 76 | 85 | 60 | 589 |
| Percentage of Doses Administered | 5.6% | 12.9% | 0.8% | 17.8% | 9.0% | 4.4% | 10.7% | 1.2% | 12.9% | 14.4% | 10.2% | 49.9% |
| Total for Non-Manitoba | 48 | 205 | 7 | 194 | 101 | 33 | 119 | 24 | 152 | 214 | 83 | 1,180 |

5. Influenza and Pneumococcal Reports

Report 6 - Influenza and Pneumococcal (PPV23) Coverage Report, by Client Age and Region of Residence 2008

Note: For pneumococcal immunizations, the data are analyzed twice: the first dataset includes only those doses administered during 2008; the second dataset includes all recorded pneumococcal doses ever recorded in MIMS and is presented as a cumulative coverage rate. The cumulative data is important as the eligible population is recommended to have one dose.

| | | | influ | enza | | | Pneu | mococcal (2008) | (PPV23) | | ococcal (F Cumulative | |
|--|-------------------------|--------------------------|---------------------------|---------------------------|------------------------------|---|-------------------------|---|-------------------------|-------------------------|----------------------------|---------------------------|
| | 0-2 All | 3 -17 All | 18-64 All | <65 High Risk | <65 Ali | 65+ | <65 High Risk | <65 All | 65+ | <65 High Risk | <65 All | 65+ |
| ANITOBA | | | | | | | | | | | | |
| First Nations Count Population Rate per 100 | 553 6,073 9.1 | 1,223 29,516 4.1 | 4,916 45,225 10.9 | 2,464 8,889 27.7 | 6.692 80,814 8.3 | 944 3,013 31,3 | 271 8,889 3.0 | 376 80,814 0.5 | 115 3,013 3.8 | 2,399 8,889 27.0 | 3,514 80,814 4.3 | 1,39- 3,01: 46.: |
| Non-First Nations Count Population Rate per 100 | 6,071 30,786 19,7 | 11.297 207,574 5.4 | 91,376 708,909 12.9 | 18,770 104,198 18.0 | 108,744 947,269 11.5 | 97,137 167,887 57.9 | 1,065 104,198 1.0 | 3,389 947,269 0.4 | 8,531 167,887 5.1 | 6,449 104,198 6,2 | 26,365 947,269 2.8 | 106,49 167,88 63.4 |
| Total Count Population Rate per 100 | 6.624 36,859 18.0 | 12,520 237,090 5.3 | 96,292 754,134 12.8 | 21,234 113,087 18.8 | 115,436 1,028,083 11.2 | 98,081 170,900 57.4 | 1,336 113.087 1.2 | 3,765 1,028,083 0.4 | 8,646 170,900 5,1 | 8,848 113,087 7.8 | 29,879 1,028,083 2.9 | 107,885 170,900 63. |
| nnipeg | | | | | | *************************************** | | 11/2/45 | | | | |
| First Nations Count Population Rate per 100 | 317 1,418 22,4 | 372 7,045 5.3 | 1,442 10,933 13.2 | 604 2,133 28.3 | 2,131 19,396 11.0 | 217 469 46.3 | 48 2,133 2.3 | 133 19,396 0.7 | 32 469 6.8 | 293 2,133 13.7 | 849 19,396 4,4 | 254 469 54.1 |
| Non-First Nations Count Population Rate per 100 | 4,437 16,788 26.4 | 6,879 114,614 6.0 | 56,208 429,681 13.1 | 9,076 61,718 14.7 | 67,524 561,083 12.0 | 58,367 97,608 59.8 | 447 61,718 0.7 | 2,134 561,083 0.4 | 5,433 97,608 5,6 | 2,532 61,718 4.1 | 15,777 561,083 2.8 | 63,46 97,608 65.0 |
| Total Count Population Rate per 100 | 4,754 18,206 26.1 | 7,251 121,659 6.0 | 57,650 440,614 13.1 | 9,680 63,851 15.2 | 69,655 580,479 12.0 | 58,584 98,077 59.7 | 495 63,851 0.8 | 2,267 580,479 0.4 | 5,465 98,077 5.6 | 2,825 63,851 4.4 | 16,626 580,479 2.9 | 63,718 98,077 65.0 |
| andon | | | | *** | | | | *************************************** | | | | |
| First Nations Count Population Rate per 100 | 14 167 8.4 | 23 642 3.6 | 127 1,048 12,1 | 27 203 13.3 | 164 1,857 8.8 | 10 31 32.3 | 203 N/A | 7 1,857 0.4 | 31 N/A | 11 203 5.4 | 31 1,857 1.7 | 15 31 48.4 |
| Non-First Nations Count Population Rate per 100 | 195 1,532 12.7 | 477 8,299 5.7 | 4,096 31,494 13.0 | 474 4,545 10.4 | 4,768 41,325 11.5 | 4,511 7,328 61.6 | 28 4,545 0.6 | 225 41,325 0.5 | 980 7,328 13,4 | 180 4,545 4.0 | 1,239 41,325 3.0 | 4,950 7,328 67.5 |
| Total Count Population Rate per 100 | 209 1,699 12.3 | 500 8,941 5.6 | 4,223 32,542 13.0 | 501 4,748 10.6 | 4,932 43,182 11.4 | 4,521 7,359 61.4 | 31 4,748 0.7 | 232 43,182 0.5 | 984 7,359 13.4 | 191 4,748 4.0 | 1,270 43,182 2.9 | 4,965 7,359 67.5 |

Report 6 - Influenza and Pneumococcal (PPV23) Coverage Report, by Client Age and Region of Residence 2008 January 1 to December 31, 2008

| | | | Influe | mza | | | Pneur | nococcal ((2008) | PPV23) | | ococcal (P umulative | |
|--|----------------------|----------------------|-------------------------|------------------------|-------------------------|-------------------------|---------------------|----------------------|----------------------|----------------------|-------------------------|-------------------------|
| | 0-2 All | 3 -17 All | 18-64 All | <65 High Risk | <65 All | 65+ | <65 High Risk | <65 All | 65+ | <65 High Risk | <65 All | 65+ |
| orth Eastman | | | | | | | | | | | | |
| First Nations Count Population Rate per 100 | 35 425 8.2 | 170 2,292 7.4 | 245 3,399 7.2 | 165 673 24.5 | 450 6,116 7.4 | 37 265 14.0 | 9 673 1,3 | 12 6,116 0.2 | 265 N/A | 80 673 11.9 | 133 6,116 2,2 | 98 268 37.0 |
| Non-First Nations Count Population Rate per 100 | 117 808 14.5 | 284 6,284 4,5 | 2,822 21,839 12.9 | 669 3,182 21.0 | 3,223 28,931 11.1 | 3,043 5,682 53.6 | 46 3,182 1.4 | 98 28,931 0.3 | 259 5,682 4,6 | 338 3,182 10.6 | 843 28,931 2.9 | 3,474 5,682 61. |
| Total Count Population Rate per 100 | 152 1,233 12.3 | 454 8,576 5.3 | 3,067 25,238 12.2 | 834 3,855 21.6 | 3,673 35,047 10.5 | 3,080 5,947 51.8 | 55 3,855 1,4 | 110 35,047 0.3 | 261 5,947 4.4 | 418 3,855 10.8 | 976 35,047 2.8 | 3,572 5,947 60. |
| outh Eastman | | - | | | | | | | | | | |
| First Nations Count Population Rate per 100 | 26 N/A | 115 N/A | 12 195 6.2 | 5 37 13.5 | 16 336 4.8 | S N/A | 37 N/A | 336 N/A | S N/A | 10 37 27.0 | 14 336 4.2 | E N/A |
| Non-First Nations Count Population Rate per 100 | 251 2.444 10.3 | 605 15,910 3.8 | 3,845 39,593 9.7 | 981 6,374 15.4 | 4,701 57,947 8.1 | 3,650 7,095 51,4 | 52 6,374 0.8 | 124 57,947 0.2 | 246 7,095 3.5 | 218 6,374 3.4 | 950 57,947 1.6 | 4,008 7,098 56.4 |
| Total Count Population Rate per 100 | 254 2,470 10.3 | 606 16,025 3.8 | 3,857 39,788 9,7 | 986 6.411 15.4 | 4,717 58,283 8.1 | 3,653 7,100 51.5 | 53 6,411 0.8 | 125 58,283 0.2 | 246 7,100 3.5 | 228 6,411 3.6 | 964 58,283 1.7 | 4,008 7,100 56.5 |
| terlake | | | | | | | | | | | | |
| First Nations Count Population Rate per 100 | 24 368 6.5 | 69 2,035 3.4 | 271 3,900 6.9 | 128 694 18.4 | 364 6,303 5.8 | 73 389 18.8 | 15 694 2.2 | 20 6,303 0.3 | 9 389 2.3 | 96 694 13.8 | 170 6,303 2.7 | 163 389 41.9 |
| Non-First Nations Count Population Rate per 100 | 277 1,720 16.1 | 644 13,095 4,9 | 5,817 44,283 13.1 | 1,558 6,501 24.0 | 6,738 59,098 11.4 | 6,701 11,800 56.8 | 65 6,501 1.0 | 204 59,098 0.3 | 464 11,800 3.9 | 520 6,501 8.0 | 1,949 59,098 3.3 | 7,497 11,800 63.5 |
| Total Count Population Rate per 100 | 301 2,088 14.4 | 713 15,130 4.7 | 6,088 48,183 12.6 | 1,686 7,195 23.4 | 7,102 65,401 10.9 | 6,774 12,189 55.6 | 80 7,195 1,1 | 224 65,401 0.3 | 473 12,189 3.9 | 616 7,195 8.6 | 2,119 65,401 3.2 | 7,660 12,189 62.8 |

Report 6 - Influenza and Pneumococcal (PPV23) Coverage Report, by Client Age and Region of Residence 2008 January 1 to December 31, 2008

| | | | Influ | enza | | | Pheun | nococcal ((2008) | PPV23) | | ococcal (P umulative) | |
|--|---------------------|----------------------|-------------------------|------------------------|-------------------------|-------------------------|---------------------|----------------------|----------------------|----------------------|--------------------------|------------------------|
| | 0-2 All | 3 -17 All | 18-64 All | <65 High Risk | <65 All | 65+ | <65 High Risk | <65 All | 65+ | <65 High Risk | <65 All | 65+ |
| entral | | | | | | | | | | | | |
| First Nations Count Population Rate per 100 | 21 430 4.9 | 37 2,051 1.8 | 315 3,016 10.4 | 147 605 24.3 | 373 5,497 6.8 | 56 179 31.3 | 18 605 3.0 | 20 5,497 0,4 | 5 179 2.8 | 101 605 16.7 | 161 5,497 2.9 | 7 17 39. |
| Non-First Nations Count Population Rate per 100 | 337 3,431 9,8 | 825 22,784 3.6 | 5,973 58,693 10.2 | 1,307 9,341 14.0 | 7,135 84,908 8.4 | 7,552 14,105 53.5 | 51 9,341 0.5 | 132 84,908 0.2 | 422 14,105 3,0 | 261 9,341 2.8 | 1,227 84,908 1.4 | 7,93 14,10 56. |
| Total Count Population Rate per 100 | 358 3,861 9.3 | 862 24,835 3.5 | 6,288 61,709 10.2 | 1,454 9,946 14.6 | 7,508 90,405 8.3 | 7,608 14,284 53.3 | 69 9,946 0.7 | 152 90,405 0,2 | 427 14,284 3.0 | 362 9,946 3.6 | 1,388 90,405 1.5 | 8,00 14,28 56. |
| siniboine | | | | | | | | | | | | |
| First Nations Count Population Rate per 100 | 5 251 2.0 | 56 1,177 4.8 | 288 2.049 14.1 | 172 383 44.9 | 349 3,477 10.0 | 81 185 43.8 | 10 383 2.6 | 11 3,477 0.3 | 7 185 3.8 | 47 383 12.3 | 87 3,477 2.5 | 8 18 43. |
| Non-First Nations Count Population Rate per 100 | 124 1,611 7.7 | 496 11,458 4.3 | 5,078 37,649 13.5 | 1,639 5,579 29.4 | 5,698 50,718 11.2 | 7,493 13,439 55.8 | 95 5,579 1.7 | 145 50,718 0.3 | 387 13,439 2,9 | 753 5,579 13,5 | 1,707 50,718 3.4 | 8,38 13,43 62. |
| Total Count Population Rate per 100 | 129 1,862 6.9 | 552 12,635 4.4 | 5,366 39,698 13.5 | 1,811 5,962 30.4 | 6,047 54,195 11.2 | 7,574 13,624 55.6 | 105 5,962 1.8 | 156 54,195 0.3 | 394 13,624 2,9 | 800 5,962 13.4 | 1,794 54,195 3,3 | 8,46 13,62 62. |
| rkland | | | | | | | | | | | | |
| First Nations Count Population Rate per 100 | 25 292 8.6 | 72 1,494 4,8 | 312 2,310 13.5 | 198 450 44.0 | 409 4,096 10.0 | 74 143 51.7 | 18 450 4.0 | 22 4,096 0.5 | 143 N/A | 104 450 23.1 | 191 4,096 4.7 | 74 143 51. |
| Non-First Nations Count Population Rate per 100 | 99 1,029 9.6 | 338 6,710 5,0 | 3,071 21,608 14.2 | 1,289 3,228 39.9 | 3,508 29,347 12.0 | 4,281 7,983 53,6 | 105 3,228 3.3 | 142 29,347 0.5 | 203 7,983 2.5 | 533 3,228 16.5 | 1,167 29,347 4.0 | 4,985 7,985 62,4 |
| Total Count Population Rate per 100 | 124 1,321 9,4 | 410 8,204 5.0 | 3,383 23,918 14.1 | 1,487 3,678 40.4 | 3,917 33,443 11.7 | 4,355 8,126 53.6 | 123 3,678 3,3 | 164 33,443 0.5 | 206 8,126 2,5 | 637 3,678 17.3 | 1,358 33,443 4,1 | 5,050 8,120 62.1 |

Report 6 - Influenza and Pneumococcai (PPV23) Coverage Report, by Client Age and Region of Residence 2008 January 1 to December 31, 2008

| | | | Influe | пzа | | | Pneun | ococcal (l | PP V2 3) | | ococcal (Pl umulative) | PV23) |
|--|----------------------|----------------------|-------------------------|------------------------|-------------------------|------------------------|---------------------|----------------------|---------------------|------------------------|---------------------------|---------------------|
| | 0-2 All | 3 -17 All | 18-64 All | <65 High Risk | <65 All | 65+ | <65 High Risk | (2008) <65 All | 65+ | <65 High Risk | <65 All | 65+ |
| OR-MAN | | | | | | | | | | | | |
| First Nations Count Population Rate per 100 | 27 485 5.6 | 79 2,343 3.4 | 214 3.157 6.8 | 159 658 24.2 | 320 5,985 5.3 | 38 201 18.9 | 11 658 1.7 | 12 5,985 0.2 | 5 201 2.5 | 101 658 15.3 | 161 5,985 2.7 | 9 20 48. |
| Non-First Nations Count Population Rate per 100 | 126 583 21.6 | 350 3,816 9.2 | 2,101 11,526 18.2 | 879 1,752 50.2 | 2.577 15,925 16.2 | 1,110 1,979 56.1 | 107 1,752 6.1 | 112 15,925 0.7 | 105 1,979 5.3 | 541 1,752 30.9 | 736 15,925 4.6 | 1,31 1,97 66. |
| Total Count Population Rate per 100 | 153 1,068 14,3 | 429 6,159 7.0 | 2,315 14,683 15.8 | 1,038 2,410 43.1 | 2,897 21,910 13.2 | 1,148 2,180 52.7 | 118 2,410 4.9 | 124 21,910 0.6 | 110 2.180 5.0 | 642 2,410 26.6 | 897 21,910 4.1 | 1,41 2,18 64. |
| urntwood | | | | | | | | | | | | |
| First Nations Count Population Rate per 100 | 81 2,203 3.7 | 339 10,273 3.3 | 1,669 15,133 11,0 | 848 3,037 27.9 | 2,089 27,609 7,6 | 347 1,134 30.6 | 136 3,037 4.5 | 136 27,609 0.5 | 48 1,134 4.2 | 1,552 3,037 51.1 | 1,713 27,609 6.2 | 52 1,13 46. |
| Non-First Nations Count Population Rate per 100 | 104 810 12.8 | 390 4,448 8.8 | 2,269 12,006 18.9 | 854 1,898 45.0 | 2,763 17,264 16.0 | 405 811 49.9 | 67 1,898 3.5 | 71 17,264 0.4 | 31 811 3.8 | 566 1,898 29.8 | 751 17,264 4.4 | 45 81 56. |
| Total Count Population Rate per 100 | 185 3,013 6.1 | 729 14,721 5.0 | 3,938 27,139 14.5 | 1,702 4,935 34.5 | 4,852 44,873 10.8 | 752 1,945 38.7 | 203 4,935 4.1 | 207 44,873 0.5 | 79 1,945 4.1 | 2,118 4,935 42.9 | 2,464 44,873 5.5 | 98 1,94 50. |
| hurchili | | | | | | | | | | | | |
| First Nations Count Population Rate per 100 | 8 N/A | 5 49 10.2 | 21 85 24.7 | 11 16 68.8 | 27 142 19.0 | 8 12 66.7 | 16 N/A | 142 N/A | 12 N/A | 16 N/A | 142 N/A | 11 83. |
| Non-First Nations Count Population Rate per 100 | 30 - N/A | 9 156 5.8 | 96 537 17.9 | 44 80 55.0 | 109 723 15.1 | 24 57 42.1 | 80 N/A | 723 N/A | 57 N/A | 7 80 8.8 | 19 723 2.6 | 3 5 52 |
| Total Count Population Rate per 100 | 5 38 13.2 | 14 205 6.8 | 117 622 18.8 | 55 96 57.3 | 136 865 15.7 | 32 69 46.4 | 96 N/A | 865 N/A | 69 N/A | 11 96 11.5 | 23 865 2.7 | 4 6 58. |

| | | Health Care Worker | High Risk | Household Contact | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|---|-------------------------|------------------------------------|-------------------------------------|------------------------------|--------------------|------------------------------|--------------------------|-----------------------------------|
| NITOBA | | | | | | | | |
| Public Health Nurse | | - NEW YORK | | | | | | |
| First Nations | Doses | 110 | 931 | 854 | *** | * ** | 184 | 1,89 |
| | % | 0.1 | 0.4 | 0.4 | N/A | N/A | N/A | 0 |
| Non-First Nations | Doses | 7,079 | 43,344 | 17,529 | 61/8 | 50 | 5776 | 68,00 |
| TOTAL | % | 3.2 | 19.8 | 8.0 | N/A | 0.0 | N/A | 31 |
| TOTAL | Doses % | 7,189 | 44,275 20.2 | 18.383 8.4 | 0.0 | 50 | N/A | 69,90 |
| Physician | | | - | | | | | |
| First Nations | Doses | 899 | 52 | 8 | 1,810 | 800 | *** | 1.87 |
| | % | N/A | 0.0 | 0.0 | 0.8 | N/A | N/A | 0 |
| Non-First Nations | Doses | 248 | 657 | 34 | 111,213 | 100 | *** | 111,90 |
| | % | N/A | 0.3 | 0.0 | 50.8 | N/A | N/A | 51 |
| TOTAL | Doses | *** | 709 | 42 | 113,023 | *** | *** | 113,77 |
| | % | N/A | 0.3 | 0.0 | 51.7 | N/A | N/A | 52 |
| First Nation/Tribal Council | | 20.0 | | | *** | 200 | *** | |
| First Nations | Doses % | 298 | 1,639 | 1,340 | N/A | N/A | N/A | 3,28 |
| KIND PRODUCE TO SERVICE | | | | | 14/75 | 14/74 | 19/7 | |
| Non-First Nations | Doses % | 108 | 319 | 341 0.2 | N/A | N/A | N/A | 76 |
| TOTAL | Doses | 406 | 1,958 | 1,681 | 200 | *** | *** | 4.04 |
| TOTAL | % | 0.2 | 0.9 | 0.8 | N/A | N/A | N/A | 4,04 |
| Other | | | | | | | | |
| First Nations | Doses | 94 | 672 | 100 | *** | 8 | 244 | 87 |
| | % | 0.0 | 0.3 | 0.0 | N/A | 0.0 | N/A | -0 |
| Non-First Nations | Doses | 10,975 | 14,026 | 2,850 | *** | 2,354 | - 6.64 | 30,20 |
| | % | 5.0 | 6.4 | 1.3 | N/A | 1.1 | N/A | - 13 |
| TOTAL | Doses % | 11,069 5.1 | 14,698 6.7 | 2,950 | N/A | 2,362 | N/A | 31,08 |
| . 6 | Doses | | | | 113,032 | 2,414 | 17/74 | 218,81 |
| al . | % | 18,668 8.5 | 61,640 28.2 | 23,056 10.5 | 51.7 | 1.1 | N/A | 100. |
| NIPEG | | | | | | | | |
| Public Health Nurse | | | | | | | | |
| First Nations | Doses | 19 | 120 | 137 | *** | *** | *** | 27 |
| | % | 0.0 | 0.1 | 0.1 | N/A | N/A | N/A | 0 |
| Non-First Nations | Doses | 1,905 | 11,921 | 6,191 | N 11 A | 14 | *** | 20,03 |
| | % | 1.4 | 9.0 | 4.6 | N/A | 0.0 | N/A | 15 |
| TOTAL | Doses % | 1.924 | 12,041 | 6,328 4.8 | N/A | 0.0 | N/A | 20,30 |
| E | 70 | 1.4 | 5.0 | 4.0 | 14/75 | 0.0 | 14/74 | -10 |
| Physician First Nations | Doses | *** | 52 | 8 | 1,533 | * 52 | *** | 1,59 |
| Filst (validis | % | N/A | 0.0 | 0.0 | 1.2 | N/A | N/A | 1,00 |
| Non-First Nations | Doses | 244 | 620 | 25 | 91.162 | *** | *** | 91,81 |
| . 1011.1 101.1 101.0110 | % | N/A | 0.5 | 0.0 | 68.5 | N/A | N/A | 68 |
| | Doses | *** | 672 | 33 | 92,695 | *** | *** | 93,40 |
| TOTAL | | AUA | 0.5 | 0.0 | 69.6 | N/A | N/A | 70. |
| TOTAL | % | N/A | | | | | | |
| Other | | 7 | | | | | | |
| | % Doses | 48 | 47.1 | 88 | NIA | 600 61/A | NI/A | |
| Other First Nations | % Doses % | 48 0.0 | 471 0.4 | 0.1 | N/A | N/A | N/A | 0 |
| Other | % Doses % Doses | 48 0.0 9,016 | 471 0.4 7,287 | 0.1 1,410 | N/A | N/A 1,142 | N/A | 18,85 |
| Other First Nations Non-First Nations | % Doses % Doses % | 48 0.0 9,016 6.8 | 471 0.4 7,287 5.5 | 0.1 1,410 1.1 | N/A N/A | N/A 1.142 0.9 | N/A N/A | 0. 18,85 14. |
| Other First Nations | % Doses % Doses % Doses | 48 0.0 9,016 6.8 9,064 | 471 0.4 7.287 5.5 7.758 | 0.1 1,410 1,1 1,498 | N/A N/A | N/A 1.142 0.9 1.146 | N/A N/A | 61 0. 18,85 14. 19,46 |
| Other First Nations Non-First Nations | % Doses % Doses % | 48 0.0 9,016 6.8 | 471 0.4 7,287 5.5 | 0.1 1,410 1.1 | N/A N/A | N/A 1.142 0.9 | N/A N/A | 0. 18,85 14. |

| | | Health Care Worker | High Risk | Household Contact | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|-----------------------------|------------|-----------------------|---------------|----------------------|--------------------|-----------------------|--------------------------|----------------|
| RANDON | | | | | | | | |
| Public Health Nurse | | | | | | | | |
| First Nations | Doses | 8 | 26 | 156 | *** | *** | 2012 | 19 |
| | % | 0.1 | 0.2 | 1.5 | N/A | N/A | N/A | 1. |
| Non-First Nations | Doses | 931 | 1,287 | 1,344 | 646 61/6 | 6114 | 5.57.A | 3,56 |
| | % | 8.9 | 12.3 | 12.9 | N/A | N/A | N/A | 34. |
| TOTAL | Doses % | 939 | 1,313 | 1,500 14.3 | N/A | N/A | N/A | 3,75 |
| Physician | - | | | | | | | |
| First Nations | Doses | 848 | *** | 50.5 | 69 | 6.66 | *** | 6 |
| | % | N/A | N/A | N/A | 0.7 | N/A | N/A | 0 |
| Non-First Nations | Doses | *** | *** | 5.6% | 6,042 | 200 | 200 | 6,04 |
| | % | N/A | N/A | N/A | 57.8 | N/A | N/A | 57. |
| TOTAL | Doses | *** | *** | **** | 6,111 | 544 | 5.174 | 6,11 |
| | % | N/A | N/A | N/A | 58.4 | N/A | N/A | 58. |
| Other First Nations | Doses | *** | 19 | 200 | *** | *** | *** | 2 |
| FILST IASTOLIZ | % | N/A | 0.2 | N/A | N/A | N/A | N/A | 0 |
| Non-First Nations | Doses | 44 | 525 | *** | *** | *** | 8.5% | 57 |
| TYONY II SETYGUOTIS | % | 0.4 | 5.0 | N/A | N/A | N/A | N/A | 5 |
| TOTAL | Doses | 47 | 544 | 60.0 | *** | 4.86 | p. 0, 10 | 59 |
| | % | 0.4 | 5.2 | N/A | N/A | N/A | N/A | 5 |
| tal | Doses % | 986 9.4 | 1,858 17.8 | 1,500 14.3 | 6,112 58.4 | *** N/A | N/A | 10,45 |
| DRTH EASTMAN | | | | | | | x | |
| Public Health Nurse | | | | | * | | | - |
| First Nations | Doses | 5 | 39 | 36 | *** | ANN | 5.5.4 | 8 |
| | % | 0.1 | 0.7 | 0.7 | N/A | N/A | N/A | 1. |
| Non-First Nations | Doses | 384 | 2,528 | 854 | 464 | | 550 | 3,7€ |
| | % | 7.1 | 46.4 | 15.7 | N/A | N/A | N/A | 69 |
| TOTAL | Doses | 389 | 2,567 | 890 | 5.00 | 6.118 | 51/5 | 3,84 |
| | % | 7.1 | 47.2 | 16.4 | N/A | N/A | N/A | 70 |
| Physician | D | *** | 440 | *** | 6 | 200 | *** | |
| First Nations | Doses % | N/A | N/A | N/A | 0.1 | N/A | N/A | 0 |
| Non-First Nations | Doses | 044 | 200 | **** | 1,012 | 200 | NE D | 1,01 |
| Non-rist Nations | % | N/A | N/A | N/A | 18.6 | N/A | N/A | 18 |
| TOTAL | Doses | 64.0 | 595 | 400 | 1,018 | 000 | rien | 1,01 |
| TOTAL | % | N/A | N/A | N/A | 18.7 | N/A | N/A | 18 |
| First Nation/Tribal Council | | - | | | | | *** | |
| First Nations | Doses | 14 | 149 | 221 | | 5.55 | *** | 38 |
| | % | 0.3 | 2.7 | 4.1 | N/A | N/A | N/A | 7 |
| Non-First Nations | Doses | 5 | 20 | 54 | 69.6 | 5-010 | 5/6/0 | 7 |
| | % | 0.1 | 0.4 | 1.0 | N/A | N/A | N/A | 1 |
| TOTAL | Doses % | 19 0.3 | 169 | 275 5.1 | N/A | N/A | N/A | 46 8 |
| Other | - | | | | | | | |
| First Nations | Doses | *** | 5 | 104 | 25.5 | 6.66 | 200 | |
| | % | N/A | 0,1 | N/A | N/A | N/A | N/A | 0 |
| Non-First Nations | Doses | 5.1/A | 106 | NI/A | N1/Λ | MIA | N/A | 11 |
| | % | N/A | 1.9 | N/A | N/A | N/A | N/A | 2 |
| TOTAL | Doses % | N/A | 111 | N/A | N/A | N/A | N/A | 11 |
| | | | | | | £88 | 14/74 | |
| tal | Doses % | 410 7.5 | 2,847 52.3 | 1,167 21.4 | 1,018 18.7 | N/A | N/A | 5,44 100. |

| | | | Health Care Worker | High Risk | Household Contact | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|--------------------------|----------|------------|-----------------------|---------------|----------------------|--------------------|-----------------------|--------------------------|----------------|
| OUTH EASTMAN | | | | | | | | | |
| Public Health | Nurse | | | | EV. Bette | | | | - |
| First Nati | | Doses | 194 | 6 | *** | *** | *** | *** | 1 |
| | | % | N/A | 0.1 | N/A | N/A | N/A | N/A | 0. |
| Non-First | Nations | Doses | 554 | 3,308 | 1,335 | *** | *** | *** | 5,19 |
| | | % | 8.2 | 49.1 | 19.8 | N/A | N/A | N/A | 77 |
| TOTAL | | Doses | 554 | 3,314 | 1,339 | *** | 4.64 | *** | 5,20 |
| | | % | 8.2 | 49.2 | 19.9 | N/A | N/A | N/A | 77. |
| Physician | | | | | | | | | |
| First Nati | ons | Doses | *** | *** | *** | *** | *** | *** | ** |
| | | % | N/A | N/A | N/A | N/A | N/A | N/A | N/ |
| Non-First | Nations | Doses | 252 | 7 | X & K | 1,241 | *** | 494 | 1,24 |
| | | % | N/A | 0.1 | N/A | 18.4 | N/A | N/A | 18 |
| TOTAL | | Doses | *** | 7 | *** | 1.244 | *** | *4* | 1,25 |
| | | % | N/A | 0.1 | N/A | 18.5 | N/A | N/A | _18. |
| Other | | | | | | | | | |
| First National | ons | Doses | 444 | *** | *** | 489 | *** | | * |
| | | % | N/A | N/A | N/A | N/A | N/A | N/A | N/ |
| Non-First | Nations | Doses | *** | 276 | *** | *** | *** | *** | - 28 |
| | | % | N/A | 4.1 | N/A | N/A | N/A | N/A | - 4. |
| TOTAL | | Doses | *** | 278 | 後大大 | *** | *** | ×3.5 | 28 |
| | | % | N/A | 4.1 | N/A | N/A | N/A | N/A | 4. |
| otal | | Doses % | 558 8.3 | 3,599 53.4 | 1,339 19.9 | 1,245 18.5 | N/A | N/A | 6,74 |
| TERLAKE | | | | | | | | | |
| Public Health | Nurse | | 19 19 27 1 | | | | | | |
| First Natio | | Doses | 7 | 37 | 20 | *** | *** | *** | - 6 |
| | | % | 0.1 | 0.4 | 0.2 | N/A | N/A | N/A | .0. |
| Non-First | Nations | Doses | 317 | 4,394 | 1,076 | *** | +** | *** | 5.78 |
| 1101111100 | THOMOTIO | % | 3.0 | 41.9 | 10.3 | N/A | N/A | N/A | 55. |
| TOTAL | | Doses | 324 | 4.431 | 1,096 | *** | *** | 171 | 5.85 |
| TOTAL | | % | 3.1 | 42.3 | 10.5 | N/A | N/A | N/A | 55. |
| Discolates | | | | | | | | | |
| Physician First Natio | one | Doses | *** | *** | *** | 50 | *** | *** | 5 |
| 1 II St 1 valu | 2110 | % | N/A | N/A | N/A | 0.5 | N/A | N/A | 0. |
| Non-First | Mationa | Doses | *** | *** | *** | 3,572 | *** | *** | 3,57 |
| INOH-FRSI | Nations | % | N/A | N/A | N/A | 34.1 | N/A | N/A | 34. |
| TOTAL | | Doses | *** | *** | *** | | 888 | *** | 3,62 |
| TOTAL | | Woses | N/A | N/A | N/A | 3,622 | N/A | N/A | 34. |
| | | | | 14/1 | | 0.170 | | . 41.7 | |
| First Nation/Tr | | Doses | +0 | 00 | *** | *** | *** | *** | 21 |
| First Natio | OHS | Doses % | 13 | 0.8 | 111 | N/A | N/A | N/A | 2 |
| | | | *** | | | 13/17 | 14/7 | 14/7 | |
| Non-First | rvations | Doses % | N/A | 0.2 | 0.2 | N/A | N/A | N/A | - 4 |
| 2.22 | | | | | | N/A | IN/A | N/A | |
| TOTAL | | Doses % | 0.1 | 109 | 132 | N/A | N/A | N/A | 25 |
| Other | | | | | | | | | |
| First Natio | ons | Doses | 8.64 | 21 | *** | *** | *** | *** | 2 |
| | | % | N/A | 0.2 | N/A | N/A | N/A | N/A | 0. |
| Non-First | Nations | Doses | 312 | 413 | *** | *** | *** | *** | 72 |
| | | % | 3.0 | 3.9 | N/A | N/A | N/A | N/A | 7. |
| TOTAL | | Doses | 314 | 434 | *** | *** | *** | *** | 75 |
| TOTAL | | % | 3.0 | 4.1 | N/A | N/A | N/A | N/A | 7. |
| | | Doses | 652 | 4,974 | 1,232 | 3,623 | *** | *** | 10,48 |
| otal | | Loses | 002 | 4,514 | 1,202 | 0,020 | | | 10,40 |

| | | Health Care Worker | High Risk | Household Contact | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|--|------------|-----------------------|---------------|----------------------|--------------------|-----------------------|--------------------------|----------------|
| NTRAL | | | | | | | | |
| Public Health Nurse First Nations | Doses % | N/A | 91 0.6 | 35 0.2 | N/A | N/A | N/A | 12 |
| Non-First Nations | Doses % | 338 2.3 | 4,148 28.6 | 1,950 13.4 | N/A | N/A | N/A | 6,43 44, |
| TOTAL | Doses % | 338 2.3 | 4,239 29.2 | 1,985 13.7 | N/A | N/A | N/A | 6,56 45. |
| Physician First Nations | Doses % | N/A | N/A | N/A | 70 0.5 | N/A | N/A | 7 0. |
| Non-First Nations | Doses % | N/A | N/A | N/A | 5,313 36.6 | N/A | N/A | 5,31 |
| TOTAL | Doses % | N/A | N/A | N/A | 5,383 37.1 | N/A | N/A | 5,38 37. |
| First Nation/Tribal Council First Nations | Doses % | 6 0.0 | 131 0.9 | 120 0.8 | N/A | N/A | N/A | 25 |
| Non-First Nations | Doses % | 13 0.1 | 24 0.2 | 77 0.5 | N/A | N/A | N/A | 11 0. |
| TOTAL | Doses % | 19 0.1 | 155 1.1 | 197 1.4 | N/A | N/A | N/A | 37 2. |
| Other | | | | | | | | |
| First Nations | Doses % | 13 0.1 | 41 0.3 | N/A | N/A | N/A | N/A | 5 |
| Non-First Nations | Doses % | 1,050 7.2 | 1,019 7.0 | 71 0.5 | N/A | *** N/A | *** N/A | 2,14 |
| TOTAL | Doses % | 1,063 7.3 | 1,060 7.3 | 74 0.5 | N/A | N/A | N/A | 2,19 |
| ıl | Doses % | 1,420 9.8 | 5,455 37.6 | 2,256 15.5 | 5,385 37.1 | N/A | N/A | 14,517 |

| Public Health Nurse First Nations Non-First Nations TOTAL | Doses % | | | | Glven | | | |
|---|------------|-------------|---------------|--|---------------|---------|-------|--------------|
| First Nations Non-First Nations | | | | | | | | |
| Non-First Nations | | | | The state of the s | | | | |
| | % | *** | 20 | -11 | 550 | 0.00 | 444 | 3 |
| | | N/A | 0.2 | 0.1 | N/A | N/A | N/A | 0. |
| TOTAL | Doses | 1,390 | 7,861 | 1.701 | *** | *** | 49.5 | 10,95 |
| TOTAL | % | 10.8 | 60.9 | 13.2 | N/A | N/A | N/A | 84 |
| | Doses | 1,393 | 7,881 | 1,712 | *** | 371 | 444 | 10,98 |
| | % | 10.8 | 61.0 | 13.3 | N/A | N/A | N/A | 85 |
| Physician | | | | | | | | |
| First Nations | Doses | *** | *** | *** | 5 | *** | 100 | |
| | % | N/A | N/A | N/A | 0.0 | N/A | N/A | 0 |
| Non-First Nations | Doses | *** | - 13 | - 6 | 1,278 | *** | 241 | 1,29 |
| | % | N/A | 0.1 | 0.0 | 9.9 | N/A | N/A | 10 |
| TOTAL | Doses | 400 | 13 | 6 | 1,283 | 0.00 | *** | 1,30 |
| | % | N/A | 0.1 | 0.0 | 9.9 | N/A | N/A | 10. |
| First Nation/Tribal Council | | | | | | | | |
| First Nations | Doses | 18 | 237 | 103 | *** | *** | *** | 35 |
| | % | 0.1 | 1.8 | 0.8 | N/A | N/A | N/A | 2 |
| Non-First Nations | Doses | 10 | 77 | 16 | *** | *** | *** | 10 |
| | % | 0.1 | 0.6 | 0.1 | N/A | N/A | N/A | 0 |
| TOTAL | Doses | 28 | 314 | 119 | 859 | 644 | *** | 46 |
| | % | 0.2 | 2.4 | 0.9 | N/A | N/A | N/A | 3 |
| Other | | | | | | | | |
| First Nations | Doses | *** | *** | *** | 110 | 646 | 646 | |
| | % | N/A | N/A | N/A | N/A | N/A | N/A | N |
| Non-First Nations | Doses | *** | 19 | 7 | *** | 135 | 0.62 | 16 |
| | % | N/A | 0.1 | 0.1 | N/A | 1.0 | N/A | 1 |
| TOTAL | Doses | 844 | 20 | 7 | *** | 135 | *** | 16 |
| TOTAL | % | N/A | 0.2 | 0.1 | N/A | 1.0 | N/A | 1. |
| al | Doses | 1,421 | 8,228 | 1,844 | 1,284 | 135 | 866 | 12,91 |
| | % | 11.0 | 63.7 | 14.3 | 9.9 | 1.0 | N/A | 100. |
| RKLAND | | | | | | | | |
| Public Health Nurse | | | | | *** | | - | |
| First Nations | Doses | 18 | 109 | 24 | *** | 040 | *** | 15 |
| | % | 0.2 | 1.3 | 0.3 | N/A | N/A | N/A | 1. |
| Non-First Nations | Doses | 845 | 4.791 | 833 | *** | *** | *** | 6,46 |
| TWATE HOLDENIS | % | 9.9 | 56.2 | 9.8 | N/A | N/A | N/A | 75 |
| TOTAL | Doses | 863 | 4,900 | 857 | *** | 500 | *** | 6,62 |
| TOTAL | % | 10.1 | 57.5 | 10.1 | N/A | N/A | N/A | 77. |
| Physician | | | | | | | | |
| Physician First Nations | Doses | *** | 200 | *** | 69 | *** | *** | 6 |
| 1 II at 1 Mations | % | N/A | N/A | N/A | 0.8 | N/A | N/A | 0. |
| Non-First Nations | Donne | *** | 15 | 200 | 1,434 | V00 | *** | 1.45 |
| AOUTH ST LASTICUS | Doses | N/A | 0.2 | N/A | 16.8 | N/A | N/A | 17. |
| TOTAL | Doses | 686 | 15 | 444 | 1,503 | 18/23 | 800 | 1,52 |
| TOTAL | % | N/A | 0.2 | N/A | 17.6 | N/A | N/A | 1,52 |
| 5 5 | | 1417 | V.E | 1417 | 77.10 | 1411 | 1,465 | |
| First Nation/Tribal Council | Donne | 20 | 179 | 92 | 449 | *** | *** | 29 |
| First Nations | Doses % | 20 0.2 | 2.1 | 1,1 | N/A | N/A | N/A | 3, |
| Non First Matieur | | | | | 1412 | 6.90/7% | 14/71 | |
| Non-First Nations | Doses | 7 | 55 0.6 | 0.4 | N/A | N/A | N/A | 9 |
| marks. | % | 0.1 | | | | | | 1. |
| TOTAL | Doses | 27 | 234 | 125 | N/A | NUA | N/A | 38 |
| | % | 0.3 | | 1.5 | N/A | N/A | N/A | 4. |
| al | Doses % | 890 10.4 | 5,149 60.4 | 985 11.6 | 1,503 17.6 | N/A | N/A | 8,52 100. |

| | | Health Care Worker | High Risk | Household Contact | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|-----------------------------|------------|-----------------------|---------------|----------------------|--------------------|-----------------------|--------------------------|----------------|
| OR-MAN | | | | | | | | |
| Public Health Nurse | | | | | | | | |
| First Nations | Doses | 7 | 179 | 140 | NUA | 5.17.5 | 6.1/A | 32 |
| in the second second | % | 0.2 | 4.3 | 3.4 | N/A | N/A | N/A | 7 |
| Non-First Nations | Doses % | 98 2.4 | 1,910 46.0 | 1,195 28.8 | N/A | 34 - 0.8 | N/A | 3,23 78 |
| TOTAL | Doses | 105 | 2.089 | 1,335 | *** | 34 | *** | 3,56 |
| | % | 2.5 | 50.3 | 32.2 | N/A | 0.8 | N/A | 85 |
| Physician | | | | | | | | |
| First Nations | Doses % | N/A | N/A | N/A | N/A | N/A | N/A | N |
| Non-Phon Northwest | | 14/74 | 14/24 | 14/74 | | 14/4 | 14/74 | |
| Non-First Nations | Doses % | N/A | N/A | N/A | 113 | N/A | N/A | 2 |
| TOTAL | Doses | 800 | *** | *** | 117 | *** | *** | 1 |
| TOINE | % | N/A | N/A | N/A | 2.8 | N/A | N/A | 2 |
| Other | | 100 | | | | | | |
| First Nations | Doses | 9 | 18 | *** | *** | *** | *** | 2 |
| | % | 0.2 | 0.4 | N/A | N/A | N/A | N/A | 0 |
| Non-First Nations | Doses | 274 | 115 2.8 | 55 1.3 | N/A | N/A | N/A | 44 |
| TOTAL | % | 6.6 | | | 14/24 | 19/74 | . FV/P4 | 10 |
| TOTAL | Doses % | 283 6.8 | 133 | 55 1.3 | N/A | N/A | N/A | 47 |
| otal | Doses | 388 | 2,222 | 1,390 | 117 | 34 | 555 | 4,15 |
| oran . | % | 9.3 | 53.5 | 33.5 | 2.8 | 0.8 | N/A | 100 |
| URNTWOOD | | | | | | | | |
| Public Health Nurse | | The second | | | | | | |
| First Nations | Doses | 33 | 283 | 286 | 961 | *40 | *** | 60 |
| | % | 0.6 | 5.3 | 5.4 | N/A | N/A | N/A | 11 |
| Non-First Nations | Doses | 262 | 1,102 | 1.027 | *** | *** | *** | 2,39 |
| | % | 5.0 | 20.8 | 19.4 | N/A | N/A | N/A | 45 |
| TOTAL | Doses % | 295 5.6 | 1,385 26.2 | 1,313 24.8 | N/A | N/A | N/A | 2,99 |
| 51 11 | 70 | 5.0 | 20.2 | 24.0 | 14/24 | 14/25 | TAPA | - 50 |
| Physician First Nations | Doses | *** | *** | 0.00 | *** | *** | *** | |
| T HOLINGHOUS | % | N/A | N/A | N/A | N/A | N/A | N/A | N |
| Non-First Nations | Doses | 884 | 5.00 | *** | 24 | *** | 95.6 | 2 |
| | % | N/A | N/A | N/A | 0.5 | N/A | N/A | 0 |
| TOTAL | Doses | 94.6 | *** | *** | 25 | 545 | 656 | 2 |
| | % | N/A | N/A | N/A | 0.5 | N/A | N/A | 0. |
| First Nation/Tribal Council | | | | | 856 | 5.5% | *** | |
| First Nations | Doses % | 227 4.3 | 855 16.2 | 693 | N/A | N/A | N/A | 1,77 |
| Non-First Nations | Doses | 72 | 122 | 140 | 14/24 | 14/75 | 1 1/75 | 33 |
| Non-First Nations | % | 1.4 | 2.3 | 2.6 | N/A | N/A | N/A | 6. |
| TOTAL | Doses | 299 | 977 | 833 | *** | 8.65 | 244 | 2,11 |
| | % | 5.7 | 18.5 | 15.7 | N/A | N/A | N/A | 39. |
| Other | | | | | | | | |
| First Nations | Doses | 16 | 8 | *** | 200 | 546 | *** | 2 |
| | % | 0.3 | 0.2 | N/A | N/A | N/A | N/A | 0. |
| Non-First Nations | Doses | 129 2.4 | NI/A | N/A | AI/A | N/A | NUA | 13 |
| TOTAL | % | | N/A | N/A | N/A | N/A | N/A | |
| TOTAL | Doses % | 145 2.7 | 0.2 | N/A | N/A | N/A | N/A | 16 |
| ital | Doses | 739 | 2,374 | 2.148 | 26 | 666 | 688 | 5,29 |
| ria: | % | 14.0 | 44.9 | 40.6 | 0.5 | N/A | N/A | 100. |

| | | Health Care Worker | High Risk | Household Contact | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|--------------------------------------|------------|-----------------------|---------------|----------------------|--------------------|-----------------------|--------------------------|----------------|
| CHURCHILL | | | | | | | | |
| Public Health Nurse First Nations | Doses % | 10 5.4 | 21 11.4 | 5 2.7 | N/A | N/A | N/A | 36 19.6 |
| Non-First Nations | Doses % | 53 28.8 | 73 39.7 | 22 12.0 | N/A | N/A | N/A | 148 80.4 |
| TOTAL | Doses % | 63 34.2 | 94 51.1 | 27 14.7 | N/A | N/A | N/A | 184 100.0 |
| Total | Doses % | 63 34.2 | 94 51.1 | 27 14.7 | N/A | N/A | N/A | 184 100.0 |
| Unknown | | | | | | | | |
| Physician First Nations | Doses % | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses % | N/A | N/A | N/A | 22 5.9 | N/A | N/A | 5.9 5.9 |
| TOTAL | Doses % | N/A | N/A | N/A | 22 5.9 | N/A | N/A | 5.9 5.9 |
| Other First Nations | Doses % | *** N/A | 41 11.0 | N/A | N/A | N/A | N/A | 44 |
| Non-First Nations | Doses % | 12 3.2 | 267 71.6 | 25 6.7 | N/A | N/A | N/A | 307 82.3 |
| TOTAL | Doses % | 13 3.5 | 308 82.6 | 27 7.2 | N/A | N/A | N/A | 351 94.1 |
| Total | Doses % | 13 3.5 | 308 82.6 | 27 7.2 | 24 6.4 | N/A | N/A | 373 100.0 |
| Non-Manitoba | | | | | | | | |
| Public Health Nurse First Nations | Doses % | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses % | N/A | 21 0.3 | N/A | N/A | N/A | N/A | 24 0.4 |
| TOTAL | Doses % | N/A | 21 0.3 | N/A | N/A | N/A | N/A | 24 0.4 |
| Other First Nations | Doses % | N/A | 45 0.7 | 7 0.1 | N/A | N/A | N/A | 5.8 0.9 |
| Non-First Nations | Doses % | 132 2.0 | 3,995 60.9 | 1,274 19.4 | N/A | 1,075 16.4 | N/A | 6,476 98.7 |
| TOTAL | Doses % | 134 2.0 | 4,040 61.6 | 1,281 19.5 | N/A | 1.079 16.5 | N/A | 6,534 99.6 |
| Total | Doses % | 136 2.1 | 4,061 61.9 | 1,282 19.5 | N/A | 1,079 16.5 | N/A | 6,558 |

Report 8 - Pneumococcal Vaccine Doses by Reason for Immunization, Provider Type and Location, 2008 January 1 to December 31, 2008

| | | High Risk | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|-----------------------------|------------|---------------|--------------------|-----------------------|--------------------------|-----------------|
| NITOBA | | | | | | |
| Public Health Nurse | | | | | | |
| First Nations | Doses | 62 | *** | 446 | *** | 62 |
| | % | 0.5 | N/A | N/A | N/A | 0.5 |
| Non-First Nations | Doses | 2,703 | *** | *** | NATI BALLA | 2,704 |
| | % | 21.7 | N/A | N/A | N/A | 21.7 |
| TOTAL | Doses | 2,765 | 51/5 | 644 51/5 | 6.9.6 6.14.5 | 2,766 |
| | % | 22.2 | N/A | N/A | N/A | 22.2 |
| Physician | 5 | *** | | *** | 500 | 100 |
| First Nations | Doses % | N/A | 137 | N/A | N/A | 138 |
| | | | | 14/2 | 14/70 | |
| Non-First Nations | Doses % | 49 | 8,338 66.8 | N/A | N/A | 8,387 67.2 |
| 2120 | | | | | N/A | |
| TOTAL | Doses | 50 0.4 | 8,475 | 81/6 | | 8.525 |
| | % | 0.4 | 67.9 | N/A | N/A | 68.3 |
| First Nation/Tribal Council | - 0 | 200 | *** | 200 | 0.50 | |
| First Nations | Doses % | 239 1.9 | N/A | N/A | N/A | 239 |
| | | | 19/25 | 11/74 | 19/79 | |
| Non-First Nations | Doses % | 44 | N/A | | | 44 |
| Date: | | 0.4 | INIA | N/A | N/A | 0.4 |
| TOTAL | Doses | 283 | | | | 283 |
| 3-711 | % | 2.3 | N/A | N/A | N/A | 2.3 |
| Other | | | | | | |
| First Nations | Doses | 55 | XX6 | 5 t (A | 61/6 | 55 |
| | % | 0.4 | N/A | N/A | N/A | 0.4 |
| Non-First Nations | Doses | 849 | 5 5 6 A 1/A | 5 | **** | 854 |
| | % | 6,8 | N/A | 0.0 | N/A | 6.8 |
| TOTAL | Doses | 904 | 8 6 6 8 6 7 8 | 5 | NEW | 909 |
| | % | 7.2 | N/A | 0.0 | N/A | 7.3 |
| al | Doses % | 4,002 32.1 | 8,475 67.9 | 0.0 | ALCA | 12,483 100.0 |
| | 70 | 32,1 | 07.9 | 0,0 | N/A | 100.0 |
| NNIPEG | | | | | | |
| Public Health Nurse | | | | | | |
| First Nations | Doses | 21 | 89.6 | 660 | *** | 21 |
| | % | 0.3 | N/A | N/A | N/A | 0.3 |
| Non-First Nations | Doses | 1,029 | 0.00 | 888 | *** | 1,029 |
| | % | 12.7 | N/A | N/A | N/A | 12.7 |
| TOTAL | Doses | 1,050 | *** | 2.60 | tes | 1,050 |
| | % | 12.9 | N/A | N/A | N/A | 12.9 |
| Physician | | | | | | |
| First Nations | Doses | 700 | 108 | 565 | 255 | 109 |
| | % | N/A | 1.3 | N/A | N/A | 1.3 |
| Non-First Nations | Doses | 21 | 6,295 | *** | men | 6,316 |
| | 96 | 0.3 | 77.4 | N/A | N/A | 77.6 |
| TOTAL | Doses | 22 | 6.403 | 5.66 | tet | 6,425 |
| | % | 0.3 | 78.7 | N/A | N/A | 79.0 |
| Other | | 0.75 | | | | |
| First Nations | Doses | 30 | 244 | *** | 644 | 30 |
| | % | 0.4 | N/A | N/A | N/A | 0.4 |
| Non-First Nations | Doses | 629 | 155 | 527 | 500 | 629 |
| | % | 7.7 | N/A | N/A | N/A | 7.7 |
| | Doses | 659 | | 550 | *** | 659 |
| TOTAL | | 0.00 | | | | |
| TOTAL | % | 8.1 | N/A | N/A | N/A | 0.1 |
| TOTAL | | 1,731 | 6,403 | IV/A | N/A | 8.1 |

Report 8 - Pneumococcal Vaccine Doses by Reason for Immunization, Provider Type and Location, 2008

| | | High Risk | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|-----------------------------|------------|------------|--------------------|-----------------------|--|----------------|
| RANDON | | | | | | |
| Public Health Nurse | | | | | ************************************** | |
| First Nations | Doses | *** | 666 | 114.6 | 454 | *** |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 75 | *** | *** | *** | 76 |
| | % | 5.5 | N/A | N/A | N/A | 5.6 |
| TOTAL | Doses | 79 | 206 | ANS | *** | 80 |
| | % | 5.8 | N/A | N/A | N/A | 5,9 |
| Physician | | | | | | |
| First Nations | Doses | *** | 12 | 61/6 | N. (1.A. | 12 |
| | % | N/A | 0.9 | N/A | N/A | 0.9 |
| Non-First Nations | Doses | 888 | 1,225 | 555 | 4/6/A | 1,225 |
| | % | N/A | 90.1 | N/A | · N/A | 90.1 |
| TOTAL | Doses | *** | 1,237 | wes | 444 | 1,237 |
| | % | N/A | 91.0 | N/A | N/A | 91.0 |
| Other | | | | | | |
| First Nations | Doses | 6 | 5.17A | NUA | N/A | 6 |
| | % | 0.4 | N/A | N/A | | 0.4 |
| Non-First Nations | Doses | 36 | 544 | 214 | 5115 | 36 |
| | % | 2.6 | N/A | N/A | N/A | 2.6 |
| TOTAL | Doses | 42 | 556 | 666 | 265 | 42 |
| | % | 3.1 | N/A | N/A | N/A | 3.1 |
| tal | Doses % | 121 8.9 | 1,237 91.0 | N/A | N/A | 1,359 100.0 |
| ORTH EASTMAN | | | | | | |
| Public Health Nurse | | | | | | |
| First Nations | Doses | 76.6 | 865 | 200 | 544 | 000 |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 190 | 85.6 | 200 | 500 | 190 |
| | % | 72.2 | N/A | N/A | N/A | 72.2 |
| TOTAL | Doses | 190 | 55.5 | \$790 X | 500 | 190 |
| | % | 72.2 | N/A | N/A | N/A | 72.2 |
| Physician | | | | | | |
| First Nations | Doses | *** | 550 | 242 | 262 | *** |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 10.11 | 49 | 400 | 454 | 50 |
| | % | N/A | 18.6 | N/A | N/A | 19.0 |
| TOTAL | Doses | 549 | 49 | *** | *** | 50 |
| | % | N/A | 18.6 | N/A | N/A | 19.0 |
| First Nation/Tribal Council | | | | | | |
| First Nations | Doses | 8 | 444 | 260 | 555 | 8 |
| | % | 3.0 | N/A | N/A | N/A | 3.0 |
| Non-First Nations | Doses | 459 | 京教育 | *** | 686 | 200 |
| | % | N/A | N/A | N/A | N/A | N/A |
| TOTAL | Doses | 9 | 501 | 655 | 95% | 9 |
| | % | 3.4 | N/A | N/A | N/A | 3.4 |
| Other | | | | | | 10 |
| First Nations | Doses | 5.0.6 | *** | 162 | 500 | 200 |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 14 | *** | 888 | 996 | 14 |
| | % | 5.3 | N/A | N/A | N/A | 5,3 |
| TOTAL | Doses | 14 | 222 | 200 | 555 | 14 |
| | % | 5.3 | N/A | N/A | N/A | 5.3 |
| tal | Doses | 214 | 49 | 666 | 安全会 | 263 |
| **** | % | 81.4 | 18.6 | N/A | N/A | 100.0 |

Report 8 - Pneumococcal Vaccine Doses by Reason for Immunization, Provider Type and Location, 2008

| | | High Risk | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|--|-----------------------------|-------------|---|-----------------------|--------------------------|----------------|
| OUTH EASTMAN | | | | | | |
| Public Health Nurse | ere en course of the second | | | | ** ** ** *** *** | |
| First Nations | Doses | *** | *** | *** | *** | * N. N. |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 176 | N/A | *** *** | 8118 | 176 |
| | % | 59.1 | N/A | N/A | N/A | 59.1 |
| TOTAL | Doses % | 177 59.4 | N/A | N/A | N/A | 177 59.4 |
| The second secon | 70 | 59.4 | IN/A | NA | IN/A | 59.4 |
| Physician First Nations | Doses | *** | 515 | *** | 222 | *** |
| First (valions | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 8 | 92 | *** | *** | 100 |
| 740111 1150 14000115 | % | 2.7 | 30.9 | N/A | N/A | 33.6 |
| TOTAL | Doses | 8 | 92 | ×An | 乔 乔在 | 100 |
| 10172 | % | 2.7 | 30.9 | N/A | N/A | 33.6 |
| Other | to Purposes | | | | | |
| First Nations | Doses | *** | *** | 644 | *** | *** |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 21 | 8.55 | *** | *** | 21 |
| | % | 7.0 | N/A | N/A | N/A | 7.0 |
| TOTAL | Doses | 21 | *** | *** | 2000年 | 21 |
| | % | 7.0 | N/A | N/A | N/A | 7.0 |
| tal | Doses % | 206 69.1 | 92 30.9 | N/A | N/A | 298 100.0 |
| TERLAKE | | | . , , , , , , , , , , , , , , , , , , , | | | |
| Public Health Nurse | | | | | 0.00.000 | |
| First Nations | Doses | *** | 244 | 5.80 | *** | 1110 |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 239 | 252 | 0.00 | *** | 239 |
| | % | 41.3 | N/A | N/A | N/A | 41.3 |
| TOTAL | Doses | 240 | X 1/A | 200 | *** | 240 |
| | % | 41.5 | N/A | N/A | N/A | 41.5 |
| Physician | 6 | *** | | 5.44 | *** | |
| First Nations | Doses % | N/A | 11 | N/A | N/A | 11 |
| New Charles | | 1.V/M. | | 19/24 | IN/M | |
| Non-First Nations | Doses % | N/A | 296 51.1 | N/A | N/A | 296 51.1 |
| TOTAL | | 5.4/75. | | 140 | 14/7 | |
| IOIAL | Doses % | N/A | 307 53.0 | N/A | N/A | 307 53.0 |
| Short Market Trails at Consent | | 14/1 | | Tripes | 1 1/1 | 50.0 |
| First Nation/Tribal Council First Nations | Doses | 15 | *** | *** | *** | 15 |
| THOS TRANSPORTS | % | 2.6 | N/A | N/A | N/A | 2.6 |
| Non-First Nations | Doses | *** | *** | *** | 655 | *** |
| Train a se receipting | % | N/A | N/A | N/A | N/A | N/A |
| TOTAL | Doses | 17 | *** | ANA | 555 | 17 |
| | % | 2.9 | N/A | N/A | N/A | 2.9 |
| Other | | | | | | |
| First Nations | Doses | *** | *** | *** | *** | 0.00 |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 15 | 200 | *** | *** | 15 |
| | % | 2.6 | N/A | N/A | N/A | 2.6 |
| TOTAL | Doses | 15 | 546 | ***** | *** | 15 |
| | % | 2.6 | N/A | N/A | N/A | 2.6 |
| al | Doses | 272 | 307 | AAA | AAA | 579 |
| | % | 47.0 | 53.0 | N/A | N/A | 100.0 |

Report 8 - Pneumococcal Vaccine Doses by Reason for Immunization, Provider Type and Location, 2008 January 1 to December 31, 2008

| | | High Risk | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|-----------------------------|------------|-------------|--------------------|-----------------------|---|----------------|
| NTRAL | | | | | | |
| Public Health Nurse | 11-20 | | | | *************************************** | |
| First Nations | Doses | 46.4 | *4* | *** | *** | *** |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses % | 140 31.4 | N/A | N/A | N/A | 140 31.4 |
| TOTAL | Doses | 140 | 800 | *** | ers. | 140 |
| TOTAL | % | 31.4 | N/A | N/A | N/A | 31.4 |
| Physician | | | | | | |
| First Nations | Doses | N.1/A | bild. | NI/A | **** N/A | 6.14A |
| Non-Plant Niews | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses % | 8 | 241 54.0 | N/A | N/A | 249 55.8 |
| TOTAL | Doses | 8 | 243 | NO. | *** | 251 |
| | % | 1.8 | 54.5 | N/A | N/A | 56.3 |
| First Nation/Tribal Council | | | | | | |
| First Nations | Doses | 19 | NI/A | KI/A | N/A | 19 |
| No. Phys. Phys. | % | 4.3 | N/A | N/A | N/A | 4.3 |
| Non-First Nations | Doses % | 5 | N/A | N/A | N/A | 5 |
| TOTAL | Doses | 24 | 4.60 | *** | *** | 24 |
| | % | 5.4 | N/A | N/A | N/A | 5.4 |
| Other | 1 | | | | | |
| First Nations | Doses | NI/A | N/A | 61/A | N/A | N/A |
| | % | N/A | IV/A | N/A | 1V/A | |
| Non-First Nations | Doses % | 29 6.5 | N/A | N/A | N/A | 29 6.5 |
| TOTAL | Doses | 31 | *** | 255 | *** | 31 |
| 10.77 | % | 7.0 | N/A | N/A | N/A | 7.0 |
| al | Doses % | 203 45.5 | 243 54.5 | N/A | N/A | 446 100.0 |
| SINIBOINE | | | | | | |
| Public Health Nurse | | | | | | - |
| First Nations | Doses | **** | 464 | 255 | *** | *** |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 329 | N/A | N/A | N/A | 329 78.1 |
| TOTAL | % | 78.1 | N/A | IV/A | N/A | |
| TOTAL | Doses % | 329 78.1 | N/A | N/A | N/A | 329 78.1 |
| Physician | | | | | | |
| First Nations | Doses | *** | *** | *** | 688 | 44.9 |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 668 67A | 63 | N1/A | NI/A | 64 |
| TOTAL | % | N/A | 15.0 | N/A | N/A | 15.2 |
| TOTAL | Doses % | N/A | 63 15.0 | N/A | N/A | 64 15.2 |
| First Nation/Tribal Council | | | | | 1917 | 10.5 |
| First Nations | Doses | 16 | *** | *** | *** | 16 |
| | % | 3.8 | N/A | N/A | N/A | 3.8 |
| Non-First Nations | Doses | DATE. | 500 N//A | 51/5 | 6 1 / A | NO. |
| TOTAL | % | N/A | N/A | N/A | N/A | N/A |
| TOTAL | Doses % | 20 4.8 | N/A | N/A | N/A | 20 4.8 |
| Other | | | | | | |
| First Nations | Doses | *** | *** | *** | *** | *** |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 7 | NIA | NI/A | AUA | 8 |
| TOTAL | % | 1.7 | N/A | N/A | N/A | 1.9 |
| TOTAL | Doses % | 1.7 | N/A | N/A | N/A | 8 1.9 |
| | Doses | 357 | 63 | 888 | 888 | 421 |
| al | | | | | | |

Report 8 - Pneumococcal Vaccine Doses by Reason for Immunization, Provider Type and Location, 2008

| | | High Risk | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|-----------------------------|-------|-------------|--------------------|-----------------------|--------------------------|----------------|
| ARKLAND | | | | | | |
| Public Health Nurse | | | | | | |
| First Nations | Doses | *** | *** | *** | *** | 5.55 |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 257 | *** | *** | *** | 257 |
| | % | 69.6 | N/A | N/A | N/A | 69.6 |
| TOTAL | Doses | 257 | *** | 595 | *** | 257 |
| | % | 69.6 | N/A | N/A | N/A | 69.6 |
| Physician | | | | | | |
| First Nations | Doses | *** | 988. | *** | 688 | *** |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 10 | 74 | 222 | 222 | - 84 |
| | % | 2.7 | 20.1 | N/A | N/A | 22.8 |
| TOTAL | Doses | 10 | 78 | *** | *** | 88 |
| | % | 2.7 | 21.1 | N/A | N/A | 23.8 |
| First Nation/Tribal Council | | | | | *** | 1 |
| First Nations | Doses | 18 | AT/A | N/A | N/A | 18 |
| | % | 4.9 | N/A | N/A | | |
| Non-First Nations | Doses | 5 | NI/A | 6.1/6 | *** *1/A | 5 |
| | % | 1.4 | N/A | N/A | N/A | 1.4 |
| TOTAL | Doses | 23 | 255 | 500 | ##6 N.1/A | 23 |
| | % | 6.2 | N/A | N/A | N/A | 6.2 |
| Other | | | | | *** | *** |
| First Nations | Doses | 61/6 | 61/4 | 5.1/A | | |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | *** | 644 | 61/6 | *** **/* | ALLA |
| | % | N/A | N/A | N/A | N/A | N/A |
| TOTAL | Doses | 6.17.4 | 600 A11A | 110 | *** | 6116 |
| | % | N/A | N/A | N/A | N/A | N/A |
| otal | Doses | 291 78.9 | 78 21.1 | N/A | N/A | 369 100.0 |
| | % | 10.3 | 21.1 | INIA | IV/PL | 100.0 |
| OR-MAN | | | | | | |
| Public Health Nurse | | | | | | |
| First Nations | Doses | 11 | 9.44 N.17A | 5 1/ X | 3.1/A | 11 |
| | % | 5.0 | N/A | N/A | N/A | 5.0 |
| Non-First Nations | Doses | 190 | 550 | *** | 200 NO.4 | 190 |
| | % | 86.0 | N/A | N/A | N/A | 86.0 |
| TOTAL | Doses | 201 | *** | - RAN | 424 | 201 |
| | % | 91.0 | N/A | N/A | N/A | 91.0 |
| Physician | | | | | | |
| First Nations | Doses | *** | 586 A44A | 2.00 | 250 51/5 | 5.17A |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 6.51 K | 544 | K1/A | 644 61/A | NI/A |
| | % | N/A | N/A | N/A | N/A | N/A |
| TOTAL | Doses | *** | *** | N 1/A | N1/A | NO. |
| | % | N/A | N/A | N/A | N/A | N/A |
| Other | | | | | | The same |
| First Nations | Doses | ALLA | NI/A | NI/A | 668 NI/A | NI/A |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 16 | 61/3 | N1/A | 61/A | 16 |
| | % | 7.2 | N/A | N/A | N/A | 7.2 |
| TOTAL | Doses | 18 | 544 | 51/A | APA AT/A | 18 |
| | % | 8.1 | N/A | N/A | N/A | 8.1 |
| otai | Doses | 219 | *** | *** | *** | 221 |
| | % | 99.1 | N/A | N/A | N/A | 100.0 |

Report 8 - Pneumococcal Vaccine Doses by Reason for Immunization, Provider Type and Location, 2008 January 1 to December 31, 2008

| | | High Risk | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|---|------------|-------------------|--------------------|-----------------------|--------------------------|----------------|
| URNTWOOD | | | | | | |
| Public Health Nurse | | E SECTION SECTION | | - | | |
| First Nations | Doses | 22 | *** | *** | *** | 22 |
| | % | 7.5 | N/A | N/A | N/A | 7.5 |
| Non-First Nations | Doses | 71 | 848 | *** | 6.48 | 71 |
| | % | 24.1 | N/A | N/A | N/A | 24.1 |
| TOTAL | Doses | 93 | *** | *** | *** | 93 |
| | % | 31.6 | N/A | N/A | N/A | 31.6 |
| Physician | | *** | *** | *** | *** | *** |
| First Nations | Doses % | N/A | N/A | N/A | N/A | N/A |
| | | 14/14 | IN/M | 14/14 | IV/A | IV/A |
| Non-First Nations | Doses % | N/A | N/A | N/A | N/A | N/A |
| TOTAL | | 14/7 | (1//2) | 14/4 | 19/79 | 11/14 |
| TOTAL | Doses % | N/A | N/A | N/A | N/A | N/A |
| 5 | 70 | 14/5 | 14/5 | 14/65 | TW/A | 14074 |
| First Nation/Tribal Council First Nations | Doses | 163 | - 191 | *** | *** | 163 |
| I II SE I VALIGITA | % | 55.4 | N/A | N/A | N/A | 55.4 |
| Non-First Nations | Doses | 27 | *** | *** | *** | 27 |
| TVOTET II OLTVADOTIS | % | 9.2 | N/A | N/A | N/A | 9.2 |
| TOTAL | Doses | 190 | *** | *** | *** | 190 |
| | % | 64.6 | N/A | N/A | N/A | 64.6 |
| Other | | | | | | |
| First Nations | Doses | 7 | *** | K# H | *** | 7 |
| | % | 2.4 | N/A | N/A | N/A | 2.4 |
| Non-First Nations | Doses | 564 | *** | *** | 5.65 | *** |
| | % | N/A | N/A | N/A | N/A | N/A |
| TOTAL | Doses | 10 | *** | NAN | *** | 10 |
| | % | 3.4 | N/A | N/A | N/A | 3.4 |
| tal | Doses | 293 | *** | *** | *** | 294 |
| | % | 99.7 | N/A | N/A | N/A | 100.0 |
| HURCHILL | | | | | | |
| Public Health Nurse | | | | | | |
| First Nations | Doses | xxx | *** | *** | 451 | *** |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | *** | ext | *** | *** | *** |
| | % | N/A | N/A | N/A | N/A | N/A |
| TOTAL | Doses | 5 | 425 | K## | *** | 5 |
| | % | 100.0 | N/A | N/A | N/A | 100.0 |
| tal | Doses | 5 | *** | 666 | *** | 5 |
| | % | 100.0 | N/A | N/A | N/A | 100.0 |
| known | | | | | | |
| Other | | | | | | |
| First Nations | Doses | *** | 400 | *** | *** | *** |
| | % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses | 24 | *** | *** | *** | 24 |
| | % | 88.9 | N/A | N/A | N/A | 88.9 |
| TOTAL | Doses | 27 | *** | 244 | *** | 27 |
| | % | 100.0 | N/A | N/A | N/A | 100.0 |
| tal | Doses | 27 | 224 | 888 | *** | 27 |
| | % | 100.0 | N/A | N/A | N/A | 100.0 |

Report 8 - Pneumococcal Vaccine Doses by Reason for Immunization, Provider Type and Location, 2008 January 1 to December 31, 2008

| | | High Risk | No Reason Given | No Risk Identified | Outbreak Immunization | Total Doses |
|--------------------------------------|------------|------------|--------------------|-----------------------|--------------------------|----------------|
| n-Manitoba | | | | | | |
| Public Health Nurse First Nations | Doses % | N/A | N/A | N/A | N/A | N/A |
| Non-First Nations | Doses % | N/A | N/A | N/A | N/A | N/A |
| TOTAL | Doses % | N/A | N/A | N/A | N/A | N/A |
| Other First Nations | Doses % | 5 7.5 | N/A | *** N/A | N/A | 5 7.5 |
| Non-First Nations | Doses % | 54 80.6 | N/A | N/A | N/A | 58 86.6 |
| TOTAL | Doses % | 59 88.1 | N/A | N/A | N/A | 63 94.0 |
| tal | Doses % | 63 94.0 | N/A | N/A | N/A | 67 100.0 |

Appendix 1

Manitoba's Routine Immunization Schedule for Infants and Children

| Age | DaPTP* | Hib | MMR** | HBV | Tdap | PCV7 | PPV23 | MC | MP | V | Flu**** |
|----------------|--------|-----|-------|-----|------|------|-------|----|----|---|---------|
| 2 months | X | X | | | | Х | | | | | |
| 4 months | X | X | | | | X | | | | | |
| 6 months | X | X | | | | X | | | | | X*** |
| 12 months | | | X | | | | | | | X | |
| 18 months | X | X | | | | X | | | | | |
| 4 to 6 years | X | | X | | | | | | | X | |
| 10 years | | | | XXX | | | | X | | X | |
| 14 to 16 years | | | | | X | | | | | | |

| DaPTP* | Diphtheria, acellular Pertussis, Tenanus, Polio (given as "one needle" with Hib) |
|--------|--|
| Hib | Haemophilus Influenzae B |
| MMR** | Measles, Mumps, Rubella (given as "one needle" on or after the first birthday) |
| HBV | Hepatitis B (3-dose series) |
| Tdap | Tetanus, diphtheria, acellular pertussis (given as "one needle") |
| PCV7 | Pneumococcal conjugate 7 valent |
| PPV23 | Pneumococcal polysaccharide 23 valent |
| MC | Meningococcal conjugate |
| MP | Meningococcal polysaccharide A,C,Y,W-135 |
| V | Varicella |
| Flu | Influenza |
| *** | More than one dose may be required depending on age. |
| | |

Given to healthy children (six to 23 months of age) starting fall 2004.

Appendix 2

Map of Manitoba's Regional Health Authorities

